




**ADMIRAL**  
**STAGING**



English version



# TO MAKE YOU SMILE ON STAGE.

**A**t Admiral Staging we create innovative and unique staging solutions for the entertainment industry. Our product range has the perfect combination of basic staging essentials for the best possible price, complemented with unique products designed with attention to detail.

Let this catalogue inspire you, to build your stages with a smile!



Some of our products have a product video. Scan the code with the camera on your smartphone or tablet in order to watch the video.

(Some devices need a QR code app)

# MODULAR TRANSPORT

## FORK SIDE PANNELS

Assembling the transport rack to suit your needs is easy with the modular building blocks of Admiral Staging.

Standard available profiles can be combined with two "Fork side panels". Choose your appropriate length and height, to design your own custom transporter.

Design that meatrack that fits all of your luminaires.


## BASIC CARTS

L160


L180

L210




L250



H203



H110



### MEATRACK FOR FIXTURES

Our Meatracks with a width of 60 cm are made to transport your moving heads, lighting bars or single luminaires. Single luminaires can be hung on aluminium (or steel) bars. Four or six of those bars can be hung on brackets.

▲ Fork-side panel H203, L210



▲ Fork-side panel H203, L210.



#### MEATRACK HANGING FORK

To hang bars or tubes in the Admiral Meatrack a hanging fork is available. These forks are available with a width of 50 mm and 80 mm. To secure the fork a M8 x 65 bolt is needed. A quick lock pin for the forks is also available.



#### QUICK LOCKING PIN

A quick and innovative way to change the forks and tubes of the meat rack is by using this special shaped metal pin. Where you normally have to assemble nuts and bolts, you are now able to use the pin. It is equipped with an attached safety mechanism to lock the pin. No more tools or lost bolts and nuts.



▲ Fork-side panel H110, L180.



#### BALLET FLOOR CART

How will you transport your ballet or stage floor to and from your venue? The simplest solution is using the Admiral Ballet floor cart. The cart is available in two different lengths: L180 (for max. 150 cm floors) and L230 (for max. 200 cm floors).

A sturdy plastic tube is placed at the base of this cart. This tube can be rotated with a foldable handle. After use, this handle folds between the bracket of the cart.



# MODULAR TRANSPORT

## SLIM-LINE PANNELS

A second type of transport rack can be assembled with the Slimline side panels. This rack can be equipped for multiple options.

Admiral Staging has made some standard assemblies for you, but feel free to think "out of the box" and design your own dedicated transporter!

Even more design options with the Slim line panels.


## BASIC CARTS

L50


L80

L160




L210



H203



H110



Symmetrical or asymmetrical.

### SIDELIGHT TOWERS

Sidelight towers can be equipped with moving heads, theatre luminaires, and other lighting fixtures. The position of the hanging bar can be symmetrical or asymmetrical in this dolly, depending on what you transport: Profile spots or moving heads.

Telescopic ladder: the ladder can be pushed upwards and a self-winding pull-strap helps you to lift the system before you insert the locking pin to secure the ladder.

Note: Sidelight towers always comes assembled.





### STORAGE CART

Store and carry filter frames, cables, and tools for your event in this storage cart. The plastic containers slide easily on a bracket and are securely held in place when inserted into the cart.




◀ Slim-line panel H203, L80, crate set C.

▼ Slim-line panel H110, L80, crate set A.



### CENTER POSITION BRACKETS H110 AND H203

In all of the carts, you can additionally mount a Center bracket. Position your bracket in the middle for transporting cables on both sides or anywhere else along the side for transporting cables on one side.



▶ Meatrack with centre bracket to combine small and large fixtures in one rack.



▲ Slim-line panel H110, L160 with centre bracket.

▲ Slim-line panel H110, L80 with centre bracket.

### CABLE CART

With the Cable cart, you can organise all your cables easily. In addition, 80 mm wide brackets prevent cables from bending too tightly and damaging internal wiring. Place several brackets next to each other or in line above each other for the most convenient layout. Cable studs can be mounted to any available Admiral cart.



210 cm

160 cm

80 cm

### CABLE SUPPORT

This support system lets you decide how much cable support you want and where you want it when assembling your transporter.

The cable support consists of an aluminum tube which is then assembled in the cart.



Stage deck transporter for 1 m x 2 m decks.

**Compatible with:**  
Prolyte, Sixty82, Bütec.



Transporter for 1 m x 1 m decks.

### STAGE DECK TRANSPORTER

This cost effective transporter is ideal for transporting up to six stage decks. The decks can be ergonomically tilted to prevent excess pressure on your back.

The locking bolt is the first safety measure for the decks and a lashing set ensures further safety during the transport. This cart is suitable for most 9 cm thick stage elements.





For 30 truss



and... for 40 truss.

# STRONGBOY<sup>®</sup>

## UNIVERSAL TRUSS DOLLY



Our "Strong boy" is a strong cart! Suitable for both 30 and 40 truss, the base is made of strong 2 and 3 mm steel. It's zinc coated to withstand the test of time and equipped with rubber studs for optimal friction of your truss. Hooks can be applied on each side of the dolly to secure the load.




Hook profile for straps.



Stackable.



Storage space for carriers.



Centre-to-centre distance.



Our girl,  
for curvy  
truss



2.5 m diameter truss.



5 m diameter truss.



7.5 m diameter truss.



10 m diameter truss.

# STRONGGIRL

## CIRCULAR TRUSS DOLLY

This is the first dolly for circular truss. The Strong Girl comes in two versions, a version for 30 truss and 40 truss. On both dolly's you can load curved truss with a diameter from 2.5 m up to infinity.




For every radius.



Rubber studs prevent slipping.



Hook profile for straps.



Centre-to-centre distance.



### RUBBER TRUSS CARRIER


This example perfectly demonstrates the benefits of our rubber truss carrier. Rubber studs are moulded around a rigid aluminium tube. These studs help the truss stack together easily and with improved stability\*. They are lightweight, damp sounds, and are easy to stack.

Truss carriers are available in two versions:

- 30 truss
- 40 truss (only square)



\* We do not recommend walking uphill without a strap around your truss dolly.



YouTube  
scan to watch



# BUILDING A RAMP

## RAMP SUPPORT AND SLOPE

Always struggling how to build a ramp for your stage? Rolling flightcases and other equipment on your stage was never this easy! Build your own ramp in a few steps with our Admiral ramp support system. Depending on the height of your stage two or three pieces of Stage deck can be linked together. These Stage decks are connected and held in place by one of our Ramp support options.



Standard Ramp support

Universal Ramp support



### RAMP SLOPE


This compact and light weight ramp attachment is the finishing touch for your ramp. You can easily hook these Ramp slopes into the Stage decks for optimal safety. The parts are provided with anti-slip rubbers and can be made linkable if desired.

STAGE



### RAMP SUPPORT®

With our Admiral Ramp support you can build a ramp of either 4 m or 6 m in length using one or more support elements depending on the desired height of the ramp. This system is equipped with a unique adjustment feature allowing you to use your standard round legs to build ramps from 40 cm up to 140 cm in height.



3 support elements.




Max stage height.



Increment.




Use round stage legs.



### UNIVERSAL RAMP SUPPORT®


With our Universal version of the Ramp support you only need one support element to build a ramp in the desired height. For this Ramp support system you need to use custom made legs. Use this system to build ramps from 40 cm up to 120 cm in height.




1 support element.




Max stage height.



Increment.



Use custom made legs.




# LIFTING WHEEL

## 3 WAYS TO USE

Our multifunctional Lifting wheel is designed for moving stage decks, truss parts and other décor pieces with a maximum load of 130 kg. The wheel lifts 27 mm up and down and can be coupled to a Truss attachment, Mounting plate or halfcoupler.

© Design registered in the EU.




### Technical Specifications

- material: 4 mm zinc plated metal
- lifting height: 27 mm
- weight: 3 kg
- castor diameter: 80 mm
- WLL castor: 130 kg

\*Compatible with 30 truss from: Prolyte, Eurotruss, Fantek, Duratruss, Globaltruss, Interal, Sixty82


### 1 STAGE RISER

Turn the Lifting wheel in a Stage riser using halfcouplers to mount it on your round stage legs. The Admiral Lifting wheel will not touch the floor when lowered, providing you more stability and the ability to use the maximum load of your Stagedeck.




#### TIP!

If you have square podium legs, just drill two holes here and attach the wheel with two bolts.




### 2 TRUSS MOVER

Use the Truss attachment with our Lifting wheel to rise your truss frames, for example a DJ booth, and roll them easy on and off the stage.



### 3 BOX RISER

The Mounting plate attachment is the solution for attaching the Lifting wheel to wood or metal walls.



For more info about our products contact your local dealer or visit our website.

# STAGE DECORATION

## DECO MOLTON AND BACKDROPS



### DECO MOLTON

Skirting your stage has never been faster and easier. With our various sizes of deco molton rolls, you can instantly create beautiful stages.

Deco molton is available in black and white. One roll contains 60 m of deco molton. Available in 20 cm, 40 cm, 60 cm, 73 cm, 80 cm and 100 cm heights.



Will be delivered with 3 rolls of double sided tape



### JACK THE GRIPPER

Use this super handy tool when applying deco molton to your stage.

Our Jack the gripper is designed as a time saver when rolling out your stage skirting.

**NEW**



### VELCRO STAGE-POLYESTER

This stage decoration has the quality to be used over and over again.

Because the fabric is knitted, when cutting to size, you will not see any fraying. One side of this flame retardant fabric, consists entirely of the loop side of velcro, whereas the front of the fabric is smooth and slightly shiny. Stage decoration that makes the difference!




STAGE

### BACKDROPS

Our backdrops have the perfect weight, 320 g/m<sup>2</sup> and quality. Stronger than most backdrops on the market, but still a lighter weight which makes this fabric wrinkle a lot less. Pre-assembled eyelets every 25 cm make these backdrops very easy to mount.

This stage decoration is available in two standard widths. (3 and 6 meters) with a length of 3, 4, 5 or 6 meters.

width: 3 meter	width: 6 meter
height: 3 meter	height: 3 meter
height: 4 meter	height: 4 meter
height: 5 meter	height: 5 meter
height: 6 meter	height: 6 meter



320 gram p/m<sup>2</sup>  
High quality fabric.



Pre-assembled eyelets  
○ ← 25 cm → ○



# VINTAGE LUMINAIRE

An Admiral Staging fixture with a vintage look – because retro chic is absolutely en vogue!


You can use these decorative fixtures for your TV shows, theatre productions or for live bands to create a specific atmosphere. The fixture has a golden reflector finish and two concentric black metal rings to provide that vintage spotlight look.



This decorative light is available in two sizes, a diameter of 38 cm or 53 cm. Using the sturdy, adjustable brackets you can attach more Vintages together, allowing you to create your own Vintage light setup.

- 60W warm white bulb
- power consumption: 60W max.
- base: E27
- cable: 1.8 meter
- double insulation for the fixture

© Design registered in the EU.



## VINTAGE LUMINAIRE TRIPOD

The Vintage luminaire can also be extended with a tripod. This tripod, with a hardwood base, fits perfectly with these fixtures. The tripod is specially designed for rental use. The metal top has a sturdy M10 bolt with wing nut for fast assembly of the luminaire. The tripod has a standard length of approximately 1 meter.

Extension set available to increase the tripod height to 1.55 meters.



For more info about our products contact your local dealer or visit our website.

Admiralstaging.com



Makes you shine brighter.

★★★★★  
**VINTAGE LUMINAIRE**  
ADMIRAL



To make you smile on stage.



STAGE


photographers: Silvia Dalle Carbonare and Kristoffer Svenn




## UNIVERSAL BASEPLATE

This plate is equipped with both symmetrical and asymmetrical hole patterns. Usable for 30 and 40 truss, square and triangle. The asymmetrical pattern (for 30 truss) is excellent for setting up TV-screens along a wall. If you use the symmetrical pattern (both 30 and 40 truss) you can use it for tables, truss bridges or moving head bases.

Available in black and zinc.



30 truss  $\triangle$  and  $\square$   
(centre-to-centre distance 229 mm)



40 truss  $\triangle$  and  $\square$   
(centre-to-centre distance 329 mm)



A-symmetrical setup for displays.



## NEW


### BASEPLATE REDUCTION RING



Never swop between M10 and M12 bolts ever again, with our small addition to our assortment: the Reduction ring.

Simply place the ring between the M10 bolt and the baseplate to reduce the space you would normally have because you are using a smaller bolt.

#### M12



#### M10




## NEW

### BASEPLATE DOLLY 2.0®

Our updated Baseplate dolly 2.0 is a new, upgraded version and has replaced our Baseplate dolly. The 2.0 versions' Baseplate holders are made from PE, protecting the baseplates from getting scratched when loading the baseplates on and off the dolly.

The cleverly designed bottom element of this dolly allows you to comfortably place the plates onto the dolly. At the last moment, the plates are tilted into a vertical position. Furthermore, sturdy 160 mm wheels ensure a smooth ride over thresholds. A flightcase cover is optional. This 60 cm wide cart can transport four (10 mm) or six (6 and 8 mm) baseplates.



Sizes available for baseplates of 73 x 73 cm, 80 x 80 cm or 100 x 100 cm with a thickness of 6, 8 or 10 mm.



### BASEPLATE FLOOR PROTECTOR

Apply this adhesive rubber mat underneath your baseplates for both floor protection as well as more friction. The 3M double sided tape will stick the rubber mat firmly onto the baseplate. With cut-outs for the baseplates' bolts and couplers these Baseplate floor protectors are very easy to use.



### BASEPLATE HOLDER FOR FLIGHTCASE

This metal holder is useful when you already have your own flightcase.

For 6, 8 and 10 mm baseplates.



STAGE

# FREEDOM<sup>®</sup> MODULAR RIGGING

Admiral Staging has developed a modular rigging system that offers you total freedom of construction. This system can be used suspended or standing.


The length and width variations of the suspension structure vary. Multiple tubes can be slid into each other in order to change the height, while the width can be determined by various lengths of suspension tubes.

You can rig any kind of luminaire, from pars and spots to moving heads.

© Design registered in the EU



Length profiles  
0.5 / 1 / 1.5 / 2 m




**2** BASIC PARTS

Hanging tubes  
30 / 40 / 50 / 60 cm




## FREEDOM SINGLE RIGGER

Start building your light show around the Admiral Single riggers and create a spectacular wall of light. The Single rigger is the simplest solution for a wonderful effect. Each Admiral Staging length tube can be equipped with a M10 adapter to hook on your luminaires and couplers.



Nut plate set M10



Length profile

+




=



Single rigger



Profile coupler set



Length profiles

+



=



Connect two length tubes




## FREEDOM DOWNRIGGERS

Combine two elements (length profiles and hanging tubes) and make any type of Downrigger possible. Each length profile can be extended. A Downrigger with a drop of 6 m is no problem with the building blocks of the Admiral Freedom system.





## FREEDOM FLOOR RACK

Have you already gotten your hands on our Down rigger system? Then you are one step away from using them as a lighting tower. You simply turn a down rigger upside down and slide them into our aluminium base. Your floor rack is born. You can use it as side light tower, moving head tower, or floor stand. You never bought so many applications in one. You can position your profiles symmetrically or asymmetrically into the foot.




Position your profiles symmetrically or asymmetrically into the foot.






**FREEDOM  
DROP ARMS**


You might have seen them before, but never this clever... The Admiral drop arm is extendable to any length (stability decreases while length increase). The Drop arm can also be combined with hanging tubes. Imagine what lighting effects you can achieve with that!



Hanging tubes




Length profiles



Drop arm set



Profile coupler set



Length profiles



Connect two length tubes



# CLAMPS AND COUPLERS



Halfcoupler with lifting eye



Ø 48 - 51 mm  
WLL 200 kg



Swivel coupler




Ø 48 - 50 mm  
WLL 100 kg



Ø 48 - 51 mm  
WLL 500 kg



Ø 48 - 51 mm  
WLL 200 kg



Half coupler



Ø 32 - 35 mm  
WLL 75 kg



Ø 48 - 50 mm  
WLL 100 kg




Ø 48 - 51 mm  
WLL 200 kg



Ø 48 - 51 mm  
WLL 500 kg

Ø 48 - 51 mm  
WLL 750 kg

M12  
Ø 48 - 51 mm  
WLL 750 kg



Selflock coupler easy



Ø 48 - 51 mm  
WLL 250 kg



Shorty  
Ø 48 - 51 mm  
WLL 200 kg



Quick coupler



Ø 48 - 51 mm  
WLL 250 kg



G-clamp straight



Ø 50 mm  
WLL 50 kg



C & G-clamps



Ø 48 - 50 mm  
23 cm / 40 cm / 60 cm



## CLAMPS AND COUPLERS

Admiral supplies a vast array of clamps and couplers, from aluminum Half couplers to Swivel couplers with a WLL up to 750 kg.

In addition, our well-known G- and C- Clamps are included. Fitted with a spring steel protector to keep your truss from damage when mounting the hooks.

For more info about our products contact your local dealer or visit our website.

Admiralstaging.com

Fast, Quick, **Qwiqr**<sup>®</sup>



The Admiral Qwiqr is the next generation sliding connector for clamps.

We do have a very good reason to name this item Qwiqr (read: quicker). Because this clamp is quick. Slide the hook into the housing and click! You will hear a double click before taking your hands away, and that's it.



YouTube  
scan to watch

CE WLL 50kg  
DGUV17


### COUPLING AND DECOUPLING



Push the clamp part against the spring block inside the Luminaire part until both locking switches are activated.



Pull the hook backwards into the housing, press both locks and slide the hook outwards.



### FLOOR STAND®

The Admiral Floor stand is again a game changer. It is stackable, anti-slip, and it can be mounted to 30 truss to hang your fixtures.

Available with a round tube for theatre hooks/half coupler.



WLL: 50 kg

Use the Floorstand as a Drop arm.



### MULTIBRACKET®

The Multibracket is the mounting bracket for your Funstrip or Sunstrip or similar fixtures. With this unique, patented mounting bracket, you can mount your strip in any position in your truss.



© Design registered in the EU



### SAFETY CABLE

All the Admiral Safety cables comply with the BGV-C1 regulations. Cables can be chosen with a galvanised finish or black finish. Mount the safety cable in a small loop to absorb the weight when falling. Accident avoided.



**BGV-C1  
Certified**



For more info about our products contact your local dealer or visit our website.

# SNAKE<sup>®</sup> CABLE GUIDE

The latest development in the field of Cable guides is the Snake. The Snake accommodates enough cables for power and signal. Pivoting hinges, moreover, ensure the cables can be smoothly bent while keeping a minimum diameter. Interlinking only 1 meter parts, any base can be configured.

Because of the innovative bending hinges, which make full use of an interlocking mechanism, back and forth movement of the truss while hoisting it up or down is almost a thing of the past. With its bronze bearings, this construction ensures years of enjoyment.



Gutter dimensions.



Available in black and zinc plated metal.




For single tube and both 30 and 40 truss.





### CABLE GUIDE BASIC®

The Basic cable guides are a cost-effective solution for routing data and/or power cables upon truss constructions that are hoisted.



# GRID


## FOR FIXED INSTALLATIONS

Admiral has a number of different construction components for installing a grid. These include in height adjustable mounting brackets, wall mounts, and grid tube connectors.

A combination of bars with AC sockets, DMX connectors and grid tubing will create the ideal infrastructure for your theatre, concert venue, or pop centre.



**Grid bracket 90°**  
This clamp will help you build a solid grid in an easy way.




**Grid bracket 48/51mm**  
For hanging grid tubes on the ceiling.




**Cover for grid tube**  
This cover fits perfectly to our 50 mm round tube.



**Grid tube connector**  
To connect the 50mm Admiral grid tubes



**Grid wall bracket**  
A grid can be firmly mounted to the wall.




**Mounting clamp**  
For cable tray to 50 mm grid tubing.



### MOUNTING BRACKET

Admiral Staging offers an excellent bracket for trusses in a fixed installation. This mounting bracket is attached with wire brackets to firmly attach it onto your truss. Threaded rods can be applied as a single or double attachment to the ceiling.



For fixed and temporary use.

### LIFTING BRACKET

Admiral's CE marked lifting brackets with a maximum lifting weight (WLL) of 500 kg is available for 30 trusses, in two variations: for permanent or temporary installation.

**WLL**  
**500kg**



# CABLE PROTECTOR

## 2,3 AND 5 CHANNELS

This product protects your expensive cables from vehicles and audiences. These protectors are designed for use in high traffic areas. They have a solid rubber base, a bright yellow cover and are available in a various number of channels. Corners are available for all models.



# DMX CABLES

# EXTENSION CABLES

## 3- AND 5-POLE DMX CABLES

Admiral Staging offers a series of good quality, cost-effective DMX cables. The cables are available in 3- and 5- pole types and 120 Ω impedance (DMX standard).



## DMX CHASSIS AND CONNECTORS

3-pole and 5-pole male and female chassis and connectors are available.



## DMX ADAPTER CABLE

Switch with ease from 3 to 5 poles and vice versa.

To be able to recognize the adapters a coloured band is applied. The blue colour indicates 3 to 5 pin and the red colour indicated 5 to 3 pin.

NEW

2.5 meter

5 meter

10 meter

15 meter

20 meter ( only French connection )

## EXTENSION CABLES

Our Admiral Staging pre-assembled H07RN-F cable is a flexible heavy-duty cable for power supply, assembled with a German or French connector.


The cable is available in various lengths from 2.5 meter up to 20 meter and with an isolation of 1.5 mm<sup>2</sup> or 2.5 mm<sup>2</sup>. Each end of the cable is equipped with a heat shrink sleeve for brand labeling.

French

German




Brand label these cables with a heat shrink sleeve on each end.



# CABLE WRAPS

## CABLE WRAP 170, 260, 380 AND 550

Bundle all your cables quickly, neatly, and efficiently with the Admiral cable wrap. By means of a clever wrapping system, the Cable wraps will stay firmly in place around your cables. With a choice of four lengths and eight different colours, you can come up with endless applications for this product.



- Cable wrap 170**  
Length: 17 cm  
Packed per 5  
● ●
- Cable wrap 260**  
Length: 26 cm  
Packed per 5  
● ● ● ● ●  
● ● ● ● ●
- Cable wrap 380**  
Length: 38 cm  
Packed per 5  
● ● ● ● ●  
● ● ● ● ●
- Cable wrap 550**  
Length: 55 cm  
Packed per 5  
● ● ● ● ●  
● ● ● ● ●





## CABLE HOOK

This Cable hook fits trusses and tubes with a diameter of 48 to 51 mm. One or more cables can thus quickly be hung on a truss or tube.

Use of Cable hooks saves time because taping and binding of the cables becomes redundant.


The hook is available in two sizes.



## T-FIX


With this rubber band, you can quickly bundle cables in a truss or fly system. These rubber bands are provided with a hook in order to close the loop quickly. Available in various lengths.





**FIND YOUR ADMIRAL DEALER**

-  Audiosales 1
-  Axente 2
-  Bekafun 3
-  Bellalite 4
-  Cast Swiss Light Consulting 5
-  City Light 6
-  DP Music 7
-  Electro Waves Oy 8
-  Gonher Distribuidora 9
-  Licht Produktiv 10
-  LightNeq 11
-  Luzeiro 12
-  Matrix Sales 13
-  Multitechnic 14
-  Progear OÜ 15
-  Progear OÜ 16
-  Progear OÜ 17
-  Prolight 18
-  Prolyte Doughty Asia Pacific 19
-  Prolyte Doughty Japan 20
-  Provision AVL Gen Trading LLC 21
-  PSP Elektronik 22
-  Rolight 23
-  RTC Fürstler Sound & Light 24
-  Siluj 25
-  SOTESA 26
-  Stage Electrics 27
-  Stage Roads 28
-  Stonex 29
-  Theatra Safe Australia 30



**ADMIRAL**  
**STAGING**

a brand of Rolight, The Netherlands

Josink Kolkweg 10, 7545 PR Enschede  
+31 53 4 301 201  
info@admiralstaging.com  
www.admiralstaging.com