

MASTERLINKLIVE

2012 NEW PRODUCT GUIDE

13/14

15/16



MASTERLINK LIVE SERIES

The MasterLink Live 16 and MasterLink Live 24 seamlessly integrate the iPad's beautiful touchscreen display to bring you an incredible mixing experience. Both are complete "front-of-house" solutions, bridging the gap between high-quality analog consoles and sophisticated DSP technology. The MasterLink series offers channel compression, three-band semi-parametric EQ, four aux sends, four group buses, built-in Alesis digital effects and the unprecedented capability of the Alto Professional Live Drive App.

MASTERLINK LIVE IS 16-CHANNEL MIXER WITH DOCK for iPad

- Seamlessly integrates iPad with a fitted enclosure & 30-pin dock
- Works with iPad and iPad 2
- Process and record your main mix with Alto Professional's Live Drive App (downloadable from App Store)
- \bullet Live Drive App offers real-time audio analysis, compression, EQ and more
- Dedicated analyzer/talkback microphone input
- 16 input channels: 10 mono, 3 stereo
- 10 high-headroom low-noise microphone preamps
- Three-band EQ with sweepable mid-frequency on all mono channels
- 10 independent channel compressors for dynamic control
- Built-in Alesis digital effects processor with reverb, delay, chorus and more

MASTERLINK LIVE 24-CHANNEL MIXER WITH DOCK for iPad

- Seamlessly integrates iPad with a fitted enclosure & 30-pin dock
- Works with iPad and iPad 2
- Process and record your main mix with Alto Professional's Live Drive App (downloadable from App Store)
- \bullet Live Drive App offers real-time audio analysis, compression, EQ and more
- Dedicated analyzer/talkback microphone input
- 24 input channels: 16 mono, 4 stereo
- 16 high-headroom low-noise microphone preamps
- Three-band EQ with sweepable mid-frequency on all mono channels
- 16 independent channel compressors for dynamic control
- Built-in Alesis digital effects processor with reverb, delay, chorus and more









MAIN MIX ANALYZER/PROCESSER/RECORDER APP for iPad

Alto Professional's Live Drive App brings an entire rack of outboard gear to your iPad's touchscreen interface. Manage your main mix with a simplicity, elegance and command never before possible. Control the processing of your main mix, get real-time audio analysis, and record your entire gig—the Live Drive App eliminates the need for racks and racks of cumbersome gear, giving you main mix control that is completely integrated with your MasterLink Live 16 or MasterLink Live 24.

FEATURES

- Real-time audio analysis
- 12-band parametric EQ
- Compressor/limiter
- Two-channel audio recording capability
- Built-in programmable SPL meter



TRUESONIC WIRELESSERIES

	1		
	Contraction of the local division of the loc	(and the second	
terms (second se	Partnerstel	an-waters and	
Contractory (Contractory)	Particular State	and the second second	
in this	Service .	many firmer	
	Beerle .	100 1000	
ter hanne franzen der für	Padartin	ma-fo-ms-huros	
(edge	Televite	Manufacture Dates	
-	Personal Control of Co	managements it	
termine (second	See 1	Tests Tohoo	
San	territe	Terri Terres	
the sector se	and a	and loss	
**	Bereik .	tota forest	
Carer In America	Brock .	Name Taxan	
	terete.	ten bes	1
gandan da da sa	Bernik .	too fortal	1.1
	a Peterin	Burnard Barlo	
	density .	ves loss	100
And in the same last link link	dis teterini		
Baderini (density .	ten lane	
dependent halfe	factor fac	parameters label	
010-1110		eas lease Adapta	n and
Second and	tion in	and factor data	
(no symmetry lawy law)	a federa	manufacture in the loss	-
Construction of Street, Street	mp. Parlantah	Burnardialantes Appl	
			-
		-	-

Works with most Bluetooth devices!

TRUESONIC Wireless loudspeakers provide musicians and live sound engineers with exceptionally clean, transparent sound from wired or wireless sources. Whether used in a permanent sound reinforcement installation or as portable PAs, TRUESONIC Wireless live sound speakers stand apart from the competition because of their uncompromising accuracy, wireless capability and exceptionally high watt-to-dollar ratio.

WIREVE

TSII5₪

800 WATT 2-WAY 15" SPEAKER WITH WIRELESS CONNECTIVITY

- Built-in Bluetooth® A2DP wireless technology*
- Stream audio wirelessly from any Bluetooth-compatible device
- Use as traditional PA loudspeaker or floor wedge monitor
- 800 Watts Class D power
- 15" low frequency transducer, 1" neodymium driver
- Two mic/line combo inputs with independent volume controls
- XLR output to link speakers
- Lightweight, trapezoidal cabinet with handles
- Stand/pole-mountable or flyable

TSII2W 800 WATT 2-WAY 12" SPEAKER WITH WIRELESS CONNECTIVITY

- Built-in Bluetooth® A2DP wireless technology*
- Stream audio wirelessly from any Bluetooth-compatible device
- Use as traditional PA loudspeaker or as floor wedge monitor
- 800 Watts Class D power
- 12" low frequency transducer, 1" neodymium driver
- Two mic/line combo inputs with independent volume controls
- XLR output to link speakers
- · Lightweight, trapezoidal cabinet with handles
- Stand/pole-mountable or flyable

2012 NEW PRODUCT GUIDE



BACK VIEW

PA Music

GROOVIN

LOOK AROUND THE CLUB

YOUR NIGHT'IS IMPROVIN'

ALTO

BOAN MUSIC SYSTEM 400 WATT POWERED SPEAKER for iPad

Just load your iPad into the iPA Music System, run your app of choice and crank up the volume. The iPA Music System's internal power amplifier will fill your home, club, or event with crystal-clear sound. An Alto Professional ADM10 cardioid microphone and 10' cable are included, and you can even expand your iPA Music System by linking to an additional speaker (not included). **Dock your iPad and rock the party with the iPA Music System!**

- Two-way speaker system with 400 Watts of peak power
- Fully integrated Universal Dock for iPad
- Works with iPad and iPad 2
- Includes Alto Professional ADM10 dynamic mic and 10' cable
- Integrated mixer and high-efficiency power amp

- 10" (254mm) low-frequency transducer
- · Compact, lightweight design for easy transport
- 36mm socket for mounting on a speaker stand
- Rigging points for suspending overhead
- Designed and tuned in the USA

All information is preliminary and subject to change. iPad and iPhone not included. iPad, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Bluetooth is a registered trademark of Bluetooth SIG. *Wireless streaming is for playback only.



TRUESONIC SERIES

ALS OF

Accuracy. Power. Portability. Affordability.

TRUESONIC loudspeakers provide exceptionally powerful sound for musicians and live sound engineers alike. Each one features an ultrapure signal path, super-efficient driver design and modern Class D amplification to deliver precise reproduction of deep lows, crystal-clear highs and smooth mid range. With TRUESONIC loudspeakers, what you put in is exactly what you get out.

TSII5A

ACTIVE 800 WATT 2-WAY 15" LOUDSPEAKER

- 800 Watts Class D power
- 15" low-frequency transducer, 1" neodymium driver
- Two mic/line combo inputs with independent volume controls
- XLR output to link speakers
- Lightweight, trapezoidal cabinet with handles

TSIIZA

ACTIVE 800 WATT 2-WAY 12" LOUDSPEAKER

- 800 Watts Class D power
- 12" low-frequency transducer, 1" neodymium driver
- · Two mic/line combo inputs with independent volume controls
- XLR output to link speakers
- Lightweight, trapezoidal cabinet with handles

ACTIVE 600 WATT 2-WAY 10" LOUDSPEAKER

- 600 Watts Class D power
- 10" low-frequency transducer, 1" neodymium driver
- · Two mic/line combo inputs with independent volume controls
- XLR output to link speakers
- · Lightweight, trapezoidal cabinet with handle



18" ACTIVE SUBWOOFER

- 1200 Watts Class D power
- Powerful 18" low-frequency long-excursion driver
- Stereo inputs: mic/line left channel, XLR right channel
- Stereo XLR outputs: left link, right mono, internal 120Hz crossover on thru
- 18mm birch plywood vented cabinet with metal grille and recessed handles

TSSUB 15" ACTIVE SUBWOOFER

- 1200 Watts Class D power
- 1200 Watts Class D power
- Powerful 15" low-frequency long-excursion driver
- Stereo inputs: mic/line left channel, XLR right channel
- Stereo XLR outputs: left link, right mono, internal 120Hz crossover on thru
- 18mm birch plywood vented cabinet with metal grille and recessed handles

TSSUB C 12" ACTIVE SUBWOOFER

- 600 Watts Class D power
- Powerful 12" woofer with 2.5" voice coil and double-ventilation
- Stereo Inputs: mic/line left channel, XLR right channel
- Stereo XLR outputs: left link, right mono, internal crossover on thru
- Compact 18mm birch cabinet with metal grille and handles

ZMX SERIES

The ZMX series of live sound mixers are designed to meet the needs of both musicians and live sound engineers. Whether you're a singer-songwriter looking for the perfect mixer for coffeehouse gigs, or a professional live sound engineer embarking on a national tour there's a ZMX mixer available to bring it all together. ZMX mixers offer multi-bus routing, on-board digital effects and integrated USB audio interfaces, making them perfect for use in capturing high-quality digital recordings of your performances.



ZMX122 @

8-CHANNEL COMPACT MIXER WITH EFFECTS

- 12 total inputs including XLR jacks with phantom power on channels one through four
- Four mic input channels with gold-plated XLR and balanced line inputs
- Two stereo input channels with balanced TRS jacks
- · Extremely high headroom offering extra dynamic range
- Three-band EQ on each channel
- On-board Alesis digital effects processor
- Three-band EQ on each mono and stereo channel
 Two aux sends per-channel for external effects
- and monitoring
- Two-bus design with main and control room 1/4" stereo outputs

ZMX862 6-CHANNEL COMPACT MIXER

- Eight total inputs including XLR jacks with phantom power on channels one and two
- Two mic input channels with gold-plated XLR and balanced line inputs
- Two stereo input channels with balanced TRS jacks
- · Extremely high headroom offering extra dynamic range
- Three-shelf EQ on each mono and stereo channel
- Two aux sends per-channel for external effects and monitoring
- Two-bus design with main and control room 1/4" stereo outputs

ZMX52 5-CHANNEL COMPACT MIXER

- Eight total inputs including an XLR jack with phantom power and EQ on channel one
- 1/4" main, tape, headphone and aux outputs for flexible routing and monitoring
- Compact design, perfect for musicians looking for portability and quick set-up
- One mic input channel with gold-plated XLR and balanced line input
- Two stereo input channels with balanced TRS jacks
- Extremely high headroom offering extra dynamic range
- Ultra-low noise, discrete mic preamps with +18V phantom power
- Balanced inputs for highest signal integrity and low-noise operation

TRUESONIC S R Ε Ε S L S E S Ε Π R

WORLD HEADQUARTERS 200 Scenic View Drive Cumberland, RI USA 02864 Tel: 401.659.8135 Fax: 401.658.3654

SOUTH AMERICA 437 Av Larco Fax: 401.223.6767

UNITED KINGDOM Unit 3, Nexus Park Ash Vale Hampshire, England Tel: +44.1252.896010 Fax: +44.1252.896021 GERMANY Halskestr. 16-18 47877 Willich

5th Floor, 7-150, Hanasaki-cho Nishi-ku, Yokohama-shi Kanagawa, 220-0022, Japan

JAPAN

TAIWAN 7th Floor, #165, Nanking East Road, Sec. 4, Taipei 105, Taiwan Tel: 886.2.2717.2389

BRAZIL

Rua General Flores 290 cj 134 CEP 01129-010 Bom Retiro