

## OMNITRONIC ODP-206T Installation Speaker 100V black 2x

2 weatherproof 6" wall speakers with mount, 20/40/80 W RMS

No. 11036956

GTIN 4026397629743



**RRP: 355,81 €**

19% VAT included

### description:

Great sound - also runs with 100 volts

You want reliable and balanced sound for your bar, restaurant, shop or the conference area of your hotel? You need indoor and outdoor speakers? With the OPD series you get powerful installation speakers that meets all your requirements.

The speakers have a brilliant sound pattern and are available in a low ohm (16 ohms) and in a 100 V version. These two cover both small and large installations. A rotatable mounting bracket is included in the delivery. A swivel wall mount with matching colors is optionally available.

With their weatherproofed (IP54) plastic cabinet the ODP speakers are well prepared for outdoor use, indoor use is of course also possible.

### features:

- 100 V PA speaker systems with an excellent sound for general applications
- 2-way system with 15 cm woofer (6") and 2.5 cm dome tweeter (1")
- Weatherproof plastic cabinet (IP54)
- 100 V transformer with 3 power taps (20 W, 40 W, 80 W)
- Power selector switch with 16 ohms operating position
- Swivel mounting bracket for wall installation
- Swivel and tilting wall bracket for wall installation
- Connection via screw terminals
- Packed as a pair
- Ideal for PA applications in restaurants, bars, shops or conferences

### logistics:

small package  
EAN: 4026397629743  
weight: 15,25 kg  
length: 0,53 m  
width: 0,25 m  
height: 0,42 m  
volume: 0,06 m<sup>3</sup>

### accessories:



11036990  
Wall Bracket for ODP-204/206 b

**technical data:**

---

|                         |  |
|-------------------------|--|
| Input:                  | 100 V or 16 ohms                       |
| Components:             | 15 cm woofer (6"), 2.5 cm tweeter (1") |
| Connection:             | screw terminals                        |
| Rated power:            | 20/40/80W RMS                          |
| Sensitivity:            | 89 dB                                  |
| Maximum SPL:            | 110 dB                                 |
| Dispersion angle:       | 90° x 60°                              |
| Dimensions (L x W x H): | 224 x 182 x 362 mm                     |
| IP classification:      | IP54                                   |
| Weight:                 | 14.15 kg                               |
| Size of woofer:         | 17 cm (6.5")                           |
| Frequency range:        | 60 - 18000 Hz                          |