

High powered portable systems with USB / SD and Bluetooth player.
1 handheld microphone included, belt-pack + lavalier and receivers optional.

Sound Is All We Are About

It is always been our passion to deliver excellent sound and high quality products to our customer. SENRUN is dedicated to manufacturing microphones and portable PA to meet and exceed expectation. In order to make the sound perfect, reliable and transparent we are devoted to invest in high- technology and also ensuring quality in every step of the process.

Designed and Made in Taiwan

SENRUN has been certified by German TUV ISO-9001 in 1999.

We offer innovative product design and high quality manufacturing.

Our portable speakers are multi-usable: perfect for an exhibition stand, for a tour-guide in a noisy environment, during a city walk in the busy city center...

BEKAFUN BV

Heilig Hartstraat 23
8870 Izegem - BE
info@bekafun.be
www.bekafun.be



180W

EP-980

- 180W RMS Class D amplifier
- 10" Neodymium woofer / 1.5" Titanium tweeter
- USB SD & Bluetooth player
- Recording on USB
- 1 handheld microphone included
- Belt-pack with lavalier optional
- Supports up to 4 wireless receivers
- Up to 9 hours battery life
- 6-8 hour charge time
- Cover included



150W

EP-900

- 150W RMS Class D amplifier
- 10" Neodymium woofer / 1" dome tweeter
- USB SD & Bluetooth player
- Recording on USB
- 1 handheld microphone included
- Belt-pack with lavalier optional
- Supports up to 4 wireless receivers
- Up to 9 hours battery life
- 6-8 hour charge time
- Cover included



120W

EP-810

- 120W RMS Class D amplifier
- 10" woofer / 1.5" dome tweeter
- USB SD & Bluetooth player
- Recording on USB
- 1 handheld microphone included
- Belt-pack with lavalier optional
- Supports up to 4 wireless receivers
- Up to 9 hours battery life
- 6-8 hour charge time
- Cover included



150W

EP-890

- 150W RMS Class D amplifier
- 8" woofer / 1.5" dome tweeter
- USB SD & Bluetooth player
- Recording on USB
- 1 handheld microphone included
- Belt-pack with lavalier optional
- Supports up to 4 wireless receivers
- Up to 8 hours battery life
- 6-8 hour charge time
- Cover included

For small crowds and street performers where an easy transport and battery system is needed. USB / SD player and 1 handheld microphone included, beltpack + lavalier kit optional.



42W



EP-580

- 42W RMS Class D amplifier
- 5.25" woofer / 1" tweeter
- USB / SD player
- Recording on USB
- 1 handheld microphone included
- Beltpack with lavalier optional
- Up to 8 hours battery life
- 4.5 hour charge time
- Shoulder strap and cover included



35W



EP-350

- 35W RMS Class D amplifier
- 5.25" woofer / 1" tweeter
- USB / SD player
- Recording on USB
- 1 handheld microphone included
- Beltpack with lavalier optional
- Up to 8 hours battery life
- 4.5 hour charge time
- Shoulder strap and cover included

Lightweight units are not expandable with extra receivers or player.





UH-816

Handheld Wireless Microphone

- Dynamic microphone
- 16 channels
- 2x 1,5V (AA) batteries



USR-6FD

UHF PLL Single Receiver Module

- Channels: 16
- S/N ratio: >100dB
- Sensitivity: -95dBm
- Freq resp: 50Hz - 15KHz



UDR-7FD

UHF PLL True-Diversity Receiver Module

- Dual antenna for larger coverage
- Channels: 16
- S/N ratio: >100dB
- Sensitivity: -95dBm
- Freq response: 100Hz - 15KHz



UPL-83

Bodypack Transmitter + Lavalier Microphone

- Beltpack:
- Frequency range 600-960 MHz
 - Channels: 16
- Lavalier:
- Freq resp 100Hz - 10KHz
 - Mini XLR plug
 - 90cm cable length (lavalier)



DMA-5A

Digital Audio Player

- CD-player with CD / CD-R / CD-RW / MP3 support
- USB / SD / MMC audio player
- remote control



ACCESSORIES COMPATIBILITY TABLE

	UH-816	UPL-83	USR-6FD	UDR-7FD	DMA-5A
EP-980	✓	✓	✓	✓	✓
EP-900	✓	✓	✓	✓	✓
EP-810	✓	✓	✓	✓	✓
EP-890	✓	✓	✓	✓	✓
EP-580	✓	✓	■	■	■
EP-350	✓	✓	■	■	■

	EP-980	EP-900	EP-810	EP-890
SPEAKER	1.5" Titanium Compression Driver 10" Neodymium Woofer (high efficiency)	1" Dome tweeter 10" Neodymium Woofer	1" Dome tweeter 10" Woofer	1" Horn 8" Woofer
OUTPUT POWER	180W RMS (Class D + Class AB Amplifier)	150W RWS (Class D Amplifier)	120W RMS (Class D Amplifier)	50 + 100W RMS
FREQ RESPONSE	70Hz - 22kHz (±3dB)	70Hz - 22kHz (±3dB)	70Hz - 22kHz (±3dB)	50Hz - 20kHz (±3dB)
RECEIVER MODULE	UHP PLL True-Diversity receiver module (Up to 4 receivers) 16 selectable channels LED signal display	UHP PLL True-Diversity receiver module (Up to 4 receivers) 16 selectable channels LED signal display	UHP PLL True-Diversity receiver module (Up to 4 receivers) 16 selectable channels LED signal display	UHP PLL True-Diversity receiver module (Up to 4 receivers) 16 selectable channels LED signal display
FREQ RANGE	UHF 600-960 MHz /2.4G			
BATTERY LIFE	9 hours (depends on volume)	9 hours (depends on volume)	9 hours (depends on volume)	8 hours (depends on volume)
CHARGE TIME	6-8 hours	6-8 hours	6-8 hours	6-8 hours
POWER SUPPLY	AC: 100-240V AC switching power supply			
DIMENSIONS	320 x 500 x 360 mm	320 x 500 x 290mm	320 x 500 x 290mm	270x400x240mm
WEIGHT	17 kg (battery weight 3.77 kg)	16 kg (battery weight 3.77 kg)	16 kg (battery weight 3.77 kg)	10.7kg(battery weight 3.77 kg)
	EP-580	EP-350		
SPEAKER	1" tweeter 5.25" woofer	1" tweeter 5.25" woofer		
OUTPUT POWER	42W RMS	35W RMS		
FREQ RESPONSE	30Hz -20KHz (± 3dB)	50Hz -20KHz (± 3dB)		
RECEIVER MODULE	UHF PLL single receiver module 16 selectable channels	UHF PLL single receiver module 16 selectable channels		
FREQ RANGE	UHF 600-960 MHz /2.4G	UHF 600-960 MHz /2.4G		
BATTERY LIFE	Up to 8 hours (depends on volume)	Up to 8 hours (depends on volume)		
CHARGE TIME	approx. 4.5 hours	approx . 4.5 hours		
POWER SUPPLY	100 -240V AC switching power supply Lithium battery 14.4V/2.6Ah	100 -240V AC switching power supply Lithium battery 14.4V/2.6Ah		
DIMENSIONS	180x 325 x 230mm	160 x 290 x 210mm		
WEIGHT	2.9 kg (with battery)	2.2 kg (with battery)		

