

| Code | Naam |
|---------------------------|--|
| AKG-AB4000 | Antenna Amplifier |
| akg-AC 12/EU | Accessories / Power supplies AC 12/EU |
| AKG-AC12/EU | Power supply for SR470/4500, APS4 ON, HUB4000Q, SPC4500, SST4500, ASU4000 |
| AKG-AKG-SA18-1B | Stand adaptor for AKG blue line series |
| AKG-APS4 | Antenna Power Splitter |
| AKG-APS4ON | Active UHF antenna splitter without power supply for WMS420/450/470/4500 and DMS |
| AKG-ARA | Ara - USB condenser microphone for podcast production and content creator. 2 array r |
| AKG-ASU4000BNC | Inline power supply unit for feeding a 12 V supply voltage, lockable DC input |
| AKG-B48L | Battery power supply unit for phantom powering of condenser microphones which ha |
| akg-BNCfrontmountingcable | BNC-BNCcableforantennafrontmounting,approx.60cmcableforlayingtheantennaconnec |
| AKG-BP4000 | Battery pack for HT4000/4500, PT4000/4500, rechargeable with CU4000, integrated |
| AKG-C1000S | Condenser microphone, cardioid/hypercardioid polar pattern |
| AKG-C1000SMKIV | C1000 S - Condenser microphone, cardioid/hypercardioid polar pattern, presence boo |
| AKG-C12VR | Large diaphragm tube microphone, omnidirectional/cardioid/eight characteristic |
| AKG-C214 | Professional large-diaphragm condenser microphone |
| AKG-C214ST | C214 Stereo-Set - Large diaphragm condenser microphones, stereo pair, cardioid cha |
| AKG-C214STEREO-SET | Large diaphragm condenser microphones, stereo pair, cardioid characteristic |
| AKG-C3000 | Professional large-diaphragm condenser microphone |
| AKG-C314 | Professional Multi-Pattern Condenser Microphone |
| AKG-C314ST | C314 Stereo-Set - Large-diaphragm condenser microphone, stereo pair, 4 switchable r |
| AKG-C314STEREO-SET | Large-diaphragm condenser microphone, stereo pair |
| AKG-C391B | Blue Line Cardioid Microphone |
| AKG-C411L | Acoustic pick-up miniature condenser microphone for string instruments |
| AKG-C411PP | AKG C411 incl. +48V phantom power adapter, XLR connector & 3 m cable |
| AKG-C414XLII | Reference multipattern condenser microphone |
| AKG-C414XLIIST | C414 XLII Stereo-Set - Large diaphragm condenser microphones, stereo pair, 9 polar p |
| AKG-C414XLIISTEREO-SET | Large diaphragm condenser microphones, stereo pair, 9 polar patterns |
| AKG-C414XLS | AKG C414XLS - Reference multipatttern condenser microphone |
| AKG-C414XLSST | C414 XLS Stereo-Set - Large diaphragm condenser microphones, stereo pair, 9 polar |
| AKG-C414XLSSTEREO-SET | Large diaphragm condenser microphones, stereo pair, 9 polar patterns, linear fre |
| AKG-C417L | Condenser Lavalier Microphone |
| AKG-C417PP | Miniature lavalier microphone, omnidirectional, including clip, pin, windscreen |
| AKG-C430 | Condenser Overhead Microphone |
| AKG-C444PP | AKG Antisweat headset |
| AKG-C451B | Reference small-diaphragm condenser microphone - for drums, percussion |
| AKG-C451BSET | C451 B Stereo-Set - Small diaphragm condenser microphones, stereo pair, cardioid ch |
| AKG-C451BSTEREO-SET | Small diaphragm condenser microphones, stereo pair, cardioid characteristic |
| AKG-C477WR | C 477 WR Headset Microphone |
| AKG-C480B | C480 B ULS - Microphone preamplifier, 3 sensitivity levels (0, +6, -10 dB), high overloa |
| AKG-C480BCK61 | C480 B Combo - C480 B preamplifier, cardioid capsule CK61 ULS, extremely low-nois |
| akg-C480 B Combo | Microphones / Studio microphones C480 B Combo |
| AKG-C480BULS | Microphone preamplifier, 3 sensitivity levels (0, +6, -10 dB) |
| AKG-C5 | Professional condenser vocal microphone - for lead and backing vocals |
| AKG-C516ML | Miniature clip-on instrument microphone for accordeon and speakercabinet, cardio |
| AKG-C518M | AKG C518 incl. +48V phantom power adapter, XLR connector & 3 m cable |
| AKG-C518ML | Miniature clamb-on instrument microphone for drums & percussion, cardioid, mini |
| AKG-C519M | C519 incl. +48V phantom power adapter, XLR connector & 3 m cable |
| AKG-C519ML | Clip-on instrument microphone for wind instruments, drums, percussions, cardioid |
| AKG-C520 | AKG C520 incl. +48V phantom power adapter, XLR connector & 3 m cable |
| AKG-C520L | Akg C520I - Miniature headworn condenser microphone for vocals, mini XLR connecto |
| AKG-C544L | Headworn rugged condenser microhpone for sports use, mini XLR connector |
| AKG-C547BL | Large boundary layer micro xlr |
| AKG-C555L | C555 L Head-worn microphone |
| AKG-C562CM | Flush-mount boundary layer microphone, hemispherical characteristic |
| AKG-C5WL1 | Head ford HT4500 & DHT800 |
| AKG-C636BLK | Back electret condenser microphone, cardioid characteristic, black, high-quality |
| AKG-C636WL1 | C636 Microphone Head |
| AKG-C7 | Ref.Condenser Vocal Microphone |
| AKG-C747V11 | Miniature shotgun condenser microphone, hypercardioid characteristic |

| Code | Naam |
|------------------------|---|
| AKG-C7WL1 | C7 Microphone Head for DMS800 and HT4500 |
| AKG-CB400 | Neoprene belt pocket with stretch belt, for pocket transmitters PT40 Pro |
| AKG-CBL201B | Boundary layer table microphone, dual capsule elements, cardioid characteristic |
| AKG-CBL301B | Boundary layer table microphone, 3 capsule elements, cardioid characteristic |
| AKG-CBL31WLS | Wireless Boundary Layer Mic |
| AKG-CBL410B | CBL410 PCC - schwarz - PC microphone for VoIP and teleconferencing applications, r |
| akg-CBL410 PCC - black | PC microphone for VoIP and teleconferencing applications, hemispherical characteristi |
| AKG-CBL410PCC-SCHWARZ | PC microphone for VoIP and teleconferencing applications, hemispherical characte |
| AKG-CBL410PCC-WEI | PC microphone for VoIP and teleconferencing applications, hemispherical characte |
| akg-CBL410 PCC - white | PC microphone for VoIP and teleconferencing applications, hemispherical characteristi |
| AKG-CBL410W | CBL410 PCC - weiß - PC microphone for VoIP and teleconferencing applications, hem |
| AKG-CGN321STS | Pro Tabletop Microphone Set |
| AKG-CGN331E | High-performance gooseneck microphone DAM set |
| AKG-CGN341E | Reference gooseneck microphone DAM+ set |
| AKG-CGN521STS | Pro Tabletop Mic Set |
| AKG-CGN99CL | Gooseneck condenser microphone, cardioid characteristic, 120° recording angle |
| AKG-CGN99CS | Gooseneck condenser microphone, cardioid characteristic, 120° recording angle |
| AKG-CGN99HL | Gooseneck condenser microphone, hypercardioid characteristic, 90° |
| AKG-CGN99HS | Gooseneck condenser microphone, hypercardioid characteristic, 90° |
| AKG-CHM99BLACK | Hanging Module + 10m Cable Black |
| AKG-CHM99WHITE | Hanging Module + 10m Cable White |
| AKG-CK31 | Cardioid microphone head |
| AKG-CK32 | High-performance omnidirectional condenser microphone capsule |
| AKG-CK33 | Hypercardioid microphone head |
| AKG-CK41 | Cardioid Capsule + W40 |
| AKG-CK43 | Microphone capsule, studio quality, supercardioid characteristic, 95° |
| AKG-CK49 | Shotgun Capsule + W49 |
| AKG-CK61ULS | CK61 ULS Reference Cardioid Condenser Microphone Capsule |
| AKG-CK62ULS | Microphone capsule, omnidirectional characteristic, linear 0° frequency response |
| AKG-CK63ULS | CK63 ULS - Microphone capsule, hypercardioid characteristic, linear 0° frequency resp |
| AKG-CK69ULS | Shotgun microphone capsule in two lengths (2 in 1), divisible interference tube |
| AKG-CK77 | CK77-WR Daspeld microfoon Black |
| AKG-CK80 | AKG CK80 - Hypercardioid speech optimized |
| AKG-CK91 | Cardioid Capsule + W 90 |
| AKG-CK92 | Omnidirectional Capsule +W 90 |
| AKG-CK93 | Hypercardioid Capsule + W 90 |
| AKG-CK97CVRWL | Miniature lavalier microphone with gooseneck element for direct attachment |
| AKG-CK97L | Miniature lavalier microphone, cardioid characteristic, good feedback protection |
| AKG-CK98 | Shotgun capsule + W98 |
| AKG-CK99L | Clip-on micro + mini xlr |
| AKG-CONFERENCE-SET1BK | Audio web conference set for up to 10 participants consisting of: 1x AKG DMM14U, |
| AKG-CONFERENCE-SET1WH | Audio web conference set for up to 10 participants consisting of: 1x AKG DMM14U, |
| AKG-CONFERENCE-SET2BK | Audio web conference set for up to 10 participants consisting of: 1x AKG DMM14U, |
| AKG-CONFERENCE-SET2WH | Audio web conference set for up to 10 participants consisting of: 1x AKG DMM14U, |
| akg-Control 68HP | Installation / Control 60 Control 68HP |
| akg-Control 68HP-WH | Installation / Control 60 Control 68HP-WH |
| akg-Control 89MS | Installation / Control 80 Control 89MS |
| AKG-CS321 | CS3 30cm Gooseneck cardioid |
| AKG-CS3BU | Base Unit |
| AKG-CS3CU30 | Chairman Unit with 30cm GN |
| AKG-CS3CU50 | Chairman Unit with 50cm GN |
| AKG-CS3DU30 | Delegate Unit with 30cm GN |
| AKG-CS3DU50 | Delegate Unit with 50cm GN |
| AKG-CS3EC002 | 2 m system cable for the CS3 conference system |
| AKG-CS3EC005 | CS3 5 meter cable |
| AKG-CS3EC10 | 10 m system cable for the CS3 conference system |
| AKG-CS3EC100 | CS3 100 meter cable |
| AKG-CS3EC20 | 20 m system cable for the CS3 conference system |
| AKG-CS3EC50 | 50 m system cable for the CS3 conference system |

| Code | Naam |
|--|--|
| AKG-CS3ECT002 | CS3 2m cable with T connector |
| AKG-CS3ECT005 | CS3 5m cable with T connector |
| AKG-CS3TC | CS3 T connector |
| AKG-CSXBIR10 | 10-channel infrared central unit for connecting 10 external audio sources |
| AKG-CSXCU50 | Charging case for up to 50x CSX IRR10 infrared receiver |
| AKG-CSXIRR10 | Infrared receiver with ten selectable reception channels, 12 hours battery life |
| AKG-CSXIRT3 | Infrared transmitter, opening angle +/- 17 |
| AKG-CSXIRT4 | Infrared transformer, opening angle +/- 60°, effective distance 40 m |
| AKG-CU400 | Battery charger incl. power supply unit, 2 batteries for HT420/450/470 and PT420 |
| AKG-CU800 | Battery charging station for DHT800 and DPT800, two charging compartments, two h |
| AKG-D112MKII | Drum and bass microphone |
| AKG-D12VR | Dynamic 'Vintage Revival' kickdrum/bass mic based on original D12E design, 1 pas |
| AKG-D40 | Professional cardioid dynamic instrument microphone for drums, guitaramps |
| AKG-D5 | Professional dynamic vocal microphone - for lead and backing vocals |
| AKG-D5C | Dynamic vocal and speech microphone, cardioid characteristic, laminate Varimotio |
| AKG-D5CS | Professional dynamic vocal microphone w/ On/Off - for lead and backing vocals |
| AKG-D5S | Professional dynamic vocal microphone w/ On/Off - for lead and backing vocals |
| AKG-D5WL1 | Head for DMS800 and HT4500 |
| AKG-D7 | Reference dynamic vocal microphone - for demanding lead vocals |
| AKG-D7LTD | Dynamic vocal microphone, supercardioid characteristic, Varimotion diaphragm |
| AKG-D7S | D7 with on/off switch |
| AKG-D7WL1 | D7 Head for HT4500 & DHT800 |
| AKG-D880WL1 | D880-WL1 Dynamic Capsule |
| AKG-DGN99 | Pa/paging gooseneck mic |
| AKG-DGN99E | pa/paging gooseneck mic + xlr |
| akg-DHT800 | Digital handheld transmitter without microphone head, robust metal housing, transmitting pov |
| AKG-DHT800-550-608+614-663MHZB | Digital handheld transmitter without microphone head, robust metal housing, tran |
| akg-DHT800 - 550-608 + 614-663 MHz, B1 | Wireless systems / DMS800 components DHT800 - 550-608 + 614-663 MHz, B1 |
| AKG-DHT800BD1 | DHT800 - 550-608 + 614-663 MHz, B1 - Digital handheld transmitter without micropho |
| AKG-DMM14U | Digital Autom. Microphone Mixer |
| AKG-DMM14UL | Dig. Autom. Microph. Mixer LAN |
| AKG-DMM14ULD | Dig. Autom. Microph. Mixer DANTE |
| AKG-DMM8U | Digital Autom. Microphone Mixer |
| AKG-DMM8UL | Dig. Autom. Microph. Mixer LAN |
| AKG-DMM8ULD | Dig. Autom. Microph. Mixer DANTE |
| akg-DMS100 InstrumentalSet | Digital wireless system set consisting of pocket transmitter DPT100 and digital receiver SR10C |
| AKG-DMS100INSTRUMENTALSET | Digital wireless system set consisting of pocket transmitter DPT100 |
| AKG-DMS100ISET | DMS100 Instrumental Set - Digital wireless system set consisting of pocket transmitter |
| AKG-DMS100P5SET | DMS100 Vocal Set P5 - Digital wireless system for vocals and speech, set of HT100 h |
| AKG-DMS100VOCALSETP5 | Digital wireless system for vocals and speech, set of HT100 handheld transmitter |
| AKG-DMS300INSTRUMENTALSET | Digital wireless system, set of PT300 bodypack transmitter |
| AKG-DMS300ISET | DMS300 Instrumental Set - Digital wireless system, set of PT300 bodypack transmitter |
| AKG-DMS300P5SET | DMS300 Vocal Set P5 - Digital wireless system, set of HT300 handheld transmitter witi |
| AKG-DMS300VOCALSETP5 | Digital wireless system, set of HT300 handheld transmitter with dynamic P5 |
| AKG-DMSTETRADMIXSETEU | Digital wireless system for vocals and instruments, set with pocket transmitter |
| AKG-DMSTETRADVOCALSETP5EU | Digital wireless system for vocals and speech, set with two handheld transmitter |
| akg-DPT800 | Digital pocket transmitter, Mini-XLR input, switchable input gain, transmitting power 10-20mV |
| akg-DPT800 B1, 550-608 + 614-663 MHz | Wireless systems / DMS800 components DPT800 B1, 550-608 + 614-663 MHz |
| AKG-DPT800B1550-608+614-663MHZ | Digital pocket transmitter, Mini-XLR input, switchable input gain, transmitting |
| AKG-DPT800BD1 | DPT800 B1, 550-608 + 614-663 MHz - Digital pocket transmitter, Mini-XLR input, switc |
| AKG-DRUMSETPREMIUM | Drumset with handselected microphones: D12VR + 2x C214 + C451 + 4x D40 with K& |
| AKG-DRUMSETSESSIONI | Akg drum set session i - Microphone set for drum |
| akg-DSR800 | Digital true diversity dual receiver, available bands: Band 1: 548-606+614-698MHz, Band 2: 7 |
| akg-DSR800 B1, 550-608 + 614-663 MHz | Wireless systems / DMS800 components DSR800 B1, 550-608 + 614-663 MHz |
| AKG-DSR800B1550-608+614-663MHZ | Digital True-Diversity 2-channel receiver, Band 1: 550,1-607,9 + 614,1-662,9 MHz |
| AKG-DSR800BD1 | DSR800 B1, 550-608 + 614-663 MHz - Digital True-Diversity 2-channel receiver, Band |
| AKG-DSRTETRAD | Digital 4-channel receiver, 2.4 GHz, four balanced XLR single outputs |
| AKG-DST99S | table stand mic, 3 pin XLR |
| AKG-EC81BEIGE | EC81 MD Beige - Earhook microphone, cardioid characteristic, color: beige, insensitive |

| Code | Naam |
|-----------------|---|
| AKG-EC81COCOA | EC81 MD Cocoa - Earhook microphone, cardioid characteristic, color: Cocoa, insensiti |
| AKG-EC81MDBEIGE | MicroLite Cardioid Condenser |
| AKG-EC81MDCOCOA | Earhook microphone, cardioid characteristic, color: Cocoa |
| AKG-EC82BEIGE | EC82 MD Beige - Earhook microphone, omnidirectional characteristic, color: beige, ins |
| AKG-EC82COCOA | EC82 MD Cocoa - Earhook microphone, omnidirectional, color: Cocoa, insensitive to n |
| AKG-EC82MDBEIGE | Earhook microphone, omnidirectional characteristic, color: beige |
| AKG-EC82MDCOCOA | Earhook microphone, omnidirectional, color: Cocoa, insensitive to moisture |
| akg-EK500 S | Accessories / Cable EK500 S |
| AKG-EK500S | Spiral headphone cable, 5 m, Mini-XLR plug |
| AKG-ELLEC | Professional Condensor Microphone for Female Vocal - Silver |
| akg-FX16 II | Compact mixing desks / FX 16 II FX16 II |
| AKG-GN15 | AKG GN15 - Gooseneck micro 15cm + adapter |
| AKG-GN155 | Floor stand with gooseneck, impact sound damped, two flexible gooseneck parts |
| AKG-GN155SET | GN155 - Floor stand with gooseneck, impact sound damped, two flexible gooseneck p: |
| AKG-GN15E | Gooseneck Microphone 15cm XLR |
| AKG-GN15ESP | AKG GN15ESP - Gooseneck Micro 15cm + switch |
| AKG-GN15M | Modular Gooseneck 15cm |
| AKG-GN30 | Gooseneck micro 30cm + adapter |
| AKG-GN30CS | Gooseneck module CS 30cm |
| AKG-GN30E | Gooseneck microphone 30cm xlr |
| AKG-GN30ESP | AKG GN30ESP - 30 cm gooseneck with integrated 3-pin XLR phantom power, prograr |
| AKG-GN30M | Modular Gooseneck, 30cm |
| AKG-GN30OC | Gooseneck with free cable ends |
| AKG-GN50 | Gooseneck micro 50cm + adapter |
| AKG-GN50E | Gooseneck microphone 50cm xlr |
| AKG-GN50ESP | Gooseneck micro 50cm + switch |
| AKG-GN50M | Modular Gooseneck, 50cm |
| akg-GSB12 | Installation / GSB Series GSB12 |
| akg-GSB12TN | Installation / GSB Series GSB12TN |
| akg-GSB8 | Installation / GSB Series GSB8 |
| akg-GSB8TN | Installation / GSB Series GSB8TN |
| akg-GSF3 | Installation / GSF Series GSF3 |
| akg-GSF3TN | Installation / GSF Series GSF3TN |
| akg-GSF6 | Installation / GSF Series GSF6 |
| akg-GSF6TN | Installation / GSF Series GSF6TN |
| AKG-H1B | H1 Black - Set of 5 magnetic clips to attach the MicoLite LC81 and LC82 lavalier micro |
| akg-H1 Black | Accessories / Mounts and clips H1 Black |
| AKG-H1BLACK | Set of 5 magnetic clips to attach the MicoLite LC81 and LC82 lavalier microphone |
| AKG-H1W | H1 White - Set of 5 magnetic clips to attach the MicoLite LC81 and LC82 lavalier micro |
| akg-H1 White | Accessories / Mounts and clips H1 White |
| AKG-H1WHITE | Set of 5 magnetic clips to attach the MicoLite LC81 and LC82 lavalier microphone |
| AKG-H2B | H2 Black - Set of 5 crocodile clips for attaching the LC81, LC82 and LC617 lavalier mic |
| akg-H2 Black | Accessories / Mounts and clips H2 Black |
| AKG-H2BLACK | Set of 5 crocodile clips for attaching the LC81, LC82 and LC617 lavalier microph |
| AKG-H2W | H2 White - Set of 5 crocodile clips to attach the MicoLite LC81 and LC82 lavalier micro |
| akg-H2 White | Accessories / Mounts and clips H2 White |
| AKG-H2WHITE | Set of 5 crocodile clips to attach the MicoLite LC81 and LC82 lavalier microphon |
| AKG-H3 | Set of 5 crocodile clips to attach the microphone cable of the MicroLite microph |
| AKG-H30 | Akg H30 - Universal shockmount |
| AKG-H31 | Clamp for CK97L lavalier microphone |
| AKG-H50 | Stereo bar for mounting two microphones at a distance of 60 to 170 mm from each |
| AKG-H500 | Shockmount Gooseneck XLR Mics |
| AKG-H600 | AKG H600 - Shockmount Gooseneck Mics |
| AKG-H600+A608 | Elastic shock mount unit for all discreet acoustics GN modules |
| AKG-HC644MD | Head-worn Microphone |
| AKG-HC81BEIGE | HC81 MD Beige - Headset microphone, cardioid characteristic, color: beige, insensitive |
| AKG-HC81COCOA | HC81 MD Cocoa - Headset microphone, cardioid characteristic, color: Cocoa, insensiti |
| AKG-HC81MDBEIGE | Headset microphone, cardioid characteristic, color: beige |
| AKG-HC81MDCOCOA | Headset microphone, cardioid characteristic, color: Cocoa |

| Code | Naam |
|--------------------------|---|
| AKG-HC82COCOA | HC82 MD Cocoa - Headset microphone, omnidirectional characteristic, color: Cocoa, in |
| AKG-HC82MDBEIGE | Headset microphone, omnidirectional, color: beige, insensitive to moisture |
| AKG-HC82MDCOCOA | Headset microphone, omnidirectional characteristic, color: Cocoa |
| AKG-HM1000 | Hanging module with 10 m non twisting cable and inline phantom power adapter |
| AKG-HM1000M | Hanging module+10m cable |
| AKG-HSC15 | Conference Headset |
| AKG-HSC240R | Semi-open headset based on the K240 MKII, condenser microphone |
| AKG-HSC240S | Semi-open headset based on the K240 MKII, condenser microphone |
| AKG-HSC271 | Studio headset + microphone |
| AKG-HSD240 | Semi-open headset based on the K240 MKII, dynamic microphone, cardioid character |
| AKG-HSD271 | Studio headset + microphone |
| AKG-HSD271SET | Closed headset based on the K271 MKII, dynamic microphone |
| akg-HT420 | Handheld transmitter, dynamic D5 microphone capsule, high/low gain switchable, on/o |
| AKG-HT420-530-559MHZ-BA | Handheld transmitter, dynamic D5 microphone capsule, high/low gain switchable, on/o |
| AKG-HT420-826-831MHZBM | Handheld transmitter, dynamic D5 microphone capsule, high/low gain switchable, o |
| AKG-HT420BDM | HT420 - 826-831 MHz, BM - Handheld transmitter, dynamic D5 microphone capsule, h |
| AKG-HT450D5 | Handheld transmitter |
| AKG-HT45-ISM | Handheld transmitter, dynamic microphone capsule, high/low gain switchable, on/o |
| akg-HT470C5 | Handheldtransmitter,capacitorcapsuleC5(cardioid),upto16channelsperfrequencyband, r |
| AKG-HT470C-823-832MHZB10 | Handheld transmitter, capacitor capsule C5 (cardioid), up to 16 channels per fre |
| AKG-HT470CB10 | HT470 C - 823-832 MHz, B10 - Handheld transmitter, capacitor capsule C5 (cardioid), |
| akg-HT470D5 | HandheldtransmitterwithdynamiccapsuleD5,upto16channelsperfrequencyband,pilotton |
| AKG-HT470D-823-832MHZB10 | Handheld transmitter with dynamic capsule D5, up to 16 channels per frequency ba |
| AKG-HT470DB10 | HT470 D - 823-832 MHz, B10 - Handheld transmitter with dynamic capsule D5, up to 1 |
| AKG-HUB4000Q | Ethernet Interface + HIQ net |
| AKG-K121 | AKG Semi open professional headphones |
| AKG-K122 | Wireless In-Ear Headphones |
| AKG-K15 | Conference headphones |
| AKG-K175 | Akg K175 - Closed Back Foldable Headphone |
| AKG-K182 | K182 - Professional Closed-back Monitor Headphones |
| AKG-K240MKII | AKG k-240 mkii - Semi-open, circum-aural dynamic stereo, headphones, mini XLR con |
| AKG-K240STUDIO | Akg K240 Studio - Semi-open, circum-aural dynamic stereo, headphones, mini XLR co |
| AKG-K271MKII | Closed-back circum-aural dynamic stereo headphones, mini XLR connector |
| AKG-K361 | Professional Closed Back Foldable Headphones |
| AKG-K361-BT | Closed, over-ear Bluetooth headphones for studio, stage and on the road |
| AKG-K371 | Professional Closed Back Foldable Headphones |
| AKG-K371-BT | Closed, over-ear Bluetooth headphones for studio, stage and on the go |
| AKG-K52 | For recording sessions, studio and live mixing, rehearsal rooms |
| AKG-K612PRO | High performance headphones, patented Varimotion technology |
| AKG-K67TIESTO | High performance headphones, ideal for live/DJ/studio use, on ear design, closed |
| AKG-K701 | Reference class premium headphones. |
| AKG-K702 | Studio reference headphones |
| AKG-K712PRO | High performance headphones, patented Varimotion technology, "MADE IN AUSTRIA" |
| AKG-K72 | For live sound monitoring, rehearsal rooms and recording studios |
| AKG-K77 | Akg K77 - Closed-back headphones with solid bass for studio |
| AKG-K812 | Superior Reference Headphones |
| AKG-K872 | Ref. Closed-Back Headphones |
| AKG-K92 | Akg K92 - For live sound monitoring, rehearsal rooms and recording studios |
| AKG-KONFSET1BK | Conference-Set 1 BK - Audio web conference set for up to 10 participants consisting o |
| AKG-KONFSET1WH | Conference-Set 1 WH - Audio web conference set for up to 10 participants consisting c |
| AKG-KONFSET2BK | Conference-Set 2 BK - Audio web conference set for up to 10 participants consisting o |
| AKG-KONFSET2WH | Conference-Set 2 WH - Audio web conference set for up to 10 participants consisting c |
| AKG-LC617MDBEIGE | Lavalier Microphone Omni Beige w/ Microdot conn. |
| AKG-LC617MDBLACK | Lavalier Microphone Omni Black w/ Microdot conn. |
| AKG-LC81BEIGE | LC81 MD Beige - Miniature lavalier microphone, cardioid characteristic, color: beige, in |
| AKG-LC81BLACK | LC81 MD Black - Miniature lavalier microphone, cardioid characteristic, color: black, in: |
| AKG-LC81COCOA | LC81 MD Cocoa - Miniature lavalier microphone, cardioid characteristic, color: Cocoa, |
| AKG-LC81MDBEIGE | Miniature lavalier microphone, cardioid characteristic, color: beige |
| AKG-LC81MDBLACK | Microlite Cond.Cardioid Lavali |

| Code | Naam |
|------------------------------|--|
| AKG-LC81MDCOCOA | Miniature lavalier microphone, cardioid characteristic, color: Cocoa |
| AKG-LC81MDWHITE | Miniature lavalier microphone, cardioid characteristic, color: white |
| AKG-LC81WHITE | LC81 MD White - Miniature lavalier microphone, cardioid characteristic, color: white, in |
| AKG-LC82BEIGE | LC82 MD Beige - Miniature lavalier microphone, omnidirectional, color: beige, insensiti |
| AKG-LC82COCOA | LC82 MD Cocoa - Miniature lavalier microphone, omnidirectional characteristic, color: t |
| AKG-LC82MDBEIGE | MicroLite Omni Cond. Lavalier |
| AKG-LC82MDCOCOA | Miniature lavalier microphone, omnidirectional characteristic, color: Cocoa, ins |
| AKG-LC82MDWHITE | Miniature lavalier microphone, omnidirectional characteristic, color: white |
| AKG-LC82WHITE | LC82 MD White - Miniature lavalier microphone, omnidirectional characteristic, color: w |
| akg-LXP Native Reverb Bundle | Software Plug-Ins LXP Native Reverb Bundle |
| AKG-LYRA | USB condenser microphone for podcast production and content creator. 4 array mic |
| AKG-MB3 | High-performance, flush-mount boundary layer microphone, super-cardioid |
| AKG-MDA1 | MDA1 AKG - Microdot adapter MicroLite series suitable for AKG wireless systems, Mic |
| akg-MDA1 AKG | Accessories / Adapters MDA1 AKG |
| AKG-MDA1AKG | Microdot adapter MicroLite series suitable for AKG wireless systems, Microdot to |
| akg-MDA2 SEN1 | Accessories / Adapters MDA2 SEN1 |
| AKG-MDA2SEN1 | Microdot adapter of the MicroLite series suitable for Sennheiser wireless system |
| akg-MDA3 SEN2 | Accessories / Adapters MDA3 SEN2 |
| AKG-MDA3SEN2 | Microdot adapter of the MicroLite series suitable for Sennheiser wireless system |
| akg-MDA4 SHU | Accessories / Adapters MDA4 SHU |
| AKG-MDA4SHU | Microdot adapter of the MicroLite series suitable for Shure wireless systems, Mi |
| akg-MDA5 AT | Accessories / Adapters MDA5 AT |
| AKG-MDA5AT | Microdot adapter of the MicroLite series suitable for audio-technica wireless sy |
| akg-MDA6 BD | Accessories / Adapters MDA6 BD |
| AKG-MDA6BD | Microdot adapter of the MicroLite series suitable for Beyerdynamic wireless syst |
| akg-MDA7 LEC | Accessories / Adapters MDA7 LEC |
| AKG-MDA7LEC | Microdot adapter of the MicroLite series suitable for Lectrosonic wireless syste |
| akg-MDAi CPA | Accessories / Adapters MDAi CPA |
| AKG-MDAICPA | Harman Connected PA XLR adapter for dynamic microphones. Allows the connection |
| AKG-MDPA | Microdot phantom power adapter XLR, for connecting all MicroLite microphones to |
| AKG-MFM | GNMS-MF M (XLR TABLE CONNECTION) |
| AKG-MK150M | Connection cable for the components of the Modular Plus series |
| AKG-MKA20 | Antenna Cable 20m |
| AKG-MKA5 | Antenna cable 5 m |
| akg-MKG L | Accessories / Cable MKG L |
| akg-MK HS PC | Accessories / Cable MK HS PC |
| AKG-MKHSPC | Cable for HSC171/240/271, 2x 3.5 mm stereo jack, for connection to PC or laptop, |
| akg-MK HS STUDIO C | Accessories / Cable MK HS STUDIO C |
| AKG-MKHSSTUDIOC | Cable for HSC171/240/271, 3-pin XLR male with integrated phantom power adapter (|
| akg-MK HS STUDIO D | Accessories / Cable MK HS STUDIO D |
| AKG-MKHSSTUDIOD | Cable for HSD171/240/271, 3-pin XLR male (microphone connection), 6.3 mm stereo |
| akg-MK HS XLR 4D | Accessories / Cable MK HS XLR 4D |
| AKG-MKHSXLR4D | Cable for HSD171/240/271 with 4-pin XLR female connector, length approx. 2 m |
| akg-MK HS XLR 5D | Accessories / Cable MK HS XLR 5D |
| AKG-MKHSXLR5D | Cable for HSD171/240/271 with 5-pin XLR male connector, length approx. 2 m |
| AKG-MKPS | Connecting Cable for PS to SR |
| akg-MK WMS 3 | Accessories / Cable MK WMS 3 |
| AKG-MKWMS3 | Connection cable 3 m, 2x Mini-XLR female for C516, C518, C519 suitable for AKG p |
| akg-MK WMS 30 | Accessories / Cable MK WMS 30 |
| AKG-MKWMS30 | Connection cable 30 cm, 2x Mini-XLR female for C516, C518, C519 suitable for AKG |
| akg-MPA V L | Accessories / Phantom power supplies MPA V L |
| AKG-MPAVL | XLR phantom power adapter for Micromic ML and L series |
| akg-MPX Native Reverb | Software Plug-Ins MPX Native Reverb |
| AKG-MUP81 | Set of 10 MUP81 capsules for LC/EC/HC81, protects the cardioid microphone capsul |
| AKG-MUP82 | Set of 10 MUP82 capsules for LC/EC/HC82, protects the omnidirectional microphone |
| akg-Omni Cord - Grau | Wireless Smart Speaker Omni Cord - Grau |
| akg-Omni Cord - Schwarz | Wireless Smart Speaker Omni Cord - Schwarz |
| akg-Omni Cord - Weiß | Wireless Smart Speaker Omni Cord - Weiß |
| akg-Omni Track - Grau | Wireless Smart Speaker Omni Track - Grau |

| Code | Naam |
|---------------------------------|---|
| akg-Omni Track - Schwarz | Wireless Smart Speaker Omni Track - Schwarz |
| akg-Omni Track - Weiß | Wireless Smart Speaker Omni Track - Weiß |
| AKG-P120 | 2/3" cardioid diaphragm condenser microphone + lo-cut switch + -20dB att. pad + |
| AKG-P170 | Small diaphragm condenser microphone + att. pad + stand adapter |
| AKG-P2 | Dynamic Bass(-drum) microphone, cardioid, incl carrying case |
| AKG-P220 | 1" Large cardioid diaphragm condenser microphone, att pad, lo-cut switch + spide |
| AKG-P3S | High-performance dynamic microphone - for backing vocals, guitar, ... |
| AKG-P4 | Dynamic microphone for drums, percussion, wind instruments and guitar amps, incl |
| AKG-P420 | 1" Large cardioid diaphragm condenser microphone, att pad, lo-cut switch, 3 pola |
| AKG-P5I | High-Performance Dynamic Supercardioid Vocal Microphone for Harman Connected P |
| AKG-P5S | High-performance dynamic vocal microphone with On/Off switch - for lead vocals |
| AKG-P820 | P820 Tube - Tube large diaphragm condenser microphone, 9 polar patterns, switchabl |
| AKG-P820TUBE | Tube large diaphragm condenser microphone, 9 polar patterns |
| AKG-PAE5M | Phantompower adapter 5pinXLR |
| AKG-PAEM | Phantompower adapter 3pin XLR |
| AKG-PAESPM | PAE M + prog.switch |
| AKG-PCC130 | Boundary Layer Microphone |
| AKG-PCC130SW | Boundary Layer Mic + switch |
| AKG-PCC160 | Boundary Layer Microphone |
| AKG-PCC170 | Boundary Layer Microphone |
| AKG-PCC170SW | PCC170 with switch |
| AKG-PCC170SWO | PCC170+remote sens switch |
| AKG-PERCEPTION820 | (ended) Muti pattern tube mic+ remote control unit |
| AKG-PF80 | Pop filter |
| AKG-PODCASTER | Podcaster Essentials - Bundle consisting of 1 AKG Lyra USB microphone and 1 AKG P |
| AKG-PODCASTERESSENTIALS | Bundle consisting of 1 AKG Lyra USB microphone and 1 AKG K371 headphones |
| AKG-PSRU4500 | Power supply redundancy unit for connecting two PSU4000 |
| AKG-PSU-12V5A | Power supply for APS4 and APS4ON, output 12 Volt, 5 Ampere |
| akg-PT420 | Bodypacktransmitter,mini-XLRinputforconnectinginstrumentsorlavalierandheadbandmi |
| AKG-PT420-826-831MHZBM | Bodypack transmitter, mini-XLR input for connecting instruments or lavalier and |
| AKG-PT420BDM | PT420 - 826-831 MHz, BM - Bodypack transmitter, mini-XLR input for connecting instr |
| AKG-PT45-ISM | Bodypack transmitter, mini-XLR input for connecting instruments and lavalier and |
| AKG-PT470 | Pockettransmitter,LCDdisplay,batterystatusdisplay, muteswitchandconnectionforextern |
| AKG-PT470-823-832MHZB10 | Pocket transmitter, LCD display, battery status display, mute switch and connect |
| AKG-PT470B10 | PT470 - 823-832 MHz, B10 - Pocket transmitter, LCD display, battery status display, m |
| akg-PW45 Instrumental Set - ISM | Wireless Microphones / PW45 Sets PW45 Instrumental Set - ISM |
| AKG-PW45INSTRUMENTALSET-ISM | Wireless system for guitar, bass and instruments, pocket transmitter PT45, diver |
| AKG-PW45ISETISM | PW45 Instrumental Set - ISM - Wireless system for guitar, bass and instruments, pock |
| akg-PW45 Presenter Set | Wireless system for presentations and moderation, CK99 L lavalier microphone, PT45 |
| AKG-PW45PRESENTERSET-ISM | Wireless system for presentations and moderation, CK99 L lavalier microphone, PT |
| AKG-PW45PSETISM | PW45 Presenter Set - ISM - Wireless system for presentations and moderation, CK99 |
| AKG-PW45SPORTSET-ISM | Wireless system for speech and vocals, C544 L headset microphone, PT45 bodypack |
| akg-PW45 Sports Set | Wireless system for speech and vocals, C544 L headset microphone, PT45 bodypack |
| AKG-PW45SSETISM | PW45 Sport Set - ISM - Wireless system for speech and vocals, C544 L headset micro |
| akg-PW45 Vocal Set | Wireless system for vocals and speech, handheld transmitter HT45 and diversity receiv |
| AKG-PW45VOCALSET-ISM | Wireless system for vocals and speech, handheld transmitter HT45 and diversity r |
| AKG-PW45VSETISM | PW45 Vocal Set - ISM - Wireless system for vocals and speech, handheld transmitter I |
| AKG-PZM10 | Pressure Zone Microphone |
| AKG-PZM10LL | PZM10 with Line Level |
| AKG-PZM11 | Flush-Mount Boundary Layer Microphone |
| AKG-PZM11LLWR | PZM11LL Weather Resistant |
| AKG-PZM30D | Large PZM Microphone |
| AKG-PZM6D | Small PZM Microphone |
| AKG-RA4000B/EW | Omni Active Antenna |
| AKG-RA4000EW | Passive Omni Antenna |
| AKG-RMS4000 | External mute switch for pocket transmitters DPT800/700, PT4500/4000 and PT400/4 |
| AKG-RMU40 | RMU40 PRO - Rack mounting kit for mounting one or two SR45, SR420, SR470, DSR |
| akg-RMU40 Mini | Accessories / Rack mounts RMU40 Mini |
| AKG-RMU40MINI | Rack mounting kit of the WMS40 Mini and WMS40 Mini Dual series for installation |

| Code | Naam |
|-------------------------|---|
| akg-RMU40 PRO | Accessories / Rack mounts RMU40 PRO |
| akg-RMU4X PRO | Accessories / Rack mounts RMU4X PRO |
| AKG-RMU4XPRO | Rack mounting kit for installation of one SR420/450/470 receiver. 2x BNC antenna |
| AKG-RMU700 | Rack mounting kit for one or two CU700 or CU800 |
| AKG-SE300B | Powering/output Module + SA 40 |
| AKG-SESSION1 | Drum Set Session I - Microphone set for drum pickup: 4x P4 snare and tom microphon |
| akg-SLP12/T-BK | Installation / SLP Series SLP12/T-BK |
| akg-SLP12/T-WH | Installation / SLP Series SLP12/T-WH |
| akg-SLP14/T-BK | Installation / SLP Series SLP14/T-BK |
| akg-SLP14/T-WH | Installation / SLP Series SLP14/T-WH |
| AKG-SOUNDGRABBER2 | Sound Grabber II - Boundary microphone, omnidirectional, 3.5 mm jack plug, AAA batt |
| AKG-SOUNDGRABBERII | Boundary microphone, omnidirectional, 3.5 mm jack plug, AAA battery, 50 - 16,000 |
| AKG-SPC4500 | Broadband antenna combiner, combines the antenna signals of up to four SST4500 |
| akg-SR420 | Diversity receiver, XLR and jack output, detachable antennas, squelch control, display, |
| AKG-SR420-826-831MHZBM | Diversity receiver, XLR and jack output, detachable antennas, squelch control, d |
| AKG-SR420BDM | SR420 - 826-831 MHz, BM - Diversity receiver, XLR and jack output, detachable anten |
| AKG-SR45-ISM | Receiver, 9.5 ", XLR output, 6.3 mm jack unbalanced output, squelch control, dis |
| akg-SR470 | Diversity receiver, integrated frequency scanner, up to 16 channels per frequency banc |
| AKG-SR470-823-832MHZB10 | Diversity receiver, integrated frequency scanner, up to 16 channels per frequenc |
| AKG-SR470B10 | SR470 - 823-832 MHz, B10 - Diversity receiver, integrated frequency scanner, up to 16 |
| AKG-SRA2B/EW | Active unidirectional broadband directional antenna with integrated 21.5 dB |
| AKG-SRA2EW | Passive Directional Antenna |
| akg-SRX815P-CVR-DLX | PA systems / SRX800 Series - Accessories SRX815P-CVR-DLX |
| AKG-ST45 | AKG ST45 - Flat table tripod, anthracite, diameter 11.5 cm, 760 g |
| AKG-ST6 | Desktop stand 3-pin XLR input and output, gold plated 3-pin XLR male and female |
| AKG-STSDAM+ | DAM+ series tabletop stand |
| AKG-STSDAMPLUS | STSDAM+ - Heavy table stand with 4-pin plug for connecting the DAM+ goosenecks a |
| AKG-STSDAMPLUSWL | STSDAM+ WL - Wireless table stand with 4-pin plug for connecting the DAM+ goosene |
| AKG-STSDAM+WL | Wireless table stand with 4-pin plug for connecting the DAM+ goosenecks as well |
| AKG-UWA9M | Holder for pocket transmitter on GN155 and GN155 M Floor gooseneck stand |
| AKG-W1001 | Windscreen for C1000S |
| AKG-W30 | Windscreen for CK31/32/33 |
| AKG-W32 | Windscreen, inner diameter 2 cm, for CK61/62/63, P170 |
| akg-W40 M | Accessories / Windscreens and pop filter W40 M |
| AKG-W40M | Metal windscreen for CK41 and CK43 with grub screw for fixing |
| AKG-W44 | Windscreen for C516/518/519/520 |
| AKG-W444 | AKG W444, Windschutz für C544, C555, C444 |
| AKG-W49 | AKG W49, long windscreen for CK69 ULS |
| AKG-W70 | AKG W70, windscreen for CK47, C747 |
| akg-W77 M | Accessories / Windscreens and pop filter W77 M |
| AKG-W77M | Wire mesh windscreen for CK77, C477, HC577 L, black |
| akg-W81 Beige | Accessories / Windscreens and pop filter W81 Beige |
| AKG-W81BEIGE | Set of 10 windscreens suitable for MicroLite microphones LC/EC/HC81, colour: bei |
| akg-W81 Black | Accessories / Windscreens and pop filter W81 Black |
| AKG-W81BLACK | Set of 10 windscreens suitable for MicroLite microphones LC/EC/HC81 and HSC15, c |
| akg-W81 Cocoa | Accessories / Windscreens and pop filter W81 Cocoa |
| AKG-W81COCOA | Set of 10 windscreens, suitable for MicroLite microphones LC/EC/HC81, color: Coc |
| akg-W81 White | Accessories / Windscreens and pop filter W81 White |
| AKG-W81WHITE | Set of 10 windscreens, suitable for MicroLite microphones LC/EC/HC81, colour: wh |
| akg-W82 Beige | Accessories / Windscreens and pop filter W82 Beige |
| AKG-W82BEIGE | Set of 10 windscreens, for MicroLite microphones LC/EC/HC82, colour: beige |
| akg-W82 Black | Accessories / Windscreens and pop filter W82 Black |
| AKG-W82BLACK | Set of 10 windscreens suitable for MicroLite microphones LC/EC/HC82. Colour: bla |
| akg-W82 Cocoa | Accessories / Windscreens and pop filter W82 Cocoa |
| AKG-W82COCOA | Set of 10 windscreens suitable for MicroLite microphones LC/EC/HC82. Colour: coc |
| akg-W82 White | Accessories / Windscreens and pop filter W82 White |
| AKG-W82WHITE | Set of 10 windscreens suitable for MicroLite microphones LC/EC/HC82. Colour: whi |
| AKG-WLMA-US | Adapter for DHT800 handheld transmitter, allows the use of changeable heads of o |
| akg-WM81 Beige | Accessories / Windscreens and pop filter WM81 Beige |

| Code | Naam |
|--|--|
| AKG-WM81BEIGE | Set of 5 metal windscreens with grid cap, to protect MicroLite microphones LC/EC |
| akg-WM81 Black | Accessories / Windscreens and pop filter WM81 Black |
| AKG-WM81BLACK | Set of 5 metal windscreens with grid cap, to protect the MicroLite microphones L |
| akg-WM81 Cocoa | Accessories / Windscreens and pop filter WM81 Cocoa |
| AKG-WM81COCOA | Set of 5 metal windscreens with grid cap, to protect MicroLite microphones LC/EC |
| akg-WM81 White | Accessories / Windscreens and pop filter WM81 White |
| AKG-WM81WHITE | Set of 5 metal windscreens with grid cap, to protect the MicroLite microphones L |
| akg-WM82 Beige | Accessories / Windscreens and pop filter WM82 Beige |
| AKG-WM82BEIGE | Set of 5 metal windscreens with grid cap, to protect MicroLite microphones LC/EC |
| akg-WM82 Black | Accessories / Windscreens and pop filter WM82 Black |
| AKG-WM82BLACK | Set of 5 metal windscreens with grid cap, to protect MicroLite microphones LC/EC |
| akg-WM82 Cocoa | Accessories / Windscreens and pop filter WM82 Cocoa |
| AKG-WM82COCOA | Set of 5 metal windscreens with grid cap, to protect MicroLite microphones LC/EC |
| AKG-WM82WHITE | Set of 5 metal windscreens with grid cap, to protect MicroLite microphones LC/EC |
| AKG-WMS40MINI2INSTRSE | AKG WMS 40 MINI 2 INSTR SE - Dual Instrumental Set |
| AKG-WMS40MINIDISETISM | Akg WMS40 Mini Dual Instrumental Set - ISM |
| AKG-WMS40MINIDUALINSTRUMENTALS | Wireless system for guitar, bass & instruments, 2x PT40 Mini pocket transmitter |
| AKG-WMS40MINIDUALINSTRUMENTALSET | akg-WMS 40 Mini Dual Instrumental Set |
| akg-WMS40 Mini Dual Instrumental Set - ISM | Wireless Microphones / WMS40 Mini Sets WMS40 Mini Dual Instrumental Set - ISM |
| AKG-WMS40MINIDUALVOCAL/INSTRUM | Wirelesys system, 1x pocket transmitter PT 40 Mini with infinitely variable gain |
| AKG-WMS40MINIDUALVOCALINSTRUMENTALSET | Akg WMS 40 mini dual vocal - Wireless system for vocals,speech |
| AKG-WMS40MINIDUALVOCALSET | akg-WMS 40 Mini Dual Vocal Set |
| akg-WMS40 Mini Dual Vocal Set - ISM | Wireless Microphones / WMS40 Mini Sets WMS40 Mini Dual Vocal Set - ISM |
| AKG-WMS40MINIDUALVOCALSET-ISM | Wireless system for vocals and speech, 2x handheld transmitter HT40 Mini with mu |
| AKG-WMS40MINIDVSETIS | WMS40 Mini Dual Vocal/Instrumental Set - Wirelesys system, 1x pocket transmitter PT |
| AKG-WMS40MINIDVSETISM | AKG WMS40 Mini Dual Vocal Set - ISM - Wireless system for vocals and speech |
| AKG-WMS40MINIEARMICSET | akg WMS40 Mini Ear micSet |
| AKG-WMS40 MINI EARMIC SET - ISM1 | Wireless Microphones / WMS40 Mini Sets WMS40 Mini Earmic Set - ISM1 |
| AKG-WMS40MINIEARMICSET-ISM1 | Wireless system for speech and vocals, PT40 mini bodypack transmitter, SR40 mini |
| AKG-WMS40MINIESETISM1 | WMS40 Mini Earmic Set - ISM1 - Wireless system for speech and vocals, PT40 mini b |
| AKG-WMS40MINIINSTR | (5) WMS 40 Mini Instrumental set (ism1-ism2-ism3) |
| AKG-WMS40MINIINSTRUMENTALSET | akg WMS 40 Mini Instrumental Set |
| AKG-WMS40MINIINSTRUMENTALSET-I | Wireless system for guitar, bass and instruments, PT40 mini pocket transmitter w |
| akg-WMS40 Mini Instrumental Set - ISM1 | Wireless Microphones / WMS40 Mini Sets WMS40 Mini Instrumental Set - ISM1 |
| AKG-WMS40MINIINSTRUMENTALSET-ISM2 | Wireless system for guitar, bass and instruments, PT40 mini pocket transmitter w |
| AKG-WMS40MINISETISM1 | WMS40 Mini Instrumental Set - ISM1 - Wireless system for guitar, bass and instrumen |
| AKG-WMS40MINISPORTSET | akg WMS 40 Mini Sport Set - Wireless system for speech and vocals |
| akg-WMS40 Mini Sport Set - ISM1 | Wireless Microphones / WMS40 Mini Sets WMS40 Mini Sport Set - ISM1 |
| AKG-WMS40MINISPORTSET-ISM1 | Wireless system for speech and vocals, PT40 mini bodypack transmitter, SR40 mini |
| AKG-WMS40MINISSETISM1 | WMS40 Mini Sport Set - ISM1 - Wireless system for speech and vocals, PT40 mini boc |
| akg-WMS40 Mini Vocal Set | Wireless system for voice and speech, HT40 mini handheld transmitter, SR40 mini rec |
| AKG-WMS40 MINI VOCAL SET - ISM1 | Wireless Microphones / WMS40 Mini Sets WMS40 Mini Vocal Set - ISM1 |
| AKG-WMS40MINIVOCALSET-ISM1 | Wireless system for voice and speech, HT40 mini handheld transmitter, SR40 mini |
| AKG-WMS40MINIVOCALSET-ISM2 | Wireless system for voice and speech, HT40 mini handheld transmitter, SR40 mini |
| AKG-WMS40MINIVOCALSET-ISM3 | Wireless system for voice and speech, HT40 mini handheld transmitter, SR40 mini |
| AKG-WMS40MINIVSETISM1 | WMS40 Mini Vocal Set - ISM1 - Wireless system for voice and speech, HT40 mini han |
| akg-WMS420 Headworn Set | Wireless system for vocals and speech, PT420 pocket transmitter with charging contac |
| AKG-WMS420HEADWORNSET-826-831M | Wireless system for vocals and speech, PT420 pocket transmitter with charging co |
| akg-WMS420 Headworn Set - 826-831 MHz, BM | Wireless systems / WMS420 Sets WMS420 Headworn Set - 826-831 MHz, BM |
| AKG-WMS420HSETBDM | WMS420 Headworn Set - 826-831 MHz, BM - Wireless system for vocals and speech, |
| AKG-WMS420INSTRSET-826-831MHZB | Wireless system for guitar, bass and instruments, PT420 pocket transmitter with |
| akg-WMS420 Instr. Set - 826-831 MHz, BM | Wireless systems / WMS420 Sets WMS420 Instr. Set - 826-831 MHz, BM |
| akg-WMS420 Instrumental Set | Wireless system for guitar, bass and instruments, PT420 pocket transmitter with chargi |
| AKG-WMS420ISETBDM | WMS420 Instr. Set - 826-831 MHz, BM - Wireless system for guitar, bass and instrume |
| AKG-WMS420PRESENTERSET | akg-WMS 420 Presenter Set - Wirelesssystem for presentations |
| AKG-WMS420PRESENTERSET-826-831 | Wireless system for presentations, moderations and theatre performances, pocket |
| akg-WMS420 Presenter Set - 826-831 MHz, BM | Wireless systems / WMS420 Sets WMS420 Presenter Set - 826-831 MHz, BM |
| AKG-WMS420PSETBDM | WMS420 Presenter Set - 826-831 MHz, BM - Wireless system for presentations, mode |
| akg-WMS420 Vocal Set D5 | Wireless system for voice and speech, handheld transmitter HT420 with dynamic caps |

| Code | Naam |
|---|--|
| AKG-WMS420VOCALSETD5-826-831MH | Wireless system for voice and speech, handheld transmitter HT420 with dymamic ca |
| akg-WMS420 Vocal Set D5 - 826-831 MHz, BM | Wireless systems / WMS420 Sets WMS420 Vocal Set D5 - 826-831 MHz, BM |
| AKG-WMS420VSETBDM | WMS420 Vocal Set D5 - 826-831 MHz, BM - Wireless system for voice and speech, h |
| AKG-WMS45PRESETBDA | Presenter set PERCEPTION BD A |
| AKG-WMS470HTCB10 | WMS470 Vocal Set/C5 - 823-832 MHz, B10 - Wireless system for vocals and speech, |
| AKG-WMS470HTDB10 | WMS470 Vocal Set/D5 - 823-832 MHz, B10 - Wireless system for voice and speech, P |
| AKG-WMS470INSTRSET-823-832MHZB | Wireless system for guitar, bass and instruments, pocket transmitter PT470, SR47 |
| akg-WMS470 Instr. Set - 823-832 MHz, B10 | Wireless systems / WMS470 Sets WMS470 Instr. Set - 823-832 MHz, B10 |
| akg-WMS470 Instrumental Set | Wireless system for guitar, bass and instruments, pocket transmitter PT470, SR470 di |
| AKG-WMS470ISETB10 | WMS470 Instr. Set - 823-832 MHz, B10 - Wireless system for guitar, bass and instrum |
| AKG-WMS470ISETB7 | AKG WMS470 Instr. Set - 500-530 MHz, B7 - Wireless system set for guitar, bass and |
| AKG-WMS470PRESENTERSET | Akg WMS 470 PRESENTER SET - pockettransmitter PT470,SR470 diversity receiver |
| AKG-WMS470PRESENTERSET-823-832 | Wireless system for presentations, moderations and theatre performances, pocket |
| akg-WMS470 Presenter Set - 823-832 MHz, B10 | Wireless systems / WMS470 Sets WMS470 Presenter Set - 823-832 MHz, B10 |
| AKG-WMS470PSETB10 | WMS470 Presenter Set - 823-832 MHz, B10 - Wireless system for presentations, mod |
| akg-WMS470 Sports Set | Wireless system for speech and vocals, PT470 pocket transmitter, SR470 diversity rec |
| AKG-WMS470SPORTSSET-823-832MHZ | Wireless system for speech and vocals, PT470 pocket transmitter, SR470 diversity |
| akg-WMS470 Sports Set - 823-832 MHz, B10 | Wireless systems / WMS470 Sets WMS470 Sports Set - 823-832 MHz, B10 |
| AKG-WMS470SSETB10 | WMS470 Sports Set - 823-832 MHz, B10 - Wireless system for speech and vocals, PT |
| akg-WMS470 Vocal Set C5 | Wireless system for vocals and speech, HT470 handheld transmitter with condenser c |
| AKG-WMS470VOCALSET/C5-6001-6305MHZ | AKG WMS470 Vocal Set/C5 600.1 - 630.5 MHz B9 |
| AKG-WMS470VOCALSET/C5-823-832M | Wireless system for vocals and speech, HT470 handheld transmitter with condenser |
| akg-WMS470 Vocal Set/C5 - 823-832 MHz, B10 | Wireless systems / WMS470 Sets WMS470 Vocal Set/C5 - 823-832 MHz, B10 |
| akg-WMS470 Vocal Set D5 | Wireless system for voice and speech, HT470 handheld transmitter with dynamic caps |
| AKG-WMS470VOCALSET/D5-600-630MHZB9 | AKG WMS470 Vocal Set/D5 - 600-630 MHz, B9 |
| AKG-WMS470VOCALSET/D5-823-832M | Wireless system for voice and speech, HT470 handheld transmitter with dynamic ca |
| akg-WMS470 Vocal Set/D5 - 823-832 MHz, B10 | Wireless systems / WMS470 Sets WMS470 Vocal Set/D5 - 823-832 MHz, B10 |
| AKG-ZAPD21 | Passive 2 in 1 antenna splitter or 1 on 2 antenna combiner for & outdoor |