



General catalog 2019



KÖNIG & MEYER
Stands For Music



Welcome to perfection,
functionality and quality.

Welcome
to König & Meyer.



1,500 products.
70 years of tradition.

In 2019, König & Meyer will celebrate its 70th anniversary. We are extremely pleased that the König & Meyer brand has been recognized throughout the world for over seven decades.



In the music world, we have stood for intelligent accessories of an outstanding quality and unique design since 1949. Over the decades, many developments have become standard in the music industry, such as the classic 101 music stands, the 210/2 microphone stands, but also the instrument stands for trumpets, clarinets, and flugelhorns, which can be stored in the instrument bell or the invention of the ring-lock system to firmly position speakers.

We remain a family-run company for whom social and environmental responsibility is important and we are proud of where we are based, in Wertheim, Germany. Here we have 280 employees who ensure that our products are efficiently made to high quality standards with good service and punctual delivery. From development through production to marketing, we are uncompromising in our goal of providing a premium-level service.

Above all, however, it is people who make our company what it is: our customers, our employees, and our suppliers. By working in partnership with one another and ensuring mutual respect, we have enjoyed trusted collaborations for decades. It is our ethos to build up reliable and long-term relationships with our partners and to ensure that these relationships are maintained. Thank you for remaining true to our company and our products for so many years. We are looking forward to continuing our successful collaboration in the future.

Gabriela König
CEO

Heiko Wolz
CTO

Martin König
President



TECHNOLOGY

Precision is the ultimate key to quality

Technology is our focus right from the start with the initial design of a new product. Together with our highly qualified employees we operate an independent research and development department. Processing is not the only area that requires careful planning; the qualities and functions that make our stands so outstanding also have to be well thought-out. We even make our own tools and equipment so that the new products we envision achieve the quality we are known for.

Our certified quality management system (DIN EN ISO 9001:2008) and qualified employees ensure that every single product is delivered on time in the very best quality. Innovative technology, exceptional high vertical integration and consistent re-investment in machinery provide König&Meyer with the flexibility to respond quickly and easily to customer needs.



IDEAS

Innovation as a driving force

„Our products are the result of an understanding of tradition, a demand for quality and a talent for invention.”

Driven by perfection, innovation and precision, we continually develop new products. The products of tomorrow are based on state-of-the-art computer technology, short development times and the very best quality.

Design, feel, and ergonomics – we test and assess everything to ensure it meets our uncompromising expectations from the initial design to the final product. At König & Meyer perfection is the standard. We know only a strong brand with unique service and outstanding quality will keep our customers coming back.

2019

70th anniversary of König & Meyer

2017

A new distribution center is put into operation

2013

Precision and perfection down to the smallest detail – thanks to a new flat laser cutting machine.

2010

Solar energy panels, a second tube laser cutting machine and a vertical conveyor improve process flow.

2009

Awarded the “Safety with System” seal of quality for excellent safety and health in the workplace.

2007

Certification for the successful introduction of a quality management system.

2006

A new tube laser cutting machine is taken online.

2001

König & Meyer supports different bands and projects from a wide range of musical genres.

1987

The production range is expanded to include keyboard stands, mixer stands and 19” racks.

1968

Stands manufactured for other industry branches (e.g. IV stands, stands for hair-dryer hoods).

1955

An extensive range from instrument stands, microphone stands and boom arms to speaker stands is developed.

1949

Company founded with ten employees who manufacture music stands and measuring instruments.



Exclusive and innovative at König & Meyer: multimedia accessories, the »Spider Pro« keyboard stand and the absolute classic, the microphone stand 210/2 - proven over 50 years.

K&M KÖNIG & MEYER SPIDER PRO

MUSIC

Enjoy the pleasure of making music

Music means something different to everyone. From classic to electronic, live or solo vocals: every artist lives through the music they create. So it is important to recognize the very different needs musicians have and to be able to offer the best range of accessories.

From classical to pop, from the garage to the largest stage – across the globe musicians and artists encounter the König & Meyer product world they have come to trust – music stands, microphone and instrument stands, a wide range of other stands and holders, and much, much more.

Music




PASSION

Perfection is our philosophy

„Our philosophy is to produce products of excellent quality and durability in an environmentally friendly manner so that musicians worldwide can focus on what’s most important – their music.”

Whether you are a beginner or a professional – König&Meyer offers optimal music accessories for any area of application. First-rate materials and optimized product processing result in tangible manufacturing quality right down to the smallest details. We only use precision steel tubes, which are consistent in their dimensions and tolerances. Metal and plastic parts are manufactured in-house and we have been developing and building tools and equipment ourselves for many years now. Our exceptional standards have established the König&Meyer name as an outstanding brand throughout the world.



Passion

ENVIRONMENT

Sustainable management

„Resources are too valuable to waste. Whether we are making a music stand, a microphone stand or a speaker stand, resource conservation and environmental protection are firmly anchored in every step of our production.”

We prevent waste, conserve water and energy and reduce emissions whenever possible. All environmentally relevant processes are continually reviewed and we develop strategies and measures to minimize resource consumption and environmental impact.

At König & Meyer environmental protection has been a fundamental corporate goal for decades. Our unlimited commitment to quality and the environment in the production process translates into the most effective use of raw materials, saving energy, increasing our use of renewable energies, recycling components and products at the end of their lives, avoiding pollutants in production, reducing CO₂ emissions, lowering water consumption and treating waste water from the production process, turning it back into drinking water. Since 1979 we have succeeded in reducing our water consumption by 94 percent.

König & Meyer was awarded the Environmental Prize of the Federal State of Baden-Württemberg for our outstanding achievements in promoting environmental protection and for our environment-based management.



König & Meyer has been certified according to the recognized ISO 14001 standard since 2000 and the EU EMAS Regulation since 1998.

SERVICE

A strong partnership

Along with optimal delivery capacity and products of exceptional quality, we offer our customers additional services: a 5-year warranty on our products (excludes lights, bulbs and batteries) and 10-year spare parts service for all our catalogue products. Our service range distinguishes the König&Meyer brand. We want to make it even easier for our customers to choose in favor of our music accessories.



Our idea of customer satisfaction includes offering extensive product information and quick and direct routes of communication. Visit our website for information, videos and setup instructions, and keep up the latest König & Meyer brand news on Facebook, Twitter and our YouTube channel. We welcome your feedback.



www.k-m.de/en



contact@k-m.de



www.facebook.com/KoenigundMeyer



twitter.com/koenigumeyer_en



www.youtube.com/KoenigundMeyer



Feel free to choose

When it comes to stands for speakers, guitars, or music:

König & Meyer knows what musicians want.

We develop and optimize our products according to their needs and wishes to ensure they fulfill every expectation.



BASELINE ★

Basic and/or standard products

TOPLINE ★★

Professional products for stage and studio

STARLINE ★★★

Products with extraordinary features or special designs

TÜV/GS approved



TÜV type approved



Product video via the internet (per QR code)

Using an app (small program) and your smart phone camera, you can view a video about this product. You can also enter the internet address into your web browser.



p10e.k-m.de



Music stands
14

Stands and accessories for instruments
56

Drummer's thrones, benches & stools
106

Keyboard stands
132


Stands for mixer, monitors and
19" rack-mounted products
158

Microphone stands
172

Speaker, lighting and monitor stands
224

Multimedia equipment
272

Shop fittings
294





MUSIC STANDS

König & Meyer music stands are virtually unsurpassed in quality the world over. All elements of the stands' construction are precisely calibrated to ensure perfect interplay. Meticulously selected materials guarantee carefree setup and breakdown – and of course a sturdy stand – year after year.

Thanks to the variety of styles and sizes of music stands that König & Meyer has to offer, everyone – from the budding music pupil to the professional musician – can find the perfect stand for his or her individual needs.





MUSIC STAND

101	BASELINE
Weight	1.04 kg
Special features	the K&M Classic
Material	steel
Leg construction	brace construction, folds compactly
Music desk	traditionally foldable
Rod combination	3-piece folding design
Size when folded	390 mm
Height	from 650 to 1,225 mm
Music desk dimensions	440 x 215 mm

Order No.


nickel-colored	10100-013-11
black	10100-013-55

Accessories

Page

Carrying case 10111	51
---------------------	----





For those
who like plenty
of color

MUSIC STAND

100/1	BASELINE
Weight	1.3 kg
Special features	different colors available
Material	steel
Leg construction	U-profile legs snap into socket
Music desk	traditionally foldable
Rod combination	3-piece folding design
Size when folded	490 mm
Height	from 625 to 1,240 mm
Music desk dimensions	435 x 215 mm

Order No.

yellow green	10010-000-31
ocean blue	10010-000-33
blue	10010-000-54
black	10010-000-55
white	10010-000-57
red	10010-000-59
green	10010-000-60
yellow	10010-000-61
lilac	10010-000-65
rainbow	10010-000-99

Accessories

Carrying case 10012

Page

51



MUSIC STAND

10040	BASELINE
Weight	1.3 kg
Special features	music stand can be opened and folded in one simple movement
Material	steel
Leg construction	U-profile legs snap into socket
Music desk	easy to fold
Rod combination	3-piece folding design
Size when folded	490 mm
Height	from 650 to 1,240 mm
Music desk dimensions	425 x 215 mm

Order No.	
black	10040-000-55

Accessories	Page
Carrying case 10012	51

MUSIC STAND

100/5	BASELINE
Weight	1.5 kg
Special features	different colors available
Material	steel
Leg construction	brace construction, folds compactly
Music desk	traditionally foldable
Rod combination	3-piece folding design
Size when folded	460 mm
Height	from 500 to 1,300 mm
Music desk dimensions	435 x 215 mm

Order No.	
nickel-colored	10050-000-11
blue	10050-000-54
black	10050-000-55
red	10050-000-59
rainbow	10050-000-99


Accessories	Page
Carrying case 10012	51

MUSIC STAND

10052	BASELINE
Weight	1.5 kg
Special features	extra high
Material	steel
Leg construction	brace construction, folds compactly
Music desk	traditionally foldable
Rod combination	3-piece folding design
Size when folded	580 mm
Height	from 640 to 1,500 mm
Music desk dimensions	435 x 215 mm

Order No.	
black	10052-000-55

Accessories	Page
Carrying case 10711	51



MUSIC STAND »ROBBY PLUS«

10062	TOPLINE
Weight	1.75 kg
Special features	extra-wide, extra stable expandable music desk, with additional sheet holders (775 mm)
Material	steel
Leg construction	U-profile legs with cross braces
Music desk	traditionally foldable
Rod combination	3-piece folding design
Size when folded	500 mm
Height	from 580 to 1,220 mm
Music desk dimensions	485 x 240 x 42 mm

Order No.	
black	10062-015-55

Accessories	Page
Carrying case 10012	51

MUSIC STAND

10065	TOPLINE
Weight	1.55 kg
Material	steel
Leg construction	U-profile legs with cross braces
Music desk	traditionally foldable
Rod combination	3-piece folding design
Size when folded	490 mm
Height	from 585 to 1,220 mm
Music desk dimensions	485 x 240 x 42 mm

Order No.	
nickel-colored	10065-000-11
black	10065-000-55

Accessories	Page
Carrying case 10012	51

MUSIC STAND

107	STARLINE
Weight	2.45 kg
Special features	extremely stable
Material	steel
Leg construction	solid brace construction, folds compactly
Music desk	traditionally foldable
Rod combination	3-piece folding design
Size when folded	680 mm
Height	from 675 to 1,470 mm
Music desk dimensions	485 x 240 x 42 mm

Order No.	
nickel-colored	10700-000-11
black	10700-000-55

Accessories	Page
Carrying case 10711	51



Expandable music desk



MUSIC STAND

10810	STARLINE
Weight	2.5 kg
Material	steel
Leg construction	U-profile legs with cross braces
Music desk	traditionally foldable
Rod combination	3-piece folding design
Size when folded	680 x 90 x 120 mm
Height	from 720 to 1,520 mm
Music desk dimensions	500 x 240 mm

Order No.

black	10810-000-55
-------	--------------

The most impressive stand in its class. This extremely stable design of stand has a sheet music desk of 500 x 240 mm – for size plus grandeur. The three-piece folding music stand has easy-to-use clamping elements. Its large music desk has plenty of room for heavy folders and is an alternative to a music stand with a plate.

Accessories

Carrying case 10811

Page

51



MUSIC STAND

12179	BASELINE
Weight	3.02 kg
Special features	perforated music desk
Material	steel
Leg construction	U-profile legs snap into socket
Rod combination	2-piece folding design
Connection stand/plate	quick-release lock
Height	from 610 to 1,080 mm
Music desk dimensions	498 x 324 mm

Order No.

black 12179-000-55

Accessories

Carrying case 11450

Page

51

SCHOOL ORCHESTRA MUSIC STAND

10068	TOPLINE
Weight	2.265 kg
Material	steel stand, aluminum desk
Leg construction	U-profile legs with cross braces
Rod combination	3-piece folding design
Connection stand/plate	prismatic »V-block« connector
Height	from 555 to 1,190 mm
Music desk dimensions	480 x 300 mm

Order No.


black 10068-000-55

Accessories

Carrying case 11450

Page

51



ORCHESTRA MUSIC STAND

118/1	TOPLINE
Weight	4.3 kg
Material	steel stand, wooden desk
Leg construction	socket with foldable legs
Rod combination	2-piece folding design
Connection stand/ plate	prismatic »V-block« connector
Height	from 680 to 1,210 mm
Music desk dimensions (wood)	550 x 355 mm
Music desk dimensions (Aluminum)	520 x 355 mm

Order No.

chrome stand, walnut wooden desk	11811-050-02
chrome stand, black wooden desk	11812-000-02
black stand, black wooden desk	11812-000-55
black stand, black aluminum desk	11818-000-55
chrome stand, beech wooden desk	11819-500-02

Accessories

Carrying case 11450

Page


51

ORCHESTRA MUSIC STAND

118/3	TOPLINE
Weight	5 kg
Special features	additional shelf
Material	steel stand, wooden desk
Leg construction	socket with foldable legs
Rod combination	2-piece folding design
Connection stand/ plate	prismatic »V-block« connector
Height	from 615 to 1,150 mm
Music desk dimensions	550 x 440 mm

Order No.

chrome stand with walnut wooden desk	11831-000-02
chrome stand with black wooden desk	11832-000-02



ORCHESTRA MUSIC STAND

118/4	TOPLINE
Weight	4.6 kg
Special features	extra high
Material	steel stand, wooden desk
Leg construction	socket with foldable legs
Rod combination	3-piece folding design
Connection stand/ plate	prismatic »V-block« connector
Height	from 740 to 1,635 mm
Music desk dimensions	550 x 355 mm

Order No.

chrome stand, walnut wooden desk	11841-000-02
chrome stand, black wooden desk	11842-000-02

ORCHESTRA MUSIC STAND

11870	TOPLINE
Weight	2.8 kg
Special features	user-friendly, quick-release lock
Material	aluminum stand, steel desk
Base diameter	750 mm
Leg construction	tube legs with cross braces
Rod combination	3-piece folding design
Connection stand/ plate	quick-release lock
Size when folded	655 x 100 x 100 mm
Height	from 650 to 1,500 mm
Music desk dimensions	490 x 340 x 50 mm

Order No.

black	11870-015-55
-------	--------------

Accessories

Carrying case 11450	51
---------------------	----

ORCHESTRA MUSIC STAND

11899	TOPLINE
Weight	4.17 kg
Special features	perforated music desk
Material	steel
Leg construction	tube legs with cross braces
Rod combination	2-piece folding design
Connection stand/ plate	quick-release lock
Height	from 700 to 1,200 mm
Music desk dimensions	498 x 324 mm

Order No.

black	11899-000-55
-------	--------------

Accessories

Accessories	Page
Carrying case 11450	51



ORCHESTRA MUSIC STAND

11940	TOPLINE
Weight	3.6 kg
Special features	user-friendly, quick-release lock
Material	steel
Base diameter	750 mm
Leg construction	tube legs with cross braces
Rod combination	2-piece folding design
Connection stand/plate	quick-release lock
Size when folded	730 x 100 x 100 mm
Height	from 740 to 1,270 mm
Music desk dimensions	490 x 340 x 50 mm

Order No.	
black	11940-000-55

Accessories	Page
Carrying case 11460	51

ORCHESTRA MUSIC STAND

11960	TOPLINE
Weight	3.7 kg
Special features	user-friendly, quick-release lock
Material	steel
Base diameter	750 mm
Leg construction	tube legs with cross braces
Rod combination	2-piece folding design
Connection stand/plate	quick-release lock
Size when folded	730 x 100 x 100 mm
Height	from 740 to 1,270 mm
Music desk dimensions	490 x 340 x 50 mm

Order No.	
black	11960-000-55

Accessories	Page
Carrying case 11460	51

ORCHESTRA MUSIC STAND WITH TABLET HOLDER

11965	TOPLINE
Weight	4 kg
Special features	user-friendly, quick-release lock; 4 adjustable clamping bolts with rubber caps included
Material	steel
Base diameter	750 mm
Leg construction	tube legs with cross braces
Rod combination	2-piece folding design
Connection stand/plate	quick-release lock
Size when folded	780 x 100 x 140 mm
Height	from 750 to 1,350 mm
Music desk dimensions	495 x 320 x 50 mm

Order No.	
black	11965-000-55

Accessories	Page
Carrying case 11460	51



ORCHESTRA MUSIC STAND

12120	TOPLINE
Weight	2.64 kg
Special features	collapsible music desk; nylon bag is included
Material	steel stand, plastic desk
Leg construction	socket with foldable legs
Rod combination	2-piece folding design
Connection stand/plate	non-detachable
Height	from 545 to 1,220 mm
Music desk dimensions	505 x 340 mm

Order No.

black 12120-000-55

ORCHESTRA MUSIC STAND

12125	TOPLINE
Weight	3.14 kg
Special features	extra high; collapsible music desk; nylon bag is included
Material	steel stand, plastic desk
Leg construction	socket with foldable legs
Rod combination	3-piece folding design
Connection stand/plate	non-detachable
Height	from 720 to 1,550 mm
Music desk dimensions	505 x 340 mm

Order No.

black 12125-000-55

ORCHESTRA MUSIC STAND

11920	TOPLINE
Weight	4.3 kg
Special features	3 mm thick music desk, can also be used as a writing surface
Material	steel stand, aluminum desk
Base diameter	680 mm
Leg construction	socket with foldable legs
Rod combination	2-piece folding design
Connection stand/plate	prismatic »V-block« connector
Height	from 680 to 1,210 mm
Music desk dimensions	520 x 360 x 57 mm

Order No.

black 11920-000-55

Accessories

Carrying case 11450

Page


51



Collapsible music desk made of plastic



Collapsible music desk made of plastic



Prismatic »V-block« Connector



Optional: Trolley 11935
for transport and storage
for up to 12 orchestra
music stands

ORCHESTRA MUSIC STAND »OVERTURE«

11930	TOPLINE
Weight	3.5 kg
Special features	stackable; height adjustment by using clamping lever
Material	steel
Base diameter	535 mm
Leg construction	fixed screw-in legs
Rod combination	2-piece folding design
Connection stand/ plate	non-detachable
Height	from 760 to 1,300 mm
Music desk dimensions	500 x 320 x 56 mm
Angle of inclination	0° to 90°

Order No.

black 11930-000-55

This music stand has been specially designed for venues such as schools, concert halls, halls etc. It is absolutely ideal for whenever several orchestra music stands need to be set up and cleared away quickly or when storage space is limited. The minimum stacking distance is only 70 mm. Height adjustment is very easy by just using the clamping lever. The tension of the lever can be adjusted to your needs. The height can be continuously adjusted between 760 and 1300 mm. Trolley 11935 for up to 12 orchestra music stands is also optionally available for transport and storage.

Accessories	Page
Wagon for orchestra music stands »Overture« 11935	27
Carrying case 11450	51



**WAGON FOR ORCHESTRA
MUSIC STANDS »OVERTURE«**

11935	TOPLINE
Weight	18 kg
Special features	for up to 12 orchestra music stands »Overture«; with 2 castor wheels with locking brakes as well as 2 heavy-duty castors; includes one expander rope
Material	steel
Dimensions	1,180 x 506 x 170 mm
Fits	11930

Order No.
black 11935-000-55

Accessories	Page
Storage box for wagon 11936	27

STORAGE BOX FOR WAGON

11936	TOPLINE
Weight	3 kg
Special features	covered recessed handles
Material	steel
Max. load capacity	8 kg
Dimensions	420 x 172 x 135 mm
Fits	11935

Order No.
black 11936-000-55

COVER FOR WAGON

11937	TOPLINE
Weight	0.262 kg
Material	nylon
Dimensions	1,070 x 950 x 520 mm

Order No.
11937-000-00

Perfect for tools and accessories

Useful supplement for orchestra music stand wagon 11935



For transport and storage from up to 12 orchestra music stands 11930



ORCHESTRA MUSIC STAND

11888	STARLINE
Weight	3.06 kg
Material	aluminum
Leg construction	tube legs with cross braces
Rod combination	2-piece folding design
Connection stand/plate	prismatic »V-block« connector
Height	from 710 to 1,215 mm
Music desk dimensions	520 x 360 mm

Order No.

black 11888-050-55

Accessories

Carrying case 11450 51

ORCHESTRA MUSIC STAND

11889	STARLINE
Weight	3.8 kg
Material	aluminum stand, steel desk
Leg construction	tube legs with cross braces
Rod combination	2-piece folding design
Connection stand/plate	prismatic »V-block« connector
Height	from 710 to 1,215 mm
Music desk dimensions	520 x 360 mm

Order No.

black 11889-000-55

Accessories

Carrying case 11450 51



Professional and elegant

Prismatic »V-block« Connector



Professional and elegant

Prismatic »V-block« Connector



THE MODULAR K&M ORCHESTRA CONDUCTOR STANDS (Page 30 – 31)

**12332
CONDUCTOR STAND DESK**
Page 30



**12335
CONDUCTOR STAND DESK
WITH SHELVES**
Page 31



**12336/12337
SCORE TRAY**
Page 31



**12338
EXTENDABLE CONDUCTOR
STAND DESK**
Page 31



**12330
CONDUCTOR STAND BASE**
Page 30



**12331
CONDUCTOR STAND BASE**
Page 30



ORCHESTRA CONDUCTOR STAND BASE

12330	
Weight	8.1 kg
Special features	height is adjusted in 40 mm steps and is set using a metal lever
Material	steel
Base diameter	700 mm
Leg construction	flat steel plate
Rod combination	2-piece folding design
Connection stand/plate	screw connection
Height	from 840 to 1,400 mm

Order No.	
black	12330-000-55

Accessories	Page
Orchestra conductor stand desk 12332/12333	30
Orchestra conductor stand desk 12334/12335	31
Orchestra conductor stand desk 12338	31
Score tray 12336/12337	31

ORCHESTRA CONDUCTOR STAND BASE

12331	
Weight	4.2 kg
Special features	height is adjusted in 40 mm steps and is set using a metal lever
Material	steel
Leg construction	tube legs with cross braces
Rod combination	2-piece folding design
Connection stand/plate	screw connection
Height	from 850 to 1,370 mm

Order No.	
black	12331-000-55

Accessories	Page
Orchestra conductor stand desk 12332/12333	30
Orchestra conductor stand desk 12334/12335	31
Orchestra conductor stand desk 12338	31
Score tray 12336/12337	31

ORCHESTRA CONDUCTOR STAND DESK

12332/12333	
Weight	3.7 kg
Material	wood
Connection stand/plate	screw connection
Music desk dimensions	800 x 400 mm
Fits	12330, 12331

Order No.	
beech nature	12332-000-00
black	12333-000-55



ORCHESTRA CONDUCTOR STAND DESK

12334/12335	
Weight	4.3 kg
Special features	with shelves
Material	wood
Connection stand/ plate	screw connection
Music desk dimensions	800 x 465 mm
Fits	12330, 12331

Order No.

beech nature	12334-000-00
black	12335-000-55

ORCHESTRA CONDUCTOR STAND DESK

12338	
Weight	3.95 kg
Special features	extendable
	up to 870 mm
Material	wood
Connection stand/ plate	screw connection
Music desk dimensions	575 x 360 mm
Fits	12330, 12331

Order No.

black	12338-000-55
-------	--------------

SCORE TRAY

12336/12337	
Weight	3.7 kg
Material	wood
Dimensions	700 x 350 mm
Suitable for tubing diameter of	35 to 42 mm
Fits	12330, 12331

Order No.

beech nature	12336-000-00
black	12337-000-55



SOUND INSULATION STAND

11900	
Weight	3.02 kg
Special features	can be used on both sides (concave, convex)
Material	stand steel, plexiglass shield
Base diameter	670 mm
Leg construction	socket with foldable legs
Rod combination	2-piece folding design
Connection stand/shield	prismatic »V-block« connector
Height	from 900 to 1,400 mm
Dimensions shield	450 x 240 mm

Order No.	
black	11900-000-55

Accessories	Page
Acoustic absorber with Velcro strip 11901	32

ACOUSTIC ABSORBER WITH VELCRO STRIP

NEW

11901	
Weight	0.13 kg
Material	foam
Dimensions	605 x 240 x 50 mm
Fits	11900, 11905

Order No.	
anthracite	11901-000-62

SOUND INSULATION ELEMENT FOR ORCHESTRA SEATS WITH BACKREST

NEW

11905	
Weight	1.75 kg
Special features	can be used on both sides (concave, convex)
Material	stand steel, plexiglass shield
Connection stand/shield	prismatic »V-block« connector
Height	700 mm
Dimensions shield	450 x 240 mm
Fits	13420, 13430

Order No.	
black	11905-000-55

Accessories	Page
Acoustic absorber with Velcro strip 11901	32



THE CONDUCTOR PODIUM – CONFIGURABLE TO YOUR NEEDS (Page 34 – 35)

**11991
RAILING FOR
CONDUCTOR
PODIUM**

Page 34

**11994
STAIR FOR
CONDUCTOR
PODIUM**

Page 35

**11990
CONDUCTOR
PODIUM**


Page 34

**11995
CURTAIN FOR
CONDUCTOR
PODIUM**

Page 35

**11993
FEET FOR
CONDUCTOR
PODIUM**

Page 35



CONDUCTOR PODIUM

11990	
Weight	21 kg
Special features	with noise filtering carpet
Material	Alu
Dimensions	1,000 x 1,000 x 96 mm

Order No.
11990-000-55

Accessories	Page
Railing for conductor podium 11991	34
Feet for conductor podium 11992	34
Feet for conductor podium 11993	35

RAILING FOR CONDUCTOR PODIUM


11991	
Weight	5.82 kg
Special features	two adapter pins are included
Material	steel
Width	882 mm
Height	1,002 mm
Fits	11990

Order No.
11991-000-00

FEET FOR CONDUCTOR PODIUM

11992	
Weight	0.31 kg
Special features	with integrated leveling screws to adjust for uneven surfaces; for conductor podium height 20 cm
Material	Alu
Dimensions diameter	50 x 182 mm
Fits	11990

Order No.
11992-000-00



FEET FOR CONDUCTOR PODIUM

11993	
Weight	0.47 kg
Special features	with integrated levelling screws to adjust for uneven surfaces; for conductor podium high 40 cm
Material	Alu
Dimensions diameter	50 x 382 mm
Fits	11990

Order No. _____
11993-000-00

STAIR FOR CONDUCTOR PODIUM

11994	
Weight	10.84 kg
Special features	feet are equipped with levelling screws to adjust for uneven surfaces
Material	steel
Dimensions	990 x 369 x 200 mm
Fits	11993

Order No. _____
11994-000-00

CURTAIN FOR CONDUCTOR PODIUM

11995	
Weight	0.26 kg
Special features	aluminum profile/frame with a Velcro strip included
Material	polyester
Width	1,000 mm
Height	400 mm
Fits	11993

Order No. _____
black 11995-000-55

Accessories	Page
Stair for conductor podium 11994	35
Curtain for conductor podium 11995	35



WOODEN MUSIC STAND

116/1	
Weight	2.81 kg
Material	wood
Rod combination	2-piece folding design
Connection stand/ plate	screw connection
Height	from 715 to 1,225 mm
Music desk dimensions	460 x 300 mm

Order No.

walnut	11611-000-00
beech	11616-000-00
cherrywood	11617-000-00

WOODEN MUSIC STAND

117	
Weight	3.28 kg
Special features	curved baroque design
Material	wood
Rod combination	2-piece folding design
Connection stand/ plate	screw connection
Height	from 960 to 1,320 mm
Music desk dimensions	450 x 310 mm

Order No.

walnut	11701-000-00
beech	11706-000-00
cherrywood	11707-000-00



TABLE MUSIC STAND

124	
Weight	0.28 kg
Special features	Expandable, folding table-top music stand with sheet music retainers; also for zither players
Material	steel
Size when folded	260 x 47 x 37 mm
Music desk dimensions	500 x 200 mm

Order No.

nickel-colored 12400-000-11

UNI-BOY »BOOK« STAND

12440	
Weight	1.98 kg
Special features	for sheet music, books, magazines, reports etc.
Material	plastic
Size when folded	235 x 173 x 13 mm
Music desk dimensions	173 x 235 mm
Angle of inclination	10° to 50°

Order No.


4 color set (unit: 22 pcs.) 12440-000-00
 blue (unit: 12 pcs.) 12440-012-54
 red (unit: 12 pcs.) 12440-012-59
 green (unit: 12 pcs.) 12440-012-60
 yellow (unit: 12 pcs.) 12440-012-61

UNI-BOY »CLASSIC« STAND

12450	
Weight	2.02 kg
Special features	for sheet music, books, magazines, reports etc.
Material	plastic
Size when folded	230 x 173 x 13 mm
Music desk dimensions	173 x 230 mm
Angle of inclination	10° to 50°

Order No.

4 color set (unit: 22 pcs.) 12450-000-00
 blue (unit: 12 pcs.) 12450-012-54
 red (unit: 12 pcs.) 12450-012-59
 green (unit: 12 pcs.) 12450-012-60



MUSIC STAND LIGHT

122e	
Weight	0.37 kg
Material	steel
Connection	electric cable 2 m
Electrical connection data	230 V AC 50Hz
Intensity	~2500 lux
Clamping range	up to 20 mm
Power output	max. 25 Watt
Lighting appliance	1 light bulb
Lamp shade length	160 mm
Power supply	only mains operation
Light positioning by	pivoted joint

Order No.	
black	12250-013-55

Accessories	Page
Replacement bulb 12290	50
LED replacement bulb 12294	50

DOUBLE MUSIC STAND LIGHT

122/6	
Weight	0.52 kg
Material	steel
Connection	electric cable 2 m
Electrical connection data	230 V AC 50Hz
Intensity	2 x ~2500 lux
Clamping range	up to 20 mm
Power output	max. 25 Watt
Lighting appliance	2 light bulbs
Lamp shade length	320 mm
Power supply	only mains operation
Light positioning by	pivoted joint

Order No.	
black	12260-013-55

Accessories	Page
Replacement bulb 12290	50
LED replacement bulb 12294	50

DOUBLE MUSIC STAND LIGHT

12275	
Weight	0.58 kg
Material	steel
Connection	electric cable 1.60 m
Electrical connection data	230 V AC 50Hz
Intensity	2 x ~2500 lux
Clamping range	up to 20 mm
Power output	max. 25 Watt
Lighting appliance	2 light bulbs
Lamp shade length	320 mm
Power supply	only mains operation
Light positioning by	gooseneck

Order No.	
black	12275-000-55

Accessories	Page
Replacement bulb 12290	50
LED replacement bulb 12294	50



LED PIANO LAMP

12296	
Weight	1.6 kg
Special features	includes power adapter; perfect for stage and digital pianos; very bright LED piano lamp
Material	Base zinc die-cast, gooseneck steel, plastic lamp shade
Connection	electric cable 3 m
Electrical connection data	230 V AC 50Hz
Intensity	~2500 lux
Lighting appliance	12 LEDs
Lamp shade length	296 mm
Power supply	only mains operation
Light positioning by	gooseneck

Order No.

black	12296-000-55
-------	--------------

LED PIANO LAMP

12297	
Weight	1.75 kg
Special features	includes power adapter; very bright LED piano lamp
Material	Base zinc die-cast, gooseneck steel, plastic lamp shade
Connection	electric cable 3 m
Electrical connection data	230 V AC 50Hz
Intensity	~2500 lux
Lighting appliance	12 LEDs
Lamp shade length	296 mm
Power supply	only mains operation
Light positioning by	gooseneck

Order No.

gold-colored	12297-000-40
black	12297-000-55
white	12297-000-57
silver	12297-000-63



Very bright LED piano lamp with 12 LEDs (2500 Lux).

Perfect for stage pianos and digital pianos.



Includes power adapter.



Very bright LED piano lamp with 12 LEDs (2500 Lux).

Includes power adapter.



LED piano lamp with 12 LEDs (230 Lumen) and warm white light.

Brightness dimmable

Includes power adapter.

LED PIANO LAMP

NEW

12298

Weight	1.5 kg
Special features	includes power adapter; brightness dimmable; warm white light (3000 K), Flux: 230 Lumen
Material	Base zinc die-cast, gooseneck steel, plastic lamp shade
Connection	electric cable 3 m
Electrical connection data	230 V AC 50Hz
Intensity	~2500 lux
Lighting appliance	12 LEDs
Lamp shade length	300 mm
Power supply	only mains operation
Light positioning by	gooseneck

Order No.

black 12298-000-55

Piano lamp with elegant design. State-of-the-art LED technology ensures pleasant warm white light (3000 K, 12 LEDs, 2500 Lux), long life and low energy consumption. A variable dimmer switch adjusts the brightness. Optimum positioning thanks to a long and flexible gooseneck (415 mm length). The heavy base ensures a stable stand. Power supply is included.

MUSIC STAND LIGHT »LED FLEXLIGHT«

12241	
Weight	0.08 kg
Special features	batteries included
Material	plastic
Intensity	~800 lux
Clamping range	up to 25 mm
Lighting appliance	1 LED
Power supply	battery operation 3 x Micro (AAA) 1.5 V
Light positioning by	gooseneck

Order No.
black 12241-000-55

Accessories	Page
Base »FlexLight« 12256	49

MUSIC STAND LIGHT »2 LED FLEXLIGHT«

12242	
Weight	0.082 kg
Special features	batteries included
Material	plastic
Intensity	~1150 lux
Clamping range	up to 25 mm
Lighting appliance	2 LEDs
Power supply	battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit
Light positioning by	gooseneck

Order No.
black 12242-000-55

Accessories	Page
Base »FlexLight« 12256	49
Power unit »FlexLight« 12257	49

**MUSIC STAND LIGHT
»DOUBLE LED FLEXLIGHT«**

12243	
Weight	0.1 kg
Special features	batteries included
Material	plastic
Intensity	2 x ~700 lux
Clamping range	up to 25 mm
Lighting appliance	2 LEDs
Power supply	battery operation 3 x Micro (AAA) 1.5 V
Light positioning by	goosenecks

Order No.
black 12243-000-55

Accessories	Page
Base »FlexLight« 12256	49



**MUSIC STAND LIGHT
»DOUBLE2 LED FLEXLIGHT«**

12244	
Weight	0.15 kg
Special features	batteries included
Material	plastic
Intensity	2 x ~1300 lux
Clamping range	up to 25 mm
Lighting appliance	2 x 2 LEDs
Power supply	battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit
Light positioning by	goosenecks

Order No.

black 12244-000-55

Accessories

Page

Base »FlexLight« 12256 49
Power unit »FlexLight« 12257 49

**MUSIC STAND LIGHT
»DOUBLE4 LED FLEXLIGHT« SET**

12245	
Weight	0.28 kg
Special features	switch between 2 levels of brightness; batteries and power adapter included
Material	plastic
Connection	electric cable 3 m
Electrical connection data	110 V - 240 V AC 50Hz - 60Hz
Intensity	2 x ~1700 lux
Clamping range	up to 25 mm
Lighting appliance	2 x 4 LEDs
Power supply	battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit
Light positioning by	goosenecks

Order No.

black 12245-000-55

Accessories

Page

Base »FlexLight« 12256 49



Battery
operation or mains
power possible

Set: batteries
and power
adapter included





MUSIC STAND LIGHT
»DOUBLE4 LED FLEXLIGHT«

12246	
Weight	0.15 kg
Special features	switch between 2 levels of brightness; batteries included
Material	plastic
Intensity	2 x ~1700 lux
Clamping range	up to 25 mm
Lighting appliance	2 x 4 LEDs
Power supply	battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit
Light positioning by	goosenecks

Order No.

black	12246-000-55
-------	--------------

Powerful and multifunctional dual-headed light with 2 flexible goosenecks which allow the musician to focus light to a pinpoint or evenly over a larger area. The light provides comfort and versatility to accommodate a variety of lighting needs through 4 powerful LEDs rated for 100,000 hours on each head and two brightness settings. A practical and extra-wide clip provides for easy attachment to all music desks or table tops with a thickness of 25 mm. The light is powered by 3 (1.5 V AAA) batteries (included) with a typical battery life of 10 hours. Powered also by AC adapter (not included).

Battery operation
or mains power possible



Accessories

	Page
Base »FlexLight« 12256	49
Power unit »FlexLight« 12257	49



**MUSIC STAND LIGHT
»T-MODEL LED FLEXLIGHT«**

12247	
Weight	0.12 kg
Special features	switch between 2 levels of brightness; batteries and bag included
Material	plastic
Intensity	~4200 lux
Clamping range	up to 25 mm
Lighting appliance	8 LEDs
Lamp shade length	60.5 mm
Power supply	battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit
Light positioning by	gooseneck

Order No.

black 12247-000-55

Accessories

	Page
Base »FlexLight« 12256	49
Power unit »FlexLight« 12257	49

**MUSIC STAND LIGHT
»4 LED T-MODEL FLEXLIGHT«**

NEW

12272	
Weight	0.075 kg
Special features	switch between 2 levels of brightness; color temperature of 3000 Kelvin, Flux: 32 Lumen, batteries included
Material	plastic
Clamping range	up to 25 mm
Lighting appliance	4 LEDs
Lamp shade length	40 mm
Power supply	battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit
Light positioning by	gooseneck

Order No.

black 12272-000-55

Accessories

	Page
Base »FlexLight« 12256	49
Power unit »FlexLight« 12257	49



MUSIC STAND LIGHT
»DOUBLE4 LED T-MODEL
FLEXLIGHT«

NEW

12273

Weight	0.1 kg
Special features	switch between 2 levels of brightness; color temperature of 3000 Kelvin, Flux: 64 Lumen, batteries included
Material	plastic
Clamping range	up to 25 mm
Lighting appliance	2 x 4 LEDs
Lamp shade length	80 mm
Power supply	battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit
Light positioning by	gooseneck

Order No.

black 12273-000-55



Battery operation or
mains power possible

Color temperature of
3000 Kelvin

Powerful and multifunctional dual-headed light with 2 flexible goosenecks which allow the musician to focus light to a pinpoint or evenly over a larger area. The light provides comfort and versatility to accommodate a variety of lighting needs through 4 powerful LEDs rated for 100,000 hours on each head and two brightness settings. The pleasant warm white light is equal to a color temperature of 3000 Kelvin. A practical and extra-wide clip provides for easy attachment to all music desks or table tops with a thickness of 25 mm. The light is powered by 3 (1.5 V AAA) batteries (included) with a typical battery life of 10 hours. Powered also by AC adapter (not included).

Accessories

Page

Base »FlexLight« 12256	49
Power unit »FlexLight« 12257	49

MUSIC STAND LIGHT »TWIN HEAD«

12270	
Weight	0.28 kg
Special features	newest LED technology; bright and focused light; both light heads work individually
Material	plastic
Size when folded	165 x 100 x 55 mm
Connection	electric cable 3 m
Electrical connection data	110 V - 240 V AC 50Hz - 60Hz
Intensity	2 x ~2500 lux
Clamping range	up to 25 mm
Lighting appliance	2 x 4 LEDs
Power supply	battery operation 3 x Mignon (AA) 1.5 V or mains power with power unit
Light positioning by	goosenecks

Order No.	
black	12270-000-55

MUSIC STAND LIGHT »CONCERT LIGHT«

12248	
Weight	0.349 kg
Special features	switch between 2 levels of brightness; batteries, power adapter and carrying case included
Connection	electric cable 3 m
Electrical connection data	110 V - 240 V AC 50Hz - 60Hz
Clamping range	up to 25 mm
Lighting appliance	6 LEDs
Lamp shade length	150 mm
Power supply	battery operation 3 x Micro (AAA) 1.5 V or mains power with power unit
Light positioning by	gooseneck

Order No.	
black	12248-000-55

Accessories	Page
Base »FlexLight« 12256	49





MUSIC STAND LIGHT
»ORCHESTRA LIGHT EOS«

12249

Weight	0.521 kg
Special features	switch between 2 levels of brightness; batteries, power adapter and carrying case included
Connection	electric cable 3 m
Electrical connection data	110 V - 240 V AC 50Hz - 60Hz
Clamping range	up to 20 mm
Lighting appliance	9 LEDs
Lamp shade length	210 mm
Power supply	battery operation 3 x Mignon (AA) 1.5 V or mains power with power unit
Light positioning by	gooseneck

Order No.

black 12249-000-55

Professional orchestra light with batteries and power supply. Nine extra bright and energy-efficient LEDs provide consistent and vibrant lighting. The flexible gooseneck is fully adjustable. The light has a switch with two brightness levels. The light cone is limited to the music sheet through an anti-glare shield. An extra-strong clip provides a secure grip on music stands. The complete set is comprised of 3 AA 1.5V batteries, a power supply with a 3 m cord, as well as a durable carrying case.

Set: Batteries, power adapter and carrying case included





Brightness is adjusted using a variable dimmer switch



MUSIC STAND LIGHT »DIMMER LIGHT«

12295	
Weight	0.415 kg
Special features	12 energy saving and durable LEDs; brightness dimmable; batteries and power adapter included
Material	steel
Connection	electric cable 3 m
Electrical connection data	110 V - 240 V AC 50Hz - 60Hz
Intensity	2 x ~1400 lux
Clamping range	up to 25 mm
Lighting appliance	2 x 6 LEDs
Lamp shade length	300 mm
Power supply	battery operation 3 x Mignon (AA) 1.5 V or mains power with power unit
Light positioning by	gooseneck

Order No.

black 12295-018-55

Equipped with 12 energy saving and durable LEDs, guarantees optimal music desk lighting. The re-designed light can now be operated with batteries or with a power supply. The brightness is adjusted using a variable dimmer switch. The flexible gooseneck ensures that the light is ideally positioned. A handy clip provides for easy attachment to all music desks with a thickness of 25 mm. Includes a power supply with a 3 m cord and 3 AA batteries.

MUSIC STAND LIGHT
»MIGHTY BRIGHT - NU FLEX«

85625	
Weight	0.09 kg
Special features	batteries included; brightness dimmable
Material	plastic
Intensity	~650 lux
Clamping range	up to 28 mm
Lighting appliance	3 LEDs
Power supply	battery operation 3 x Micro (AAA) 1.5 V or micro USB cord
Light positioning by	gooseneck

Order No.

black 85625-000-55

Accessories

USB cable 85628 50

MUSIC STAND LIGHT
»MIGHTY BRIGHT - WONDER FLEX«

85635	
Weight	0.09 kg
Special features	batteries included; brightness dimmable
Material	plastic
Intensity	~450 lux
Clamping range	up to 28 mm
Lighting appliance	2 LEDs
Power supply	battery operation 3 x Micro (AAA) 1.5 V or micro USB cord
Light positioning by	gooseneck

Order No.

black 85635-000-55

Accessories

USB cable 85628 50

BASE »FLEXLIGHT«

12256	
Weight	0.055 kg
Material	plastic
Fits	12241, 12242, 12243, 12244, 12245, 12246, 12247, 12248, 12272, 12273

Order No.

black 12256-000-55



12257 POWER UNIT »FLEXLIGHT«

12257	
Weight	0,07 kg
Special features	can also be used as replacement for 12245, 12248, 12249, 12270 and 12295
Connection	electric cable 3 m
Input	110 to 240 V AC
Output	5 V DC
Fits	12242, 12244, 12246, 12247, 12272, 12273

Order No.
black 12257-000-00



USB CABLE

85628	
Special features	Cable length 4 m
Connection	USB
Fits	85625, 85635

Order No.
black 85628-000-55



REPLACEMENT BULB

12290	
Weight	0.02 kg
Electrical connection data	230 V AC 50Hz
Power output	max. 25 watt
Socket	E 14
Fits	122/6, 12275, 122e

Order No.
12290-000-00



LED REPLACEMENT BULB

12294	
Weight	0.02 kg
Electrical connection data	230 V AC 50Hz
Power output	3 watt
Socket	E 14
Length	115 mm
Fits	122/6, 12275, 122e

Order No.
12294-019-00



CARRYING CASE

10012	
Weight	0.12 kg
Material	nylon
Handle or carrying type	shoulder strap
Fastener	hook-and-loop fastener
Dimensions	500 mm
Fits	100/1, 100/5, 10040, 10062, 10065

Order No. _____
10012-000-00

CARRYING CASE

10111	
Weight	0.08 kg
Material	nylon
Handle or carrying type	handle
Fastener	hook-and-loop fastener
Dimensions	400 mm
Fits	101

Order No. _____
10111-000-00

CARRYING CASE

10711	
Weight	0.213 kg
Material	nylon
Handle or carrying type	shoulder strap
Fastener	hook-and-loop fastener
Dimensions	680 mm
Fits	10052, 107

Order No. _____
10711-000-00



CARRYING CASE

10811	
Weight	0.22 kg
Material	nylon
Handle or carrying type	handle
Fastener	zip fastener
Dimensions	700 mm
Fits	10810, 141/1, 149/9, 14950, 14951, 14985, 15060, 252, 259, 259/1, 25910, 28130

Order No. _____
10811-000-00

CARRYING CASE

11450	
Weight	0.82 kg
Special features	2 internal compartments and outside pocket for music and accessories
Material	nylon
Handle or carrying type	handle and shoulder straps
Fastener	zip fastener
Dimensions	700 x 120 x 450 mm
Fits	10068, 118/1, 11870, 11888, 11889, 11899, 11920, 11930, 12150, 12155, 12179

Order No. _____
11450-000-00

CARRYING CASE

11460	
Weight	0.57 kg
Special features	2 internal compartments and outside pocket for music and accessories
Material	nylon
Handle or carrying type	handle
Fastener	zip fastener
Dimensions	820 x 100 x 380 mm
Fits	11940, 11960, 11965, 11980

Order No. _____
11460-000-00



TRAY

122a	
Weight	0.4 kg
Special features	with felt inner-lining
Material	wood
Dimensions	390 x 120 mm
Screw-on to	tube diameter up to 30 mm

Order No.
walnut 12211-000-55



TRAY

12218	
Weight	0.48 kg
Special features	with felt inner-lining
Material	aluminum
Dimensions	390 x 125 mm
Screw-on to	tube diameter up to 30 mm

Order No.
black 12218-000-55



TRAY

NEW

12225	
Weight	1.65 kg
Special features	with slot for convenient cable routing; a foam insert is included
Material	steel
Dimensions	250 x 330 mm
Screw-on to	tube diameter up to 30 mm

Order No.
black 12225-000-55



MUSIC HOLDER

131	
Weight	0.32 kg
Special features	folds very small
Material	steel
Screw-on to	tube diameter up to 30 mm

Order No.
black 13100-000-55



FILE HOLDER

13020	
Weight	0.889 kg
Special features	collapsible; 2 additional instrument pegs mountable
Material	steel

Order No.
black 13020-000-55



ADVERTISING PANEL FOR ORCHESTRA MUSIC DESKS

12384	
Weight	1.9 kg
Special features	for mounting to orchestra music desks; two clamps included
Material	aluminum
Dimensions	520 x 800 x 1.5 mm

Order No.
black 12384-000-55



For your band or orchestra logo

MAGNET

115/6	
Weight	0.035 kg
Special features	with felt lining; imprint of customer logos is possible
Dimensions	58 x 27 mm

Order No.

black with K&M logo	11560-000-55
black with customer logo (plus charges for special logo)	11561-000-55



POWER MAGNET

11580	
Weight	0.052 kg
Special features	Strong magnetic power - mini size; 2 magnets in blister packaging
Material	steel
Dimensions diameter	12 x 16 mm

Order No.

zinc-plated (unit: 2 pcs.)	11580-000-29
zinc-plated (unit: 10 pcs. in PET bag)	11581-000-29



SHEET MUSIC HOLDER

11590	
Weight	0.014 kg
Special features	suitable for music stands with collapsible desk from König & Meyer's product groups »Baseline« and »Topline«; easy to use; folds small
Material	plastic
Dimensions	78 x 30 x 10 mm

Order No.

black	11590-000-55
-------	--------------



SHEET MUSIC CLIPS »FIX'N CLIP«

16055	
Weight	0.033 kg
Special features	with magnetic back; attractive display packaging with 24 units
Material	plastic
Dimensions	85 x 25 x 40 mm

Order No.

unit: 24 pcs.	16055-024-00
---------------	--------------



SHEET MUSIC CLIP

16060	
Weight	0.014 kg
Special features	4 pieces in a poly bag
Material	plastic
Dimensions	51 x 50 x 22 mm

Order No.

black (unit: 4 pcs.)	16060-000-55
black (unit: 100 pcs.)	16060-100-55



DRINK HOLDER

160/2	
Weight	0.24 kg
Material	steel
Screw-on to	tube diameter up to 30 mm
Suitable for	bottles, glasses and cups with maximum diameter of 85 mm

Order No.

black	16020-000-55
-------	--------------



UNIVERSAL DRINK HOLDER

16022	
Weight	0.389 kg
Material	steel
Screw-on to	tube diameter up to 30 mm
Suitable for	bottles, glasses and cups with maximum diameter of 95 mm

Order No.
black 16022-000-55



PENCIL HOLDER

16092	
Weight	0.002 kg
Material	plastic
Suitable for tubing diameter of	13 to 15 mm

Order No.
black 16092-000-55



PENCIL HOLDER

16094	
Weight	0.003 kg
Material	plastic
Suitable for tubing diameter of	20 to 22 mm

Order No.
black 16094-000-55



PENCIL HOLDER

16096	
Weight	0.004 kg
Material	plastic
Suitable for tubing diameter of	24 to 26 mm

Order No.
black 16096-000-55



HOLDING MAGNET WITH PENCIL

16099	
Weight	0.01 kg
Special features	for all pencils with a diameter of 6 to 7.5 mm

Order No.
black 16099-000-55
black (unit: 50 pcs.) 16099-050-55





K&M KÖNIG & MEYER
Stands For Music





STANDS AND ACCESSORIES FOR INSTRUMENTS

From all-round guitar stands to stands for rare musical instruments, König & Meyer offers a wide range of professional instrument stands. Continually tested, tweaked and refined, many of these stands have set the standard for functionality and workmanship for many years.

Behind every innovation there is 70 years of experience and expertise – expertise that allows us to develop instrument stands that precisely and compactly guarantee the very best footing for your instrument.



**E-GUITAR STAND**

17540	
Weight	1.86 kg
Material	steel
Instrument support	non-marring plastic material
Suitable for	electric guitars
Adjustment	push-button system
Width-adjustable	from 220 to 350 mm
Height	420 mm

Order No.

black with translucent support elements	17540-013-00
black	17540-013-55
cork	17540-013-95

A-GUITAR STAND

17541	
Weight	1.93 kg
Material	steel
Instrument support	non-marring plastic material
Suitable for	acoustic guitars
Adjustment	push-button system
Width-adjustable	from 220 to 350 mm
Height	420 mm

Order No.

black	17541-013-55
cork	17541-013-95

GUITAR STAND »MEMPHIS TRAVEL«

17550	
Weight	0.46 kg
Special features	fits in almost every Gig Bag; very light; folds very small; instrument support arms adjust to fit various guitar sizes; the two feet which can be folded out at the front ensure additional stability
Material	aluminum
Instrument support	non-marring plastic material
Suitable for	acoustic and electric guitars
Support depth	from 68 to 127 mm
Size when folded	290 mm
Height	275 mm

Order No.

black anodized	17550-000-35
----------------	--------------

Stable and easy to adjust and fold by push-button system



With exclusive non-marring material to protect instrument finishes

Fits in almost every Gig Bag



Adjustable support arms for electric and acoustic guitars



p02e.k-m.de
Product video

E+A GUITAR STAND »DUET«

17570

Weight	1.23 kg
Special features	integrated pick holder
Material	steel
Instrument support	non-marring plastic material
Suitable for	acoustic and electric guitars
Adjustment	push-button system
Width-adjustable	from 195 to 255 mm
Size when folded	310 x 81 x 410 mm
Height	375 mm

Order No.

black with translucent support elements 17570-000-00

Stable and easy to adjust and fold by push-button system




With exclusive non-marring material to protect instrument finishes





Modern design;
with pick holders



A-GUITAR STAND »HELI 2«

17580	
Weight	0.95 kg
Special features	also for headless guitars, cellos and french horns; easy to transport and store; integrated guitar pick holders, 2 picks included
Material	steel
Instrument support	non-marring plastic material
Suitable for	acoustic guitars
Adjustment	foldable by bracket with hinge
Width-adjustable	from 185 to 230 mm
Size when folded	365 x 295 x 30 mm
Height	330 mm

Order No.

blue	17580-014-54
black	17580-014-55
red	17580-014-59
cork	17580-014-95

Worldwide proven guitar stand. The instrument is particularly well cared for thanks to the elaborate new rubber structure. With the innovative adjustable cross bar, guitars of different sizes or even other instruments such as a cello or French horn can be placed on the stand. For storage and transport the stand folds flat. In addition, we provide a practical transport lock. An additional feature includes integrated guitar pick holders. »Heli 2« is available in black, red, blue and cork.

E-GUITAR STAND »HELI 2«

17581	
Weight	1.32 kg
Special features	New in 4 positions adjustable support system
Material	steel
Instrument support	non-marring plastic material
Suitable for	electric guitars
Adjustment	foldable by bracket with hinge
Width-adjustable	from 185 to 230 mm
Size when folded	380 x 290 x 33 mm
Height	350 mm

Order No.

black	17581-014-55
cork	17581-014-95

E-GUITAR STAND »WAVE 20«

17590	
Weight	0.48 kg
Material	plastic
Suitable for	electric guitars
Adjustment	5-way width adjustable by two cross braces with inserted screw
Support depth	58 mm
Size when folded	290 x 25 x 210 mm
Height	290 mm

Order No.

black	17590-000-55
-------	--------------

A-GUITAR STAND »WAVE 10«

17591	
Weight	0.6 kg
Special features	also for french horns, cellos, banjos
Material	plastic
Suitable for	acoustic guitars
Adjustment	5-way width adjustable by two cross braces with inserted screw
Support depth	135 mm
Size when folded	290 x 25 x 320 mm
Height	320 mm

Order No.

black	17591-000-55
-------	--------------



In four positions adjustable support system



**GUITAR STAND »MEMPHIS 20«**

17685	
Weight	1.08 kg
Special features	instrument support arms adjust to fit various guitar sizes
Material	steel
Instrument support	non-marring plastic material
Suitable for	acoustic and electric guitars
Adjustment	clamp lever(s)
Support depth	from 68 to 127 mm
Height	735 mm
Yoke	with safety strap

Order No.

black 17685-000-55

GUITAR STAND »MEMPHIS 10«

17680	
Weight	1.6 kg
Special features	anti-twist feature on the extension rod
Material	steel
Instrument support	foam pads
Suitable for	acoustic and electric guitars
Rod combination	2-piece folding design
Adjustment	clamp lever(s)
Height	from 550 to 1,120 mm
Yoke	with safety strap

Order No.

black 17680-000-55

GUITAR STAND »MEMPHIS PRO«

17670	
Weight	1.5 kg
Special features	folds small; patented flexible hooking-in and clamping system; studs at support arms provide extra protection; anti-twist feature on the extension rod; suitable for asymmetric guitar necks
Material	steel
Instrument support	non-marring rubber
Suitable for	acoustic and electric guitars
Rod combination	2-piece folding design
Adjustment	clamp lever(s)
Height	from 550 to 1,000 mm
Yoke	self-locking

Order No.

black 17670-000-55

p03e.k-m.de
Product video

GUITAR STAND »DOUBLE«

17620	
Weight	2.053 kg
Special features	to hook 2 guitars; suitable for all guitars with head- stock, basses, acoustic guitars, ukuleles, banjos etc.
Material	steel
Base diameter	760 mm
Instrument support	non-marring plastic material
Suitable for	acoustic and electric guitars
Rod combination	2-piece folding design
Size when folded	750 x 260 mm
Height	from 800 to 1,300 mm
Yoke	self-locking

Order No.

black 17620-000-55

Accessories

Carrying case 18846

Page

156

FOUR GUITAR STAND »ROADIE«

17605	
Weight	4.79 kg
Special features	suitable for 4 guitars; also for special V- and X-shaped guitar models; also suitable for guitars with attached cable connectors and straps; foldable for transport
Material	steel
Instrument support	non-marring plastic material
Suitable for	acoustic and electric guitars
Rod combination	2-piece folding design
Adjustment	in 3 steps
Base dimensions	660 x 350 mm
Height	from 1,030 to 1,185 mm
Yoke	fixed

Order No.black with translucent
support elements 17605-000-00

The patented hanger is
suitable for all types of
guitar headstocks



Suitable for unusually
shaped guitars



p09e.k-m.de
Product video





Functional neck lock


 Attractive design,
perfect for home
and studio

GUITAR STAND »CARLOS«
17650

Weight	1.1 kg
Special features	folds flat; functional neck lock (Security Lock)
Instrument support	felt pads
Suitable for	acoustic and electric guitars
Support depth	125 mm
Base dimensions	410 x 515 mm
Size when folded	790 x 515 x 85 mm
Height	760 mm
Yoke	with safety strap

Order No.

black 17650-000-55

Unique guitar stand in a tall A-frame design for acoustic or electric guitars. The durable and light one-piece plastic construction stands for functionality and stability. The guitar stand folds flat for easy transport. The support arms with soft felt pads protect the bottom of the guitar from scratches and damage. The stand is suitable for all kind of guitar lacquers, including nitro lacquer. The functional neck lock provides for a secure hold when the guitar is placed on the stand.



p08e.k-m.de
Product video



Translucent elements - suitable for guitars with nitro lacquer.

Suitable for electrical guitars

Optional: Caster set 17510



FIVE E-GUITAR STAND »GUARDIAN 5«

17525

Weight	4.7 kg
Special features	Protective bars prevent damage from bumps or knocking; holds the guitar's neck without touching the strings; integrated pick holders
Material	plastic
Instrument support	non-marring plastic material
Suitable for	electric guitars
Base dimensions	688 x 335 mm
Size when folded	688 x 670 x 173 mm
Height	700 mm

Order No.

black with translucent support elements 17525-016-00

The Guardian securely holds up to 5 E-guitars or base guitars, saving space. Specially adjusted and cushioned instrument supports and the flexible protective arms provide a secure grip.

The Guardian is easy to transport and carry thanks to an innovative folding mechanism.

It can be stored in an upright position. The individual upper support brackets with integrated pick holders allow the guitars to be placed either on the right or left side, and also ensure that the guitar strings are not touched. For mobile use castors can be mounted optionally.

The translucent (colorless) elements made of high quality Elastomer plastic are suitable for all kind of guitar lacquers, including nitro lacquer.

Discoloration from the stand to the guitar does not occur.

Accessories

Caster set for »Guardian« 17510

Page

67

**FIVE GUITAR STAND »GUARDIAN 5«**

17515	
Weight	4.65 kg
Special features	Protective bars prevent damage from bumps or knocking; additional slots for electric guitars; holds the guitar's neck without touching the strings; integrated pick holders
Material	plastic
Instrument support	non-marring plastic material
Suitable for	acoustic and electric guitars
Base dimensions	996 x 335 mm
Size when folded	996 x 670 x 173 mm
Height	700 mm

Order No.

black with translucent support elements	17515-016-00
black	17515-016-55

Accessories **Page**

Caster set for »Guardian« 17510	67
---------------------------------	----

FOUR GUITAR STAND »GUARDIAN 3+1«

17534	
Weight	3.7 kg
Special features	Protective bars prevent damage from bumps or knocking; holds the guitar's neck without touching the strings; integrated pick holders
Material	plastic
Instrument support	non-marring plastic material
Suitable for	1 acoustic and 3 electric guitars
Base dimensions	626 x 335 mm
Size when folded	626 x 670 x 173 mm
Height	700 mm

Order No.

black with translucent support elements	17534-016-00
-----------------------------------------	--------------

Accessories **Page**

Caster set for »Guardian« 17510	67
---------------------------------	----

THREE GUITAR STAND »GUARDIAN 3«

17513	
Weight	3.6 kg
Special features	Protective bars prevent damage from bumps or knocking; additional slots for electric guitars; holds the guitar's neck without touching the strings; integrated pick holders
Material	plastic
Instrument support	non-marring plastic material
Suitable for	acoustic and electric guitars
Base dimensions	626 x 335 mm
Size when folded	626 x 670 x 173 mm
Height	700 mm

Order No.

black with translucent support elements	17513-016-00
black	17513-016-55

Accessories **Page**

Caster set for »Guardian« 17510	67
---------------------------------	----



CASTER SET FOR »GUARDIAN«

17510	
Weight	0.35 kg
Special features	set of 4 (locking) casters
Material	steel
Fits	17513, 17515, 17525, 17534

Order No.

black 17510-000-55

GUITAR PERFORMER STAND

14760	
Weight	3.29 kg
Special features	angle and length adjust to your needs
Material	steel
Instrument support	felt-lined
Suitable for	electric guitars
Rod combination	3-piece folding design
Size when folded	790 mm
Height	from 690 to 1,550 mm
Suitable for instrument widths	from 39 to 60 mm

Order No.

black 14760-000-55

Accessories

Carrying case 18846

Page

156

GUITAR PERFORMER STAND

14761	
Weight	2.23 kg
Special features	angle and length adjust to your needs
Material	steel
Instrument support	felt-lined
Suitable for	acoustic guitars
Rod combination	3-piece folding design
Size when folded	790 mm
Height	from 690 to 1,550 mm
Suitable for instrument widths	from 75 to 135 mm

Order No.

black 14761-000-55

Accessories

Carrying case 18846

Page

156



For all »Guardian« guitar stands
from models -016- onwards



GUITAR WALL MOUNT

162	
Weight	0.16 kg
Special features	two fastening points
Material	steel
Instrument support	non-marring plastic material
Suitable for	acoustic and electric guitars
Direction	forward-turned
Yoke	fixed
Dimensions	84 x 215 x 150 mm

Order No.

black 16200-000-55

GUITAR WALL MOUNT

16220	
Weight	0.13 kg
Material	wood
Instrument support	non-marring plastic material
Suitable for	acoustic and electric guitars
Size when folded	115 x 82 x 55 mm
Direction	forward-turned
Yoke	fixed
Dimensions	82 x 100 x 115 mm

Order No.

cork 16220-000-95

GUITAR WALL MOUNT

16280	
Weight	0.155 kg
Material	plastic, steel
Instrument support	non-marring plastic material
Suitable for	acoustic and electric guitars
Direction	forward-turned
Yoke	self-locking
Dimensions	94 x 66 x 138 mm

Order No.

black 16280-000-55
 cork 16280-000-95
 white with translucent
 support elements 16280-014-00



GUITAR WALL MOUNT

16250	
Weight	0.17 kg
Special features	additional guard cams prevent guitar from turning; automatic back release mechanism; support arms work individually; suitable for asymmetric guitar necks
Material	plastic, steel
Instrument support	non-marring plastic material
Suitable for	acoustic and electric guitars
Direction	forward-turned
Yoke	self-locking
Dimensions	80 x 60 x 116 mm

Order No.
black 16250-000-55

GUITAR WALL MOUNT

16240	
Weight	0.2 kg
Special features	patented flexible hooking-in and clamping system; studs at support arms provide extra protection; suitable for asymmetric guitar necks
Material	plastic, steel
Instrument support	non-marring plastic material
Suitable for	acoustic and electric guitars
Direction	forward-turned
Yoke	self-locking
Dimensions	84 x 108 x 152 mm

Order No.
black 16240-000-55

GUITAR WALL MOUNT

16235	
Weight	0.311 kg
Material	steel
Instrument support	non-marring plastic material
Suitable for	acoustic and electric guitars
Direction	left or right turned
Yoke	fixed
Dimensions	300 x 120 x 80 mm

Order No.
black 16235-018-55



Patented, flexible hooking-in and clamping system



**GUITAR WALL MOUNT**

16255	
Weight	0.446 kg
Material	steel
Instrument support	non-marring plastic material
Suitable for	acoustic and electric guitars
Direction	left or right turned
Yoke	self-locking
Dimensions	300 x 150 x 80 mm

Order No.

black 16255-018-55

WALL MOUNT FOR ELECTRIC GUITAR

16295	
Weight	1.17 kg
Special features	flexible support arms for neck and body
Material	steel
Instrument support	silicone cover
Suitable for	electric guitars
Size when folded	565 x 230 x 150 mm
Direction	in 8° settings 360° adjustable
Dimensions	690 x 220 x 155 mm

Order No.

black 16295-000-55

WALL MOUNT FOR ACOUSTIC GUITAR

16296	
Weight	1.14 kg
Special features	flexible support arms for neck and body
Material	steel
Instrument support	silicone cover
Suitable for	acoustic guitars
Size when folded	565 x 230 x 150 mm
Direction	in 8° settings 360° adjustable
Dimensions	690 x 220 x 205 mm

Order No.

black 16296-000-55



FOOTREST**14640**

Weight	0.31 kg
Material	aluminum/Kunststoff
Height adjustment	4 different positions
Height	from 105 to 180 mm
Dimensions	202 x 91 mm

Order No.

black 14640-000-55

FOOTREST**14670**

Weight	0.6 kg
Special features	non-skid plastic pad
Material	steel
Height adjustment	6 different positions
Height	from 119 to 264 mm
Dimensions	250 x 98 mm

Order No.

nickel-colored 14670-014-11
 blue 14670-014-54
 black 14670-014-55
 red 14670-014-59

GUITAR CAPO**14540**

Weight	0.074 kg
Special features	no „string bend“ - tuning is not affected; simple and fast to mount
Material	plastic
Instrument support	non-marring plastic material
Finger board	flat
Clamping	locking screw
Clamping range	20 to 30 mm
Dimensions	78 x 18 x 85 mm

Order No.

black 14540-000-55

aluminum, plastic - weighs only 310 g



GUITAR CAPO

14545

Weight	0.074 kg
Special features	no „string bend“ - tuning is not affected; simple and fast to mount
Material	plastic
Instrument support	non-marring plastic material
Finger board	curved
Clamping	locking screw
Clamping range	20 to 30 mm
Dimensions	78 x 18 x 85 mm

Order No.

black 14545-000-55

GUITAR CAPO

30900

Weight	0.038 kg
Special features	quickly adjustable with one hand; does not obstruct playing; for Western-style and electric guitars
Material	zinc die-cast
Instrument support	non-marring slip-proof pad
Finger board	curved
Clamping	spring-tension
Clamping range	20 to 30 mm
Dimensions	70 x 16 x 92 mm

Order No.

matt chrome 30900-000-02

GUITAR CAPO

30910

Weight	0.061 kg
Special features	quickly adjustable with one hand; does not obstruct playing; for classical guitars
Material	zinc die-cast
Instrument support	non-marring slip-proof pad
Finger board	flat
Clamping	spring-tension
Clamping range	15 bis 28 mm
Dimensions	80 x 14 x 90 mm

Order No.

matt chrome 30910-000-02



Quickly adjustable with one hand; does not obstruct playing



Quickly adjustable with one hand; does not obstruct playing



GUITAR PLAYING-AID »POHLMANN«

14580	
Weight	0.075 kg
Material	plastic
Instrument support	non-marring rubber
Dimensions	65 x 40 x 112 mm

Order No.

black 14580-000-55

UKULELE HOLDER

15590	
Weight	0.137 kg
Special features	rubberized support arms
Material	steel
Dimensions	66 x 116 x 60 mm
Screw-on to	tube diameter up to 30 mm

Order No.

black 15590-000-55

UKULELE WALL MOUNT

16590	
Weight	0.093 kg
Material	plastic, steel
Instrument support	non-marring plastic material
Suitable for	ukulele
Direction	forward-turned
Yoke	fixed
Dimensions	80 x 66 x 102 mm

Order No.

black 16590-000-55



Can be attached to tubes
with a diameter up to 30 mm



A quick and clever
alternative to a guitar
strap. The "Pohlmann"
allows you more freedom
when handling your guitar.



High quality
wall mount with
non-marring
plastic material



**UKULELE / VIOLIN STAND****17595**

Weight	0.2 kg
Special features	for small string instruments, such as ukuleles or violins
Material	plastic
Instrument support	non-marring slip-proof pads
Adjustment	foldable by bracket with hinge
Support depth	85 mm
Base dimensions	206 x 170 mm
Size when folded	206 x 19 x 220 mm
Height	220 mm

Order No.

black 17595-000-55

CAPO FOR UKULELES**30920**

Weight	0.05 kg
Special features	quickly adjustable with one hand; does not obstruct playing; for ukuleles
Material	zinc die-cast
Instrument support	non-marring slip-proof pad
Finger board	curved
Clamping	spring-tension
Clamping range	11 bis 22 mm
Dimensions	55 x 11 x 70 mm

Order No.

matt chrome 30920-000-02

Easy handling and minimum weight combined with excellent stability



Quickly adjustable with one hand; does not obstruct playing



HACKBRETT STAND

28070	
Weight	7.22 kg
Special features	length and width adjustable; folding base for easy transportation; additional levelling screw for uneven surfaces
Material	steel
Instrument support	felt-lined
Adjustment	support arms gradual in 15° settings
Height adjustment	spring-loaded clamping knob
Angle of inclination	0° to 45°
Support depth	from 455 to 665 mm
Support width	from 310 to 500 mm
Height	from 700 to 1,020 mm
Leg construction	collapsible square tube legs
Number of legs	4 pieces

Order No.

black 28070-070-55

Accessories

Accessories	Page
Music holder 11515	75
Carrying case 21311	255
Carrying case »Pro« 21312	256
Carrying case 21316	256



MUSIC HOLDER 28070

11515	
Weight	0.95 kg
Material	steel
Music desk	traditionally foldable
Music desk dimensions	485 x 240 x 42 mm
Fits	28070

Order No.

black 11515-000-55



**VIOLIN HOLDER**

15580	
Weight	0.11 kg
Special features	high quality flocking cover; with holder for bow
Material	plastic yoke, steel clamp
Screw-on to	tube diameter up to 30 mm
Instrument support	flocked

Order No.

black 15580-000-55

VIOLIN WALL HOLDER

16580	
Weight	0.08 kg
Special features	high quality flocking cover; with holder for bow
Material	plastic
Instrument support	flocked

Order No.

black 16580-000-55

VIOLIN STAND

15520	
Weight	0.64 kg
Material	aluminum
Instrument support	non-marring plastic material
Adjustment	foldable by bracket with hinge
Height	365 mm

Order No.

black 15520-000-55



Secure grip



Holder for bow

VIOLIN STAND

15530	
Weight	0.52 kg
Special features	folds small; comes with a nylon bag; integrated bow holder; for various violin models
Material	aluminum
Instrument support	non-marring plastic material
Adjustment	clamp lever(s)
Size when folded	350 x 110 x 70 mm
Height	from 360 to 570 mm
Yoke	with safety strap

Order No.

black 15530-000-55

VIOLIN/UKULELE DISPLAY STAND

15550	
Weight	0.15 kg
Special features	for small string instruments, such as violins or ukuleles; folds small
Material	plastic
Instrument support	non-marring plastic material
Height	205 mm

Order No.

wooden look 15550-000-98

CELLO STAND

141/1	
Weight	2.54 kg
Special features	bow holder included
Material	steel
Instrument support	non-marring plastic material
Base diameter	800 mm
Support width	380 mm
Size when folded	175 x 130 x 605 mm
Height	from 620 to 1,120 mm
Leg construction	tube legs with cross braces
Suitable for	all cellos
Rod combination	2-piece folding design

Order No.

black 14110-011-55

Accessories

Accessories	Page
Carrying case 10811	51
Carrying case 14102	83



Display Stand for small string instruments, such as violins or ukuleles



**CELLO STAND****14130**

Weight	2.362 kg
Special features	bow holder included; adjustable end cap to stabilize the stand on uneven surfaces
Material	steel
Instrument support	non-marring plastic material
Adjustment	push-button system
Width-adjustable	from 285 to 450 mm
Size when folded	335 x 90 x 580 mm
Height	535 mm
Suitable for	all cellos

Order No.

cork 14130-000-95

DOUBLE BASS STAND**141**

Weight	2.6 kg
Special features	bow holder included
Material	steel
Instrument support	non-marring plastic material
Base diameter	800 mm
Support width	405 mm
Size when folded	175 x 130 x 605 mm
Height	from 620 to 1,120 mm
Leg construction	tube legs with cross braces
Suitable for	all string basses
Rod combination	2-piece folding design

Order No.

black 14100-011-55

Accessories

Carrying case 14102

Page

83

STAND FOR ELECTRIC DOUBLE BASS**14160**

Weight	2.78 kg
Special features	flocked bow holder included; support width can be adjusted individually to the size of the instrument
Material	steel
Instrument support	non-marring plastic material
Base diameter	800 mm
Support width	from 75 to 155 mm
Size when folded	115 x 150 x 890 mm
Height	from 920 to 1,620 mm
Leg construction	tube legs with cross braces
Suitable for	electric double bass
Rod combination	2-piece folding design

Order No.

black 14160-000-55

Accessories

Universal carrying case 15043

Carrying case 18846

Page

83

156

Compactly folding cello stand, covered with an attractive rubber/cork material



Rubber covered support arms



Rubber covered instrument support



Flock covered bow holder

SAXOPHONE STAND

14300	
Weight	1 kg
Special features	fiberglass reinforced plastic base; flexible upper support arm; lower support arm bracket with several vertical locking positions
Material	steel
Leg construction	socket with foldable legs
Instrument support	non-marring plastic material
Suitable for	Eb Alto and Bb Tenor Sax
Height	485 mm

Order No.

black 14300-000-55

Accessories

Accessories	Page
Peg holder 14301	101
Carrying case 14303	79

SOPRANO SAXOPHONE STAND

14315	
Weight	1 kg
Special features	fiberglass reinforced plastic base; flexible upper support arm; lower support arm bracket with several vertical locking positions
Material	steel
Leg construction	socket with foldable legs
Instrument support	non-marring plastic material
Suitable for	curved Soprano Saxophones
Height	485 mm

Order No.

black 14315-000-55

Accessories

Accessories	Page
Peg holder 14301	101
Carrying case 14303	79

CARRYING CASE

14303	
Special features	for 2 saxophones or other instrument combinations like 1 x 14300 and 1 x music stand 101; with 2 internal compartments
Material	nylon
Dimensions	470 x 200 x 150 mm
Handle or carrying type	handle
Fastener	zip fastener
Fits	14300, 14315, 14945, 14952, 25950

Order No.

14303-000-00



**SAXOPHONE STAND »JAZZ«****14330**

Weight	0.292 kg
Special features	folds very small; easy-to-use; can be transported in the supplied velour bag in the saxophone bell; embedded foot end caps
Material	aluminum
Instrument support	non-marring plastic material
Suitable for	Eb alto saxophones
Adjustment	central locking screw
Height	310 mm

Order No.

black 14330-000-55

SAXOPHONE STAND »JAZZ«**14335**

Weight	0.36 kg
Special features	folds very small; easy-to-use; can be transported in the supplied velour bag in the saxophone bell; embedded foot end caps
Material	aluminum
Instrument support	non-marring plastic material
Suitable for	Bb tenor saxophones
Adjustment	central locking screw
Height	425 mm

Order No.

black 14335-000-55

SAXOPHONE STAND »SAXXY«**14340**

Weight	0.36 kg
Special features	folds very small; can be transported in the supplied velour bag in the saxophone bell
Material	steel
Instrument support	non-marring plastic material
Suitable for	Eb alto saxophones
Height	300 mm

Order No.

black 14340-000-55

Comes with a velour bag



Folds very small



Folds very small



Comes with a velour bag

SAXOPHONE STAND »SAXXY«

14350	
Weight	0.58 kg
Special features	folds very small; can be transported in the supplied velour bag in the saxophone bell
Material	steel
Instrument support	non-marring plastic material
Suitable for	Bb tenor saxophones
Height	420 mm

Order No.

black 14350-000-55

SOPRANO SAXOPHONE STAND »SAXXY«

14355	
Weight	0.135 kg
Special features	folds very small; can be transported in the supplied velour bag in the saxophone bell
Material	aluminum
Instrument support	non-marring plastic material
Suitable for	soprano saxophones
Height	188 mm

Order No.

black 14355-000-55

SOPRANO SAXOPHONE STAND

15290	
Weight	0.34 kg
Special features	The detachable metal leg base screws into the peg so that the entire unit can be stored in the bell of the instrument for easy transport
Material	plastic
Leg construction	leg base screwable
Instrument support	felt pads
Height	250 mm
Number of legs	5 pieces

Order No.

black 15290-000-55

Folds very small



Comes with a velour bag



Leg base screws
into the peg.
Can be stored in the
bell of the instrument.



**BARITONE SAXOPHONE STAND**

144/1	
Weight	1.26 kg
Special features	adjustable lower support arm bracket
Material	steel
Leg construction	tube legs with cross braces
Instrument support	non-marring plastic material
Suitable for	baritone saxophones
Height	from 790 to 915 mm
Rod combination	2-piece folding design

Order No.

black 14410-000-55

BASSOON STAND

150/1	
Weight	2.9 kg
Special features	support width can be adjusted individually to the size of the instrument
Material	steel
Base diameter	800 mm
Leg construction	tube legs with cross braces
Instrument support	felt-lined
Suitable for	bassoon
Size when folded	185 x 135 x 645 mm
Height	from 700 to 1,200 mm
Support width	from 57 to 87 mm
Rod combination	2-piece folding design

Order No.

black 15010-011-55

Accessories Page

Carrying case 14102	83
Universal carrying case 15043	83

CONTRABASSOON STAND

15045	
Weight	3.1 kg
Material	steel
Base diameter	800 mm
Leg construction	tube legs with cross braces
Instrument support	felt-lined
Suitable for	contra bassoon
Size when folded	175 x 115 x 605 mm
Height	from 700 to 1,200 mm
Support width	262 mm
Rod combination	2-piece folding design

Order No.

black 15045-011-55

Accessories Page

Carrying case 18846	156
Universal carrying case 15043	83



UNIVERSAL CARRYING CASE

15043	
Special features	comes with separate internal compartments
Material	nylon
Dimensions	1,000 x 180 x 180 mm
Handle or carrying type	handle and shoulder straps
Fastener	zip fastener
Fits	14160, 150/1, 15045, 21339, 21340

Order No. 15043-000-00

CARRYING CASE

14102	
Weight	0.45 kg
Material	nylon
Dimensions	700 x 150 x 130 mm
Handle or carrying type	handle
Fastener	zip fastener
Fits	141, 141/1, 150/1, 15060

Order No. 14102-000-00

BASS CLARINET STAND

15060	
Weight	2.9 kg
Special features	support width can be adjusted individually to the size of the instrument
Material	steel
Base diameter	800 mm
Leg construction	tube legs with cross braces
Instrument support	felt-lined
Suitable for	bass clarinet
Size when folded	120 x 120 x 645 mm
Height	from 700 to 1,200 mm
Support width	from 57 to 87 mm
Rod combination	2-piece folding design

Order No. black 15060-011-55

Accessories	Page
Carrying case 10811	51
Carrying case 14102	83



Practical V-shaped base for the endpin



Support bracket - protective and adjustable



CLARINET STAND

15222

Weight	0.12 kg
Special features	detachable metal leg base screws into the peg so that the entire unit can be stored in the bell of the instrument; with felt ring
Material	plastic peg, zinc die-cast legs
Leg construction	leg base screwable
Suitable for	A and B clarinets
Height	180 mm
Number of legs	4 pieces

Order No.

black 15222-000-55



Leg base screws into the peg.
Can be stored in the bell of the instrument.



Protective
felt ring



CLARINET STAND

15228

Weight	0.13 kg
Special features	detachable metal leg base screws into the peg, so that the entire unit can be stored in the bell of the instrument and making the transport in all instrument cases easy
Material	plastic peg, zinc die-cast legs
Base diameter	196 mm
Leg construction	leg base screwable
Suitable for	A and B clarinets
Height	130 mm
Number of legs	5 pieces

Order No.

black 15228-000-55



In-Bell stand;
Extremely small and
compact

The „In-Bell“ clarinet stand is extremely small and compact. 5 stable die-cast feet ensure excellent stability and sturdiness. Thanks to the patented and easy to operate screw-in system the feet can be conveniently stored in the peg. The short peg completely fits into the bell of the clarinet making it easy for transport in all common instrument cases.

Can be stored in the bell of the instrument
for a transport in all instrument cases

Detachable metal leg
base screws into the peg



CLARINET STAND

15229	
Weight	0.135 kg
Special features	leg base screwable
Material	plastic peg, zinc die-cast legs
Base diameter	200 mm
Leg construction	leg base screwable
Instrument support	felt pads
Suitable for	Eb-clarinets
Height	156 mm
Number of legs	5 pieces

Order No.
black 15229-000-55

CLARINET HOLDER

15225	
Weight	0.21 kg
Special features	with felt ring
Material	plastic
Suitable for	A and B clarinets
Screw-on to	tube diameter up to 30 mm
Height	210 mm

Order No.
black 15225-000-55

OBOE STAND

18020	
Weight	0.085 kg
Special features	detachable metal leg base screws into the peg so that the entire unit can be stored in the bell of the instrument
Material	plastic peg, zinc die-cast legs
Base diameter	255 mm
Leg construction	leg base screwable
Height	175 mm
Number of legs	4 pieces

Order No.
black 18020-000-55



FLUTE STAND

152/3

Weight	0.15 kg
Material	plastic peg, steel legs
Leg construction	foldable legs
Suitable for	Bass, Böhm and Cross flutes
Height	158 mm
Number of legs	3 pieces
Peg diameter	18 mm

Order No.

black 15230-017-55




FLUTE STAND

15232	
Weight	0.08 kg
Special features	the stand fits in almost every pocket when folded
Material	plastic peg, zinc die-cast legs
Leg construction	leg base screwable
Suitable for	Bass, Böhm and Cross flutes
Height	155 mm
Number of legs	4 pieces
Peg diameter	18 mm

Order No.

black	15232-000-55
-------	--------------

Innovative and exceptionally light, this 4 leg flute stand 15232 is ideal for Boehm or transverse flutes. The plastic instrument holder has a diameter of 18 mm.

RECORDER STAND

152/5	
Weight	0.15 kg
Material	plastic peg with steel core, plastic socket, steel legs
Leg construction	foldable legs
Suitable for	alto and tenor recorders
Height	160 mm
Number of legs	3 pieces
Peg diameter	9 mm

Order No.

black 15250-017-55

RECORDER STAND

15252	
Weight	0.08 kg
Special features	the stand fits in almost every pocket when folded
Material	plastic peg with steel core, zinc die-cast legs
Leg construction	leg base screwable
Suitable for	alto and tenor recorders
Height	145 mm
Number of legs	4 pieces
Peg diameter	9 mm

Order No.

black 15252-000-55

RECORDER STAND

152/6	
Weight	0.15 kg
Material	plastic peg with steel core, plastic socket, steel legs
Leg construction	foldable legs
Suitable for	soprano and piccolo recorders
Height	160 mm
Number of legs	3 pieces
Peg diameter	6.5 mm

Order No.

black 15260-017-55



**RECORDER STAND****15262**

Weight	0.08 kg
Special features	the stand fits in almost every pocket when folded
Material	plastic peg with steel core, zinc die-cast legs
Leg construction	leg base screwable
Suitable for	soprano and piccolo recorders
Height	145 mm
Number of legs	4 pieces
Peg diameter	6.5 mm

Order No.

black 15262-000-55

FLUTE HOLDER**15235**

Weight	0.18 kg
Material	plastic peg
Suitable for	Bass, Böhm and Cross flutes
Peg diameter	18 mm
Screw-on to	tube diameter up to 30 mm
Height	170 mm

Order No.

black 15235-000-55

RECORDER HOLDER**15255**

Weight	0.16 kg
Material	plastic peg with steel core
Suitable for	alto and tenor recorders
Peg diameter	9 mm
Screw-on to	tube diameter up to 30 mm
Height	165 mm

Order No.

black 15255-000-55



RECORDER HOLDER

15265	
Weight	0.15 kg
Material	plastic peg with steel core
Suitable for	soprano and piccolo recorders
Peg diameter	6.5 mm
Screw-on to	tube diameter up to 30 mm
Height	165 mm

Order No.
black 15265-000-55

ENGLISH-HORN STAND

15233	
Weight	0.095 kg
Special features	leg base screwable
Material	plastic peg, zinc die-cast legs
Base diameter	181 mm
Leg construction	leg base screwable
Instrument support	felt pads
Height	186 mm
Number of legs	4 pieces

Order No.
black 15233-000-55

BASS TROMBONE STAND

149/1	
Weight	2.21 kg
Material	steel
Leg construction	socket with foldable legs
Instrument support	wood with felt pads
Height	from 650 to 1,140 mm
Rod combination	2-piece folding design

Order No.
black 14910-013-55



**TROMBONE STAND****149/9**

Weight	1.45 kg
Special features	also for marching baritones
Material	steel
Leg construction	brace construction, folds compactly
Instrument support	non-marring rubber
Height	from 555 to 865 mm
Rod combination	2-piece folding design

Order No.

black 14990-000-55

Accessories

Carrying case 10811

Page

51

TROMBONE STAND**14985**

Weight	1.14 kg
Special features	also for marching baritones
Material	steel
Leg construction	socket with foldable legs
Instrument support	non-marring rubber
Height	from 600 to 970 mm
Rod combination	2-piece folding design

Order No.

black 14985-000-55

Accessories

Carrying case 10811

Page

51

TROMBONE STAND**15270**

Weight	1 kg
Special features	folds small; space-saving transportation in the instrument bell
Material	steel
Leg construction	foldable legs
Instrument support	plastic peg with felt pads
Height	from 585 to 885 mm
Rod combination	2-piece folding design

Order No.

black 15270-000-55



Foldable and compact for space-saving transportation in the instrument bell

TENOR HORN STAND

149/2	
Weight	2 kg
Special features	with integrated mouth piece holder; one-piece item folds to a small size
Material	steel
Base diameter	720 mm
Leg construction	tube legs with cross braces
Instrument support	non-marring slip-proof pads
Suitable for	baritone, tenor horn in Bb and alto horn in Eb
Size when folded	545 x 180 x 115 mm
Height	from 620 to 1,050 mm
Rod combination	2-piece folding design

Order No.
black 14920-012-55

Accessories **Page**
Carrying case 14922 93

CARRYING CASE

14922	
Weight	0.4 kg
Material	nylon
Dimensions	670 x 150 x 130 mm
Handle or carrying type	handle
Fastener	zip fastener
Fits	149/2

Order No.
14922-000-00

BARITONE STAND

14941	
Weight	2.167 kg
Special features	additional notch for instruments with ridge
Material	steel
Instrument support	non-marring plastic material
Suitable for	all baritone and tenor horn models
Height	from 310 to 415 mm
Support width	from 200 to 305 mm

Order No.
black 14941-000-55

Accessories **Page**
Carrying case 14942 94



One-piece item folds to a small size



Adjustable support arms



TUBA STAND

14940	
Weight	2.36 kg
Special features	additional notch for instruments with ridge
Material	steel
Instrument support	non-marring plastic material
Suitable for	German and English tubas
Height	from 310 to 415 mm
Support width	from 275 to 455 mm

Order No.	
black	14940-000-55

Accessories	Page
Carrying case 14942	94

CARRYING CASE

14942	
Weight	0.18 kg
Material	nylon
Dimensions	350 x 110 x 110 mm
Handle or carrying type	shoulder strap
Fastener	zip fastener
Fits	14940, 14941, 50500

Order No.	
	14942-000-00

STAND FOR KINGSIZE TUBA

14945	
Weight	3.46 kg
Special features	additional notch for instruments with ridge
Material	steel
Instrument support	non-marring plastic material
Size when folded	450 mm
Height	from 380 to 440 mm
Support width	from 310 to 530 mm

Order No.	
black	14945-000-55

Accessories	Page
Carrying case 14303	79



Adjustable support arms



Adjustable support arms



TUBA PERFORMER STAND

14950	
Weight	2 kg
Special features	suitable for playing in an sitting position; with safety pin
Material	steel
Leg construction	brace construction, folds compactly
Instrument support	non-marring rubber
Suitable for	tuba models
Height	from 450 to 800 mm
Rod combination	2-piece folding design
Max. load capacity	10 kg

Order No.

black 14950-000-55

Accessories

Page

Carrying case 10811

51

TUBA PERFORMER STAND

14951	
Weight	2.26 kg
Special features	suitable for playing in a upright position; with safety pin
Material	steel
Leg construction	brace construction, folds compactly
Instrument support	non-marring rubber
Suitable for	tuba models
Height	from 650 to 1,140 mm
Rod combination	2-piece folding design
Max. load capacity	10 kg

Order No.

black 14951-000-55

Accessories

Page

Carrying case 10811

51

TUBA PERFORMER STAND FOR CHILDREN

14952	
Weight	1.74 kg
Material	steel
Leg construction	U-profile legs snap into socket
Instrument support	non-marring rubber
Suitable for	tuba models
Height	from 250 to 400 mm
Rod combination	2-piece folding design

Order No.

black 14952-000-55

Accessories

Page

Carrying case 14303

79



Safety pin for extra hold

SOUSAPHONE STAND
149/3

Weight	3.66 kg
Special features	adjustable end cap to stabilize the stand on uneven surfaces
Material	steel
Instrument support	non-marring rubber
Size when folded	390 x 225 x 645 mm
Height	550 mm
Support width	775 mm

Order No.

black 14930-011-55

TRUMPET STAND
152/1

Weight	0.24 kg
Special features	detachable metal leg base screws into the peg so that the entire unit can be stored in the bell of the instrument; rubber-covered peg top
Material	plastic peg, zinc die-cast legs
Leg construction	leg base screwable
Instrument support	felt pads
Height	190 mm
Number of legs	3 pieces

Order No.

black 15210-000-55



Leg base screws into the peg.
Can be stored in the bell of the instrument.



Rubber peg top to prevent damage





Leg base screws into the peg. Can be stored in the bell of the instrument.

TRUMPET STAND

15213

Weight	0.32 kg
Special features	very stable; detachable metal leg base screws into the peg so that the entire unit can be stored in the bell of the instru- ment; rubber-covered peg top
Material	plastic peg, zinc die-cast legs
Leg construction	leg base screwable
Instrument support	felt pads
Height	205 mm
Number of legs	5 pieces

Order No.

black 15213-000-55

Thanks to its patented 5 leg base, the 15213 has achieved world-wide recognition. It features an extremely stable leg construction and space-saving transport method in the bell of the trumpet. Its solid zinc die-cast legs screw into the base. Felt pads and the rubber-covered peg top protect the instrument from scratches.

Rubber peg top
to prevent damage



TRUMPET HOLDER

157

Weight	0.14 kg
Material	steel
Instrument support	non-marring plastic material
Screw-on to	tube diameter up to 30 mm

Order No.

black 15700-000-55

TRUMPET HOLDER

15715

Weight	0.32 kg
Special features	rubber-covered peg top
Material	plastic peg
Instrument support	felt pads
Screw-on to	tube diameter up to 30 mm
Height	230 mm

Order No.

black 15715-000-55

MUTE HOLDER

15910

Weight	0.3 kg
Special features	for 3 mutes (2 x ø 80 mm, 1 x ø 60 mm); mute holder rings rubberized
Material	steel
Screw-on to	tube diameter up to 30 mm

Order No.

black 15910-000-55

Accessories

Mute holder ring 15915

Page

99

Rubber peg top to prevent damage



MUTE HOLDER RING

15915	
Weight	0.1 kg
Special features	Mute holder ring (ø 95 mm) rubberized
Material	steel
Fits	15910

Order No.

black	15915-000-55
-------	--------------

FLUGELHORN STAND

15240	
Weight	0.42 kg
Special features	detachable metal leg base screws into the peg so that the entire unit can be stored in the bell of the instrument
Material	plastic peg, zinc die-cast legs
Leg construction	leg base screwable
Instrument support	felt pads
Height	250 mm
Number of legs	5 pieces

Order No.

black	15240-000-55
-------	--------------

FOLDABLE BASE

17700	
Weight	0.16 kg
Material	steel
Accommodation of	1 instrument peg

Order No.

black	17700-005-55
-------	--------------

Accessories	Page
Trumpet peg 15214	100, 301
Clarinet peg 15224	100, 301
Flugelhorn peg 15244	100, 301
Peg adapter 15281	102
Soprano saxophone peg 15294	100, 301
English horn peg 17731	100, 301
Oboe peg 17738	101, 301
Clarinet peg 17741	101, 302
Recorder peg 17782	101, 302
Recorder peg 17786	101, 302
Flute peg 17788	101, 302



FOLDABLE BASE

17710	
Weight	0.54 kg
Material	steel
Accommodation of	4 instrument pegs

Order No.

black	17710-005-55
-------	--------------

Accessories	Page
Trumpet peg 15214	100, 301
Clarinet peg 15224	100, 301
Flugelhorn peg 15244	100, 301
Peg adapter 15281	102
Soprano saxophone peg 15294	100, 301
English horn peg 17731	100, 301
Oboe peg 17738	101, 301
Clarinet peg 17741	101, 302
Recorder peg 17782	101, 302
Recorder peg 17786	101, 302
Flute peg 17788	101, 302



Additional holder ring for mute holder 15910



Leg base screws into the peg. Can be stored in the bell of the instrument.



Rubber peg top to prevent damage



**BRACKET****12210**

Weight	0.115 kg
Special features	for the mounting of an array of different instrument pegs, trays and other accessories
Material	steel
Screw-on to	tube diameter up to 30 mm
Bore holes	diameter 5.2 mm (2 x)
Wall clearance	110 mm

Order No.

black 12210-000-55

Accessories**Page**

Trumpet peg 15214	100, 301
Clarinet peg 15224	100, 301
Flugelhorn peg 15244	100, 301
Peg adapter 15281	102
Soprano saxophone peg 15294	100, 301
English horn peg 17731	100, 301
Oboe peg 17738	101, 301
Clarinet peg 17741	101, 302
Recorder peg 17782	101, 302
Recorder peg 17786	101, 302
Flute peg 17788	101, 302

**FLUGELHORN PEG****15244**

Weight	0.3 kg
Special features	peg adapter 15281 included; rubber-covered peg top
Material	plastic
Instrument support	felt pads
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.

black 15244-017-55

Accessories**Page**

Peg holder 14301 101

Rubber peg top to prevent damage

**TRUMPET PEG****15214**

Weight	0.2 kg
Special features	peg adapter 15281 included; rubber-covered peg top
Material	plastic
Instrument support	felt pads
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.

black 15214-017-55

Accessories**Page**

Peg holder 14301 101



Rubber peg top to prevent damage

CLARINET PEG**15224**

Weight	0.115 kg
Special features	peg adapter 15281 included; with felt ring
Material	plastic
Suitable for	A and B clarinets
Fits	12210, 17700, 17710, 44192

Order No.

black 15224-000-55

Accessories**Page**

Peg holder 14301 101



Protective felt ring

**SOPRANO SAXOPHONE PEG****15294**

Weight	0.18 kg
Special features	incl. peg adapter 15281
Material	plastic
Instrument support	felt pads
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.

black 15294-017-55

Accessories**Page**

Peg holder 14301 101

**ENGLISH HORN PEG****17731**

Weight	0.08 kg
Material	plastic
Instrument support	felt-lined
Height	160 mm
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.

black 17731-017-55

Accessories**Page**

Peg holder 14301 101



OBOE PEG

17738	
Weight	0.075 kg
Material	plastic
Height	170 mm
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.
black 17738-005-55

Accessories	Page
Peg holder 14301	101



CLARINET PEG

17741	
Weight	0.08 kg
Material	plastic
Instrument support	felt-lined
Suitable for	Eb- and C-clarinets
Height	133 mm
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.
black 17741-017-55

Accessories	Page
Peg holder 14301	101



RECORDER PEG

17782	
Weight	0.055 kg
Material	Kunststoff mit Stahlkern
Suitable for	soprano and piccolo recorders
Peg diameter	6.5 mm
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.
black 17782-005-55

Accessories	Page
Peg holder 14301	101



RECORDER PEG

17786	
Weight	0.06 kg
Material	plastic peg with steel core
Suitable for	alto and tenor recorder^s
Peg diameter	9 mm
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.
black 17786-005-55

Accessories	Page
Peg holder 14301	101



FLUTE PEG

17788	
Weight	0.06 kg
Material	plastic
Suitable for	Bass, Böhm and Cross flutes
Peg diameter	18 mm
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.
black 17788-005-55

Accessories	Page
Peg holder 14301	101



PEG HOLDER

14301	
Weight	0.05 kg
Special features	includes 3 adaptors (for tubes ø 19 mm, ø 20 mm and oval form).
Material	plastic
Threaded connector	M5
Fits	14300, 14315, 15214, 15224, 15244, 15294, 17731, 17738, 17741, 17782, 17786, 17788

Order No.
black 14301-000-55



PEG ADAPTER

15281

Weight	0.084 kg
Material	plastic
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.

black 15281-005-55



ACCORDION STAND

174

Weight	7.05 kg
Special features	upper section swivels with both horizontal and vertical adjustment; replaceable rubber instrument protectors; additional levelling screw for uneven surfaces
Material	steel
Height adjustment	spring-loaded clamping knob
Instrument support	non-marring slip-proof pads
Height	from 730 to 1,135 mm
Support width	from 135 to 250 mm
Support height	from 380 to 585 mm
Base dimensions	660 x 660 mm

Order No.

black 17400-009-55



HARMONICA HOLDER

164/1

Weight	0.23 kg
Material	steel
Neck frame	with a soft rubber cover
Clamping	spring-tension
Max. instrument size	185 x 49 mm

Order No.

nickel-colored 16410-000-11



HARMONICA HOLDER

16415	
Weight	0.25 kg
Special features	user-friendly locking screws
Material	steel
Neck frame	with a soft rubber cover
Clamping	spring-tension
Max. instrument size	185 x 49 mm

Order No.

black 16415-000-55

HARMONICA HOLDER

16416	
Weight	0.26 kg
Special features	user-friendly locking screws; molded rubber sections on the support arms; particularly suitable for blues harmonica models with 108 mm max. instrument breadth
Material	steel
Neck frame	with a soft rubber cover
Clamping	spring-tension
Max. instrument size	185 x 43 mm

Order No.

black 16416-000-55



**MARCHING DRUM STAND****NEW****TRIANGLE HOLDER****PERCUSSION TABLE****13335**

Weight	4.8 kg
Material	steel
Instrument support	non-marring slip-proof pads
Support width	from 370 to 610 mm
Support depth	450 mm
Adjustment	clamping lever for quick adjustment

Order No.

nickel 13335-000-55

164/2

Weight	0.12 kg
Material	steel
Screw-on to	tube diameter up to 30 mm

Order No.

black 16420-000-55

13500

Weight	4.48 kg
Special features	tray is open to one side
Material	steel
Bearing plate	573 x 373 mm
Base diameter	750 mm
Leg construction	tube legs with cross braces
Max. load capacity	10 kg
Height	from 700 to 1,250 mm
Rod combination	2-piece folding design
Connection stand/plate	screw connection
Adjustment	stepless

Order No.

black 13500-000-55

Folds flat for transport



PIANO TUNING LEVER

166	
Weight	0.2 kg
Material	steel
Tuning lever shape	conical star
Tuning lever size	6.2 mm

Order No.

nickel 16600-000-01

PIANO TUNING LEVER

166/1	
Weight	0.2 kg
Material	steel
Tuning lever shape	square
Tuning lever size	6.2 mm

Order No.

nickel 16610-000-01

PIANO TUNING LEVER SET

167	
Weight	0.48 kg
Special features	Set includes 3 adapters
Material	steel
Tuning lever shape	conical star and square
Tuning lever size	star (5.8 mm); star (6.5 mm); square (6.5 mm)

Order No.

nickel 16700-000-01



TUNING FORK

168	
Weight	0.02 kg
Special features	round design
Material	steel
Diameter	3.6 mm
Tuning	A 440 Hz
Length	105 mm

Order No.

nickel 16800-000-01

TUNING FORK

168/1	
Weight	0.04 kg
Special features	round design
Material	steel
Diameter	4.5 mm
Tuning	A 440 Hz
Length	120 mm

Order No.

nickel 16810-000-01

TUNING FORK

168/2	
Weight	0.04 kg
Special features	rectangular design
Material	steel
Tuning	A 440 Hz
Dimensions fork	4 x 6 mm
Length	120 mm

Order No.

nickel 16820-000-01





DRUMMER'S THRONES, BENCHES & STOOLS

A perfect drummer's throne and the proper posture it promotes is one of the most important requirements for a drummer.

Long testing phases and intensive collaboration with professional drummers like Mike "Gomezz" Gommeringer, Toni Liota and Sven "Ice" Ehrhardt have helped us to design our latest drummer's throne models to withstand the most stringent demands. Ergonomically perfect seats and an ingenious, finely-calibrated adjustability make the musician feel right at home on a König & Meyer drummer's throne.

Thanks to the usual high-quality workmanship and extensibility, König & Meyer keyboard benches and stools have long been classics among our customers.



DRUMMER'S THRONE »PICCOLINO«

14010	BASELINE
Weight	2.6 kg
Special features	small footprint with a diameter of 430 mm makes the throne ideal when space is at a premium; the easy-to-use wing nut permits a seat rotation
Material	steel
Base diameter	430 mm
Leg construction	double-braced 3-leg base
Height adjustment	push-button and clamping lever, in 15 mm steps
Rod combination	2-piece folding design
Seat	imitation leather, ø 300 mm
Height	from 380 to 455 mm

Order No.

chrome 14010-000-02

DRUMMER'S THRONE »PICCO«

14020	BASELINE
Weight	3.5 kg
Special features	small footprint with a diameter of 540 mm makes the throne ideal when space is at a premium; the easy-to-use wing nut permits a seat rotation
Material	steel
Base diameter	540 mm
Leg construction	double-braced 3-leg base
Height adjustment	push-button and clamping lever, in 15 mm steps
Rod combination	2-piece folding design
Seat	imitation leather, ø 300 mm
Height	from 495 to 660 mm

Order No.

chrome 14020-000-02

DRUMMER'S THRONE »GRANDE«

14030	TOPLINE
Weight	4.86 kg
Special features	robust rubber end caps; height adjustment by a notched system; the easy-to-use wing nut permits a seat rotation from loose to fixed position
Material	steel
Base diameter	625 mm
Leg construction	stable double-braced 3-leg base
Height adjustment	pull-button and clamping lever, in 10 mm steps
Rod combination	2-piece folding design
Seat	imitation leather, ø 330 mm
Height	from 485 to 685 mm

Order No.

chrome 14030-000-02

The smallest drum throne in the K&M series - suitable for children.

For the beginner and advanced player

The all rounder - compact with an excellent stability



Clamp with a patented push-button system



p15e.k-m.de
Product video



Height adjustment by a notched system

DRUMMER'S THRONE

14015/14016	TOPLINE
Weight	5.685 kg
Material	steel
Leg construction	double-braced 3-leg base
Height adjustment	spring-loaded bolt and locking screw
Rod combination	2-piece folding design
Seat	imitation leather or fabric covering, diameter 330 mm
Height	from 500 to 700 mm

Order No.

black imitation leather	14015-000-55
black fabric	14016-000-55

Accessories

	Page
Backrest 14032/14033	116
Footrest 14051	116

DRUMMER'S THRONE »NICK«

14055/14056	TOPLINE
Weight	5.3 kg
Material	steel
Leg construction	double-braced 3-leg base
Height adjustment	spring-loaded bolt and locking screw
Rod combination	2-piece folding design
Seat	ergonomic seat, imitation leather or fabric covering, size 380 x 350 mm
Height	from 510 to 710 mm

Order No.

black imitation leather	14055-000-55
black fabric	14056-000-55

Accessories

	Page
Backrest 14032/14033	116
Footrest 14051	116





The professional drummer's throne. Stable and sturdy.



p04e.k-m.de
Product video

Easy-to-use height adjustment



Sophisticated upholstery, ergonomic seat

DRUMMER'S THRONE »GOMEZZ«

14000	STARLINE
Weight	6.04 kg
Special features	fixed large rubber end caps; height adjustment by a notched system; upper clamping lever permits a seat rotation from heavy to loose position; 4 threaded screw sockets to attach a ButtKicker
Material	steel
Leg construction	stable double-braced 3-leg base
Height adjustment	pull-button and clamping lever, in 10 mm steps
Rod combination	2-piece folding design
Seat	ergonomic seat, high quality grained soft nappa imitation leather, size 410 x 400 mm
Height	from 475 to 675 mm

Order No.

chrome 14000-019-02

The ergonomically designed seat with a sturdy artificial leather cover in classic leather grain reduces pressure on thighs creating an unique comfortable seat. Height adjustment by a notched system with 10 mm steps and an easy-to-use clamping lever. The extremely robust base design with extravagant foot end caps provides an unbelievably safe floor grip. The detachable wobble-free seat features a die-cast flange, which clamps with a lever to permit seat rotation from loose to fixed position.

Accessories	Page
Carrying case 14003	115
Backrest for »Gomezz« 14005	115



Height adjustment with **pneumatic spring**



Adjustable clamping lever



Folds flat



p07e.k-m.de
Product video

PNEUMATIC STOOL

14046/14047

Weight	6.6 kg
Special features	seat can be adjusted in height and angle; includes a pneumatic spring; includes a height adjustable footrest; adjustable end cap to stabilize the stool on uneven surfaces
Material	steel
Height adjustment	spring-loaded clamping knob/ pneumatic spring
Rod combination	2-piece folding design
Seat	ergonomic seat, imitation leather or fabric covering, size 380 x 350 mm
Height	from 650 to 930 mm

Order No.

black fabric	14046-000-55
black imitation leather	14047-000-55

The stool with power! The secret lies in the integrated pneumatic spring for effortless and comfortable height adjustment. Simply release the clamping knob and it couldn't be easier to adjust the height.

Accessories

	Page
Backrest 14032/14033	116
Carrying case 14041	116



STOOL

14044/14045	
Weight	6.17 kg
Special features	seat can be adjusted in height and angle; includes a height adjustable footrest; adjustable end cap to stabilize the stool on uneven surfaces
Material	steel
Height adjustment	spring-loaded clamping knob
Rod combination	2-piece folding design
Seat	ergonomic seat, imitation leather or fabric covering, size 380 x 350 mm
Height	from 650 to 930 mm

Order No.

black fabric	14044-000-55
black imitation leather	14045-000-55

Accessories

	Page
Backrest 14032/14033	116
Carrying case 14041	116

STOOL

14052/14053	
Weight	5.65 kg
Material	steel
Leg construction	U-profile 3-leg base
Height adjustment	spring-loaded bolt and locking screw
Rod combination	2-piece folding design
Seat	ergonomic seat, imitation leather or fabric covering, size 380 x 350 mm
Height	from 610 to 910 mm

Order No.

black imitation leather	14052-000-55
black fabric	14053-000-55

Accessories

	Page
Backrest 14032/14033	116
Footrest 14051	116

STOOL

14060	
Weight	6.35 kg
Special features	seat can be adjusted in height and angle; includes a height adjustable footrest; adjustable end cap to stabilize the stool on uneven surfaces
Material	steel
Height adjustment	spring-loaded clamping knob
Rod combination	2-piece folding design
Seat	imitation leather, diameter 330 mm
Height	from 645 to 925 mm

Order No.

black imitation leather	14060-000-55
-------------------------	--------------

Accessories

	Page
Backrest 14032/14033	116
Carrying case 14041	116



PNEUMATIC STOOL

14061	
Weight	6.8 kg
Special features	seat can be adjusted in height and angle; includes a pneumatic spring with 10 kg press capacity; includes a height adjustable footrest; adjustable end cap to stabilize the stool on uneven surfaces
Material	steel
Height adjustment	spring-loaded clamping knob
Rod combination	2-piece folding design
Seat	imitation leather, diameter 330 mm
Height	from 645 to 925 mm

Order No.

black imitation leather 14061-000-55

Accessories

Accessories	Page
Backrest 14032/14033	116
Carrying case 14041	116

STAGE STOOL

14094	
Weight	6.2 kg
Special features	with "Stop & Go" casters; height adjustable by built-in pneumatic spring
Material	steel
Base diameter	530 mm
Leg construction	Plastic 5-leg base
Height adjustment	pneumatic spring
Rod combination	2-piece folding design
Seat	seat size: diameter 350 mm, high quality grained soft nappa imitation leather
Height	from 480 to 610 mm

Order No.

black 14094-017-55

Accessories

Accessories	Page
Backrest 14032/14033	116





STAGE STOOL

14091	
Weight	10 kg
Special features	height adjustable by built-in pneumatic spring
Material	steel
Base diameter	500 mm
Leg construction	round cast-iron base
Height adjustment	pneumatic spring
Rod combination	2-piece folding design
Seat	ergonomic seat, high quality grained soft nappa imitation leather, size 410 x 400 mm
Height	from 580 to 835 mm

Order No.

black 14091-000-55

The comfortable stage stool is not only an eye-catcher, its ergonomic saddle seat convinces through its extraordinary seating comfort. The height adjustable foot rest is in the form of a ring. The large circular base with the rubber ring provides reliable stability. The height of the stage stool is easily adjusted from 590 to 840 mm with the help of the integrated pneumatic spring.

DRUM STICK HOLDER

16450	
Weight	0.22 kg
Material	steel, nylon
Dimensions	250 x 211 x 115 mm
Screw-on to	tube diameter up to 30 mm

Order No.
black 16450-000-55

CARRYING CASE

14003	
Weight	0.9 kg
Special features	internal compartments separate base from the seat
Material	nylon
Handle or carrying type	handle and shoulder straps
Fastener	zip fastener
Dimensions	550 x 540 x 130 mm
Fits	14000

Order No.
14003-000-00

BACKREST FOR »GOMEZZ«

14005	
Weight	2.5 kg
Special features	adjustable in height and depth
Material	steel
Height	440 mm
Back cushion	high quality imitation leather, oval 235 x 400 mm
Fits	14000

Order No.
chrome 14005-000-02

Your drum sticks always at hand



The large quiver provides enough room for several drum stick sets



BACKREST

14032/14033	
Weight	2 kg
Special features	adjustable in height and depth
Material	steel
Height	440 mm
Back cushion	imitation leather or fabric covering, oval 235 x 400 mm
Fits	14015/14016, 14044/14045, 14046/14047, 14052/14053, 14055/14056, 14060, 14061, 14092, 14094

Order No.	
black imitation leather	14032-000-55
black fabric	14033-000-55

FOOTREST

14051	
Weight	1.07 kg
Special features	collapsible footrest
Material	steel
Dimensions	214 x 370 x 30 mm
Fits	14015/14016, 14052/14053, 14055/14056

Order No.	
black	14051-000-55

CARRYING CASE

14041	
Weight	1.78 kg
Special features	reinforced outer shell to protect the stands
Material	nylon
Handle or carrying type	handle and shoulder straps
Fastener	zip fastener
Dimensions	930 x 400 x 150 mm
Fits	14044/14045, 14046/14047, 14060, 14061

Order No.	
	14041-000-00



STACKING CHAIR

13400/13405	
Weight	5 kg
Special features	up to 10 chairs can be stacked
Material	frame of tubular steel, seat shell plywood
Leg construction	4-legged frame (ø 20 x 1.5 mm)
Seat	420 x 420 mm
Height	450 mm

Order No.

legs chrome, seating beech wood natural	13400-000-02
legs chrome, seating black	13405-000-02

Accessories

Accessories	Page
Chair cart 13490	121

STACKING CHAIR

13410/13415	
Weight	5.8 kg
Special features	up to 10 chairs can be stacked; seat cushion upholstered with durable fabric
Material	frame of tubular steel, seat shell plywood
Leg construction	4-legged frame (ø 20 x 1.5 mm)
Seat	with durable black upholstery fabric 420 x 420 mm
Height	470 mm

Order No.

legs chrome, seating beech wood natural	13410-000-02
legs chrome, seating black	13415-000-02

Accessories

Accessories	Page
Chair cart 13490	121

MUSICIAN'S CHAIR

13420	
Weight	6 kg
Special features	upholstered seat and backrest; low-noise plastic glides; stacking racks and stacking protection; with ventilation holes and breathable foam; up to 6 chairs can be stacked
Material	steel
Leg construction	4-legged frame (ø 18 x 2 mm)
Seat	440 x 440 mm
Height	490 mm

Order No.

black	13420-000-55
-------	--------------

Accessories

Accessories	Page
Sound insulation element for Orchestra seats with backrest 11905	32
Chair cart 13490	121
Chair connector 13495	121



ORCHESTRA CHAIR

13430

Weight	6 kg
Special features	upholstered seat and backrest made from inherently fire-resistant materials (Trevira CS); low-noise plastic glides; stacking racks and stacking protection; with ventilation holes and breathable foam; up to 6 chairs can be stacked
Material	steel
Leg construction	4-legged frame (ø 18 x 2 mm)
Seat	440 x 440 mm
Height	490 mm

Order No.

black 13430-000-55

Accessories

Page

Sound insulation element for Orchestra seats with backrest 11905	32
Chair cart 13490	121
Chair connector 13495	121





ORCHESTRA CHAIR

13440	
Weight	12.5 kg
Special features	upholstered seat and backrest made from inherently fire-resistant materials (Trevira CS); adjustable in height and inclination; low-noise plastic glides; stacking racks and stacking protection; with ventilation holes and breathable foam; up to 4 chairs can be stacked
Material	steel
Leg construction	4-legged frame (ø 18 x 2 mm)
Height adjustment	pneumatic spring
Seat	440 x 440 mm
Height	from 490 to 540 mm

Order No.

black 13440-000-55

Comfortable professional orchestra chair with upholstered seat and backrest. Cushioning and fabric (Trevira CS) are made from inherently fire-resistant materials. The black fabric has a durability rating of 100,000 abrasion resistance cycles. The black powder-coated base is made from sturdy steel tubes with 2 mm wall thickness. The pneumatic seat height adjustment is variable using a release lever. The height of the backrest and the seat angle are also adjustable. The product has the following useful features: low-noise plastic glides, stacking grooves and stacking protection. The rounded seat cushion with ventilation holes and the breathable foam provide for comfortable seating.

Accessories	Page
Chair cart 13490	121

BASS STOOL

13460	
Weight	12.2 kg
Special features	upholstered seat and backrest made from inherently fire-resistant materials (Trevira CS); seat and backrest adjustable in height and inclination; continuously height adjustable one-third circle footrest; quiet and slip-resistant feet; seat with leg recesses
Material	steel
Leg construction	5 leg base
Height adjustment	pneumatic spring
Seat	430 x 420 mm
Height	from 595 to 850 mm

Order No.	
black	13460-019-55

Accessories	Page
Bass holder 13497	122

CHAIR FOR PERCUSSION, CELLO AND HARP

13470	
Weight	11 kg
Special features	upholstered seat and backrest made from inherently fire-resistant materials (Trevira CS); seat and backrest adjustable in height and inclination; quiet and slip-resistant feet; seat is rotatable
Material	steel
Leg construction	5 leg base
Height adjustment	pneumatic spring
Seat	450 x 440 mm
Height	from 465 to 590 mm

Order No.	
black	13470-019-55

CHAIR FOR KETTLEDRUMS AND CONDUCTOR'S

13480	
Weight	12.8 kg
Special features	upholstered seat and backrest made from inherently fire-resistant materials (Trevira CS); seat and backrest adjustable in height and inclination; continuously height adjustable one-third circle footrest; quiet and slip-resistant feet; seat is rotatable
Material	steel
Leg construction	5 leg base
Height adjustment	pneumatic spring
Seat	450 x 440 mm
Height	from 570 to 830 mm

Order No.	
black	13480-019-55



CHAIR CART

13490	
Weight	6.5 kg
Special features	four casters, two of them lockable; compact and small overall size
Material	steel
Dimensions	600 x 550 x 160 mm
Max. load capacity	75 kg
Fits	13400/13405, 13410/13415, 13420, 13430, 13440

Order No.

black 13490-000-55

CHAIR CONNECTOR

13495	
Weight	0.017 kg
Material	plastic
Dimensions	104 x 21 x 18 mm
Fits	13420, 13430

Order No.

black (unit: 2 pcs.) 13495-000-55



BASS HOLDER**NEW****13497**

Weight	0.6 kg
Special features	can be positioned individually in height
Material	steel
Length	350 mm
Instrument support	non-marring slip-proof rubber coating
Fits	13460

Order No.

black 13497-000-55



Attaches to the back rod of the 13460 bass chair



KEYBOARD BENCH

14065/14066	
Weight	5.18 kg
Special features	adjustable end cap to stabilize the bench on uneven surfaces; collapsible for easy transport
Material	steel
Height adjustment	inserted screw
Seat	imitation leather or fabric covering, size 540 x 300 mm
Height	from 405 to 600 mm

Order No.

black imitation leather	14065-000-55
black fabric	14066-000-55

Accessories **Page**

Carrying case 14068	124
---------------------	-----

KEYBOARD BENCH

14075/14076	
Weight	6.37 kg
Special features	adjustable end cap to stabilize the bench on uneven surfaces; large seat; collapsible for easy transport
Material	steel
Height adjustment	inserted screw
Seat	imitation leather or fabric covering, size 650 x 300 mm
Height	from 415 to 610 mm

Order No.

black imitation leather	14075-000-55
black fabric	14076-000-55

Accessories **Page**

Carrying case 14068	124
---------------------	-----

KEYBOARD BENCH

14077	
Weight	6.43 kg
Special features	adjustable end cap to stabilize the bench on uneven surfaces; large seat; collapsible for easy transport
Material	steel
Height adjustment	inserted screw
Seat	imitation leather, size 650 x 300 mm
Height	from 415 to 610 mm

Order No.

pure white imitation leather	14077-000-76
------------------------------	--------------

Accessories **Page**

Carrying case 14068	124
---------------------	-----



Adjustable end cap



CARRYING CASE

14068

Weight	0.96 kg
Material	nylon
Handle or carrying type	handle and shoulder straps
Fastener	zip fastener
Dimensions	790 x 340 x 130 mm
Fits	14065/14066, 14075/14076, 14077

Order No.

14068-000-00



PIANO BENCH

NEW

14088	
Weight	5.7 kg
Special features	welded steel frame; levelling screws for uneven surfaces
Material	steel
Seat	imitation leather covering seat, size 520 x 300 mm
Height	500 mm

Order No.

black 14088-000-55

PIANO BENCH »UPLIFT«

14080/14081	
Weight	11.58 kg
Special features	height adjustable by built-in pneumatic springs; easy-to-use adjustment handle
Material	steel
Height adjustment	pneumatic spring
Seat	imitation leather or fabric covering, size 660 x 330 mm
Size when folded	660 x 380 x 455 mm
Height	from 450 to 600 mm
Base dimensions	660 x 370 mm

Order No.

black imitation leather 14080-000-55
 pure white
 imitation leather 14080-000-76
 black fabric 14081-000-55

4 levelling screws for uneven surfaces



Height adjustable by built-in **pneumatic springs**



Continuous height adjustment



p14e.k-m.de
 Product video

PIANO BENCH

14085/14086

Weight	9,36 kg
Special features:	with engraved height scale
Material	steel
Height adjustment	spring-loaded clamping knob
Seat	imitation leather or fabric covering, size 660 x 330 mm
Height	from 430 to 650 mm

Order No.

black imitation leather	14085-019-55
black fabric	14086-019-55

PIANO BENCH

13900-13911

Weight	8.74 kg
Material	wood
Height adjustment	dual crossbar
Seat	velvet or imitation leather covering, size 550 x 330 mm
Height	from 485 to 580 mm

Order No.

bench black matt finish, seat black velvet	13900-100-20
bench black glossy finish, seat black velvet	13901-100-21
bench black matt finish, seat black imitation leather	13910-200-20
bench black glossy finish, seat black imitation leather	13911-200-21



Gradually height adjustment

Solid European beech wood, varnished with four coats of black glossy or matt polyester finish.





PIANO BENCH - WOODEN-FRAME

13700-13751

Weight	7.2 kg
Material	wood
Height adjustment	dual crossbar
Height	from 450 to 550 mm

Order No.

black matt finish	13700-000-20
black glossy finish	13701-000-21
white matt finish	13710-000-22
white glossy finish	13711-000-23
rosewood matt finish	13720-000-24
walnut matt finish	13730-000-26
cherry matt finish	13740-000-28
mahogany glossy finish	13751-000-31



Piano bench wooden-frames in different colors for individual combination with K&M seat cushions.

Piano bench wooden-frame in different colors.

Solid European beech wood, varnished with four coats of polyester. Stable legs with non-slip rubber end-caps. Dual crossbar mechanism for easy and precise height adjustment. The piano bench ships flat and is easy to assemble.

Dual crossbar mechanism.



Sample of piano bench wooden frame in combination with seat cushion.



Accessories

Page

Seat cushion - velvet 13800-13803	128
Seat cushion - imitation leather 13820-13824	129
Seat cushion - leather 13840/13841	129





Seat cushions in different colors for an individual combination with K&M piano bench wooden frames.



Sample of seat cushion in combination with piano bench.

SEAT CUSHION - VELVET

13800-13803	
Weight	1.46 kg
Material	velvet
Seat	velvet covering, size 550 x 330 mm
Fits	13700-13751

Order No.

black	13800-100-00
brown	13801-101-00
red	13802-102-00
hazelnut	13803-103-00

Seat cushions for piano benches 13700 through 13751. Heavy duty seat cushions made out of MDF material. Wide range of different colored velvet covers. The seat cushion is simply placed in the wooden frame of the piano bench.

Any time you wish - or according to wear and tear - a replacement cushion can be ordered.

Replacing the old cushion is very simple.

SEAT CUSHION - IMITATION LEATHER

13820-13824	
Weight	1.57 kg
Material	imitation leather
Seat	imitation leather covering, size 550 x 330 mm
Fits	13700-13751

Order No.

black	13820-200-00
brown	13821-201-00
white	13824-204-00

SEAT CUSHION - LEATHER

13840/13841	
Weight	1.48 kg
Material	leather
Seat	leather covering, size 550 x 330 mm
Fits	13700-13751

Order No.

black	13840-400-00
brown	13841-401-00

PIANO BENCH WITH SHEET MUSIC STORAGE

13950/13951	
Weight	10.6 kg
Material	wood
Height adjustment	dual crossbar
Seat	velvet or imitation leather covering, size 550 x 320 mm
Height	from 520 to 610 mm

Order No.

bench black glossy finish, seat black velvet	13950-100-21
bench black glossy finish, seat black imitation leather	13951-200-21

Seat cushions in different colors for an individual combination with K&M piano bench wooden frames.



Solid European beech wood, varnished with four coats of black glossy polyester finish.



Sample of seat cushion in combination with piano bench.



With integrated sheet music storage.





PIANO BENCH WITH QUILTED SEAT CUSHION

13995

Weight	14.5 kg
Special features	securely glue-laminated legs
Material	wood
Height adjustment	dual crossbar
Seat	leather covering, size 580 x 380 mm
Height	from 500 to 600 mm

Order No.

bench black glossy finish,
seat black leather 13995-400-21

PIANO BENCH WITH QUILTED SEAT CUSHION

13980/13981

Weight	9.27 kg
Material	wood
Height adjustment	dual crossbar
Seat	leather or imitation leather covering, size 550 x 330 mm
Height	from 505 to 595 mm

Order No.

bench black glossy finish,
seat black imitation leather 13980-200-21
bench black glossy finish,
seat black leather 13981-400-21

PIANO BENCH

13990

Weight	10.6 kg
Special features	securely glue-laminated legs
Material	wood
Height adjustment	dual crossbar
Seat	imitation leather covering, size 525 x 295 mm
Height	from 485 to 580 mm

Order No.

bench black glossy finish,
seat black imitation leather 13990-200-21



With high quality quilted seat.

Solid European beech wood, varnished with four coats of black glossy polyester finish.

With high quality quilted leather seat cushion

Securely glue-laminated legs



Securely glue-laminated legs.

PIANO STOOL

14092	
Weight	6.31 kg
Material	steel
Base diameter	400 mm
Leg construction	round base
Height adjustment	pneumatic spring
Rod combination	2-piece folding design
Seat	imitation leather, ø 350 mm
Height	from 480 to 610 mm

Order No.

black 14092-017-55

Accessories

Backrest 14032/14033

Page

116

PIANO STOOL

14093	
Weight	8.14 kg
Material	steel
Base diameter	400 mm
Leg construction	round base
Height adjustment	pneumatic spring
Rod combination	2-piece folding design
Seat	imitation leather, 430 x 330 mm
Height	from 480 to 610 mm

Order No.

black 14093-017-55



Continuous height adjustment



Continuous height adjustment

K&M KÖNIG & MEYER
Stands For Music





KEYBOARD STANDS

From experience, we know that among musicians, keyboardists often subject their stands to the most rigorous treatment.

When developing new stands for keyboard instruments, König & Meyer engineers and designers therefore pay extra special attention to the sometimes enormous weight of the instruments, the overview of the instrument needed while playing and the equally important ergonomic comfort of the keyboardist's "workplace". With painstaking attention to detail, König & Meyer provide their keyboard stands with individualised adjustability, compactness for optimal transportability, and above all, reliability – gig after gig.



KEYBOARD STAND

18962	BASELINE
Weight	3.272 kg
Special features	additional locking positions on main X-tubes for extremely low level usage; adjustable end cap to stabilize the stand on uneven surfaces
Material	steel
Shape	X-stand
Max. load capacity	50 kg
Adjustment	two cross braces with inserted screw
Support width	from 440 to 770 mm
Support depth	350 mm
Height	from 400 to 905 mm

Order No.

black 18962-071-55

Accessories

Page

Trolley for Keyboard Stands 18806 157

KEYBOARD STAND

18963	BASELINE
Weight	5.08 kg
Special features	for large keyboards; additional locking positions on main X-tubes for extremely low level usage; adjustable end cap to stabilize the stand on uneven surfaces
Material	steel
Shape	double-braced x-stand
Max. load capacity	50 kg
Adjustment	two cross braces with inserted screw
Support width	from 470 to 760 mm
Support depth	350 mm
Height	from 400 to 905 mm

Order No.

black 18963-071-55

Accessories

Page

Trolley for Keyboard Stands 18806 157

KEYBOARD STAND FOR KIDS

18969	BASELINE
Weight	2.97 kg
Special features	additional locking positions on main X-tubes for extremely low level usage; slidable non-marring pads on the support arms provide a firm fit also for smaller keyboards; adjustable end cap to stabilize the stand on uneven surfaces
Material	steel
Shape	X-stand
Max. load capacity	50 kg
Adjustment	two cross braces with inserted screw
Support width	from 390 to 655 mm
Support depth	350 mm
Height	from 340 to 750 mm

Order No.

black 18969-071-55

Accessories

Page

Trolley for Keyboard Stands 18806 157



KEYBOARD STAND

18930	TOPLINE
Weight	3.9 kg
Special features	Adjustable end cap to stabilize the stand on uneven surfaces
Material	steel
Shape	X-stand
Max. load capacity	50 kg
Adjustment	clamping lever for quick adjustment
Support width	from 327 to 789 mm
Support depth	350 mm
Size when folded	1,020 x 102 x 520 mm
Height	from 594 to 964 mm
Instrument support	non-marring slip-proof pads

Order No.

black 18930-070-55


The new generation of X-Stands is comfortable and convenient. The ergonomic clamping mechanism makes setup or folding easy and fast. The robust metal joint can be adjusted in 5° intervals; the short intervals provide the user with a multitude of positions. With the assistance of a scale the user is able to easily find his preferred setting. Both of the back rubber end caps can be adjusted on their axis and as such can be adjusted perfectly to the width of the keyboard. The maximum support depth is 350 mm. The typical K&M quality characteristics, such as solid workmanship, high quality surface finishes and practical end caps to stabilize the stand on uneven surfaces round off the overall concept.



Adjustable end cap

Clamping lever for quick adjustment

Adjustable rubber pads



Accessories

	Page
Stacker 18941	136
Universal holder 18944	138
Trolley for Keyboard Stands 18806	157

KEYBOARD STAND

18933	TOPLINE
Weight	3.77 kg
Special features	adjustable end cap to stabilize the stand on uneven surfaces; suitable for stage pianos
Material	steel
Shape	X-stand
Max. load capacity	50 kg
Adjustment	clamping lever for quick adjustment
Support width	from 327 to 789 mm
Support depth	250 mm
Size when folded	1,020 x 102 x 520 mm
Height	from 594 to 946 mm
Instrument support	non-marring slip-proof pads

Order No.

black	18933-070-55
-------	--------------

Accessories

	Page
Trolley for Keyboard Stands 18806	157

KEYBOARD STAND

18940	TOPLINE
Weight	4.3 kg
Special features	adjustable end cap to stabilize the stand on uneven surfaces
Material	steel
Shape	X-stand
Max. load capacity	40 kg
Adjustment	»Smart-Lock« quick release push-button system
Support width	from 230 to 895 mm
Support depth	350 mm
Height	from 485 to 1,000 mm
Instrument support	non-marring slip-proof pads

Order No.

black	18940-017-55
-------	--------------

Accessories

	Page
Stacker 18941	136
Universal holder 18944	138
Trolley for Keyboard Stands 18806	157

STACKER

18941	TOPLINE
Weight	2.046 kg
Special features	adjustable in height, depth and tilt
Material	steel
Max. load capacity	20 kg
Adjustment	tooth system with wing nut
Support depth	340 mm
Height	290 mm
Instrument support	big non-marring slip-proof pads and stop pins
Fits	18826, 18930, 18940, 18990, 18995

Order No.

black	18941-000-55
-------	--------------



KEYBOARD STAND »RICK«



18990	TOPLINE
Weight	5.8 kg
Special features	Adjustable end cap to stabilize the stand on uneven surfaces
Material	steel
Shape	double-braced x-stand
Max. load capacity	50 kg
Adjustment	clamping lever or quick adjustment
Support width	from 327 to 789 mm
Support depth	350 mm
Height	from 594 to 946 mm
Instrument support	non-marring slip-proof pad

Order No.	
black	18990-015-55

Our best X stand - comfortable and extremely sturdy. The new design of the double brace stand tubes provides for perceptible stability and safety. The ergonomic clamping lever makes it easy to setup and collapse the keyboard stand. The robust metal joint is intermeshed in 5° steps and provides for a multitude of different positions. The scale provides the user with the option to always select their preferred setting. Both of the back rubber end caps can be adjusted on their axis and as such can be adjusted perfectly to the width of the keyboard. The maximum depth is 350 mm.

Rubber end caps can be adjusted on their axis

Clamping lever for quick adjustment



Accessories	Page
Stacker 18941	136
Universal holder 18944	138
Trolley for Keyboard Stands 18806	157

KEYBOARD STAND »RICK 20«

18993	TOPLINE
Weight	5.4 kg
Special features	adjustable end cap to stabilize the stand on uneven surfaces; with a minimum support arm depth for a perfect rest of stage pianos
Material	steel
Shape	double-braced x-stand
Max. load capacity	50 kg
Adjustment	clamping lever for quick adjustment
Support width	from 327 to 789 mm
Support depth	250 mm
Height	from 594 to 946 mm
Instrument support	non-marring slip-proof pad

Order No.

black	18993-015-55
pure white	18993-015-76

Accessories

Page

Trolley for Keyboard Stands 18806	157
-----------------------------------	-----

KEYBOARD STAND

18995	TOPLINE
Weight	6 kg
Special features	Adjustable end cap to stabilize the stand on uneven surfaces
Material	steel
Shape	double-braced x-stand
Max. load capacity	40 kg
Adjustment	»Smart-Lock« quick release push-button system
Support width	from 230 to 895 mm
Support depth	350 mm
Height	from 480 to 1,000 mm
Instrument support	non-marring slip-proof pad

Order No.

black	18995-017-55
-------	--------------

Accessories

Page

Stacker 18941	136
Universal holder 18944	138
Trolley for Keyboard Stands 18806	157

UNIVERSAL HOLDER

18944	TOPLINE
Weight	0.65 kg
Special features	attaches to keyboard stand 18930, 18940, 18990 or 18995; connects other accessories, such as boom arm, gooseneck, iPad holder, Tablet PC holder etc.; incl. thread adapter 3/8" - 5/8"
Material	steel
Height	470 mm
Threaded connector	3/8" and 5/8"
Fits	18826, 18930, 18940, 18990, 18995

Order No.

black	18944-000-55
-------	--------------

Accessories

Page

Sheet music and concept holder 18805	156
Tablet PC stand holder 19790	292
Boom arm 211/1	194



DISCOVER THE WORLD OF THE KEYBOARD STANDS

»OMEGA« 18800, 18810, 18820



**18805
SHEET
MUSIC
HOLDER**
Page 156

**18822
STACKER**
Page 142

**21140
BOOM ARM**
(Example)

**19790
TABLET PC
STAND HOLDER**
(Example)
Page 292

**18817
UNIVERSAL HOLDER**
Page 148

**18811
STACKER**
Page 142

**18814
ADAPTER**
Page 144

**18820
KEYBOARD STÄNDER
»OMEGA PRO«**
(Example)
Page 141

**18815
LAPTOP HOLDER**
(fits only 18810 and 18820)
Page 143



Using the "Desk Control" App with Bluetooth technology, you can easily operate the table via your Smartphone.



App „Desk Control“ download on App Store and Google Play

**TABLE-STYLE
KEYBOARD STAND »OMEGA-E«** **NEW**

18800	STARLINE
Weight	24.5 kg
Special features	continuous height adjustment; up to four different heights can be pre-set; can also be adjusted using the „Desk Control“ app
Material	steel
Shape	keyboard table
Height adjustment	electric motor
Max. load capacity	80 kg
Support width	from 180 to 678 mm
Support depth	345 mm
Base dimensions	1,136 x 550 mm
Height	from 597 to 1,257 mm

Order No.

black	18800-000-55
-------	--------------

This electric-powered height adjustable keyboard stand offers pure comfort and is ergonomically optimized for making music while seated or standing. The keyboard stand is based on the »Omega« 18810 with its various expansion options. The continuous height adjustment of the »Omega-E« is quick and easy for your desired seated or standing height through its integrated electric motor. Using the memory setting (including display), four different heights can be preset. After the system is set up, all that is needed is a tap of the control unit and the table assume the preset height. Using the "Desk Control" App with Bluetooth technology, you can easily operate the table via your Smartphone. The control unit can be mounted to the table.

Accessories	Page
Stacker 18811	142
Adapter 18814	144



**TABLE-STYLE
KEYBOARD STAND »OMEGA PRO«** **NEW**

18820	TOPLINE
Weight	9.8 kg
Special features	fully collapsible; with engraved height scale; includes 4 Velcro tapes to guide the cable
Material	steel
Shape	keyboard table
Height adjustment	spring-loaded clamping knob
Max. load capacity	80 kg
Support width	from 122 to 729 mm
Support depth	345 mm
Base dimensions	970 x 575 mm
Size when folded	950 x 575 x 180 mm
Height	from 600 to 1,020 mm

Order No.	
black	18820-019-55
pure white	18820-019-76
ruby red	18820-019-91

The compact steel tubing construction and the large round floor protectors give this attractive keyboard table exceptional stability. The spring-loaded clamping knobs on both columns allow easy and precise height adjustment. The support arms can be individually adjusted to the size of your keyboard. Thanks to the folding legs a compact and flat pack size is achieved, making the »Omega Pro« the perfect mobile „travel companion“. The design of this table matches the keyboard benches 14080, 14081, 14085 and 14086. Delivery includes a carrying strap.

Folds flat



Accessories	Page
Carrying case 18829	148
Stacker 18811	142
Adapter 18814	144
Laptop holder 18815	143
Trolley for Keyboard Stands 18806	157

TABLE-STYLE KEYBOARD STAND »OMEGA«

18810	TOPLINE
Weight	9.5 kg
Special features	with engraved height scale; includes 4 Velcro tapes to guide the cable
Material	steel
Shape	keyboard table
Height adjustment	spring-loaded clamping knob
Max. load capacity	80 kg
Support width	from 180 to 790 mm
Support depth	345 mm
Base dimensions	1,050 x 575 mm
Height	from 600 to 1,020 mm

Order No.

black	18810-015-55
pure white	18810-015-76
ruby red	18810-015-91

Accessories

Page

Stacker 18811	142
Adapter 18814	144
Laptop holder 18815	143
Trolley for Keyboard Stands 18806	157

STACKER

18811	TOPLINE
Weight	4.2 kg
Special features	attachable to table-style keyboard stands »Omega« 18810, 18820, 18800 to hold an additional keyboard, laptop or midi controller; convenient height adjustment by spring-loaded locking knob; can be tilted in 5 different positions from 0° (horizontal) to 20°; 4-way adjustable in depth
Material	steel
Height adjustment	spring-loaded clamping knob
Max. load capacity	25 kg
Support depth	330 mm
Angle of inclination	0° to 20°
Height	from 262 to 375 mm
Instrument support	non-marring slip-proof pads
Fits	18800, 18810, 18820

Order No.

black	18811-000-55
pure white	18811-000-76
ruby red	18811-000-91

Accessories

Page

Controller keyboard tray 18819	143
Stacker 18822	142

STACKER

NEW

18822	TOPLINE
Weight	2.6 kg
Special features	attachable to table-style keyboard stands »Omega« 18810, 18820, 18800 to hold a third keyboard; can only be used in connection with stacker 18811; convenient height adjustment by spring-loaded locking knob; can be tilted in 5 different positions from 0° (horizontal) to 20°; 3-way adjustable in depth
Material	steel
Height adjustment	spring-loaded clamping knob
Max. load capacity	15 kg
Support depth	280 mm
Angle of inclination	0° to 20°
Height	from 200 to 275 mm
Instrument support	non-marring slip-proof pads
Fits	18811

Order No.

black	18822-019-55
-------	--------------

Accessories

Page

Controller keyboard tray 18824	143
--------------------------------	-----



Upper extension arms can be adjusted in 4 positions



Tiltable, depth and height adjustable

CONTROLLER KEYBOARD TRAY

18819	TOPLINE
Weight	1.6 kg
Special features	takes smaller synthesizers, controllers, drum machines etc; with integrated handle
Material	aluminum
Dimensions	654 x 335 mm
Fits	18811

Order No.
black 18819-000-55

CONTROLLER KEYBOARD TRAY

18824	TOPLINE
Weight	1.3 kg
Special features	takes smaller synthesizers, controllers, drum machines etc; with integrated handle
Material	aluminum
Dimensions	660 x 283 mm
Fits	18822

Order No.
black 18824-000-55

LAPTOP HOLDER

18815	TOPLINE
Weight	2.2 kg
Special features	infinitely variable in height, direction, distance and tilt
Material	steel holder, aluminum shelf
Adjustment	tilt gradual in 8 settings
Size when folded	440 x 340 x 55 mm
Angle of inclination	0° to 26°
Height	from 278 to 428 mm
Laptop rest extendable	356 x 238 mm from 240 to 400 mm
Fits	18810, 18820, 18950, 18953

Order No.
black 18815-018-55



ADAPTER

18814	TOPLINE
Weight	0.35 kg
Special features	additional adapter to attach universal holder 18817 to table-style keyboard stand »Omega« 18810.
Material	steel
Dimensions	240 x 30 x 20 mm
Fits	18800, 18810, 18820

Order No.

black	18814-000-55
-------	--------------

Accessories

	Page
Universal holder 18817	148

EQUIPMENT STAND

18826	TOPLINE
Weight	5.6 kg
Special features	suitable for mixer, monitor, keyboard or amplifier; adjustable end cap to stabilize the stand on uneven surfaces
Material	steel
Shape	keyboard table
Max. load capacity	50 kg
Adjustment	interlocking braces
Support width	from 250 to 840 mm
Support depth	350 mm
Size when folded	395 x 105 x 595 mm
Height	from 595 to 1,015 mm

Order No.

black	18826-000-55
-------	--------------

Accessories

	Page
Stacker 18941	136
Universal holder 18944	138
Trolley for Keyboard Stands 18806	157

TABLE-STYLE KEYBOARD STAND

18880	TOPLINE
Weight	3 kg
Material	aluminum
Shape	keyboard table
Max. load capacity	50 kg
Adjustment	interlocking braces
Support width	700 mm
Support depth	400 mm
Height	from 630 to 960 mm

Order No.

black	18880-000-55
-------	--------------

Accessories

	Page
Stacker A 18881	145
Stacker B 18882	145
Trolley for Keyboard Stands 18806	157



Folds flat



Fully collapsible



STACKER A

18881	TOPLINE
Weight	0.9 kg
Special features	attachable to keyboard stand 18880 to hold an additional keyboard; adjustable in tilt and height
Material	aluminum
Max. load capacity	25 kg
Support depth	340 mm
Height	from 200 to 370 mm
Instrument support	big non-marring slip-proof pads and stop pins
Fits	18880, 18882

Order No.	
black	18881-000-55

STACKER B

18882	TOPLINE
Weight	0.97 kg
Special features	in combination with stacker A for 3 keyboards; adjustable in depth, tilt and height
Material	aluminum
Max. load capacity	25 kg
Support depth	from 340 to 450 mm
Height	from 200 to 370 mm
Instrument support	big non-marring slip-proof pads and stop pins
Fits	18880

Order No.	
black	18882-000-55

Accessories	Page
Stacker A 18881	145





TABLE-STYLE KEYBOARD STAND

18950	TOPLINE
Weight	9.6 kg
Special features	heavy-duty stand; individual height-adjustment for each leg; additional levelling screws for uneven surfaces
Material	steel
Shape	keyboard table
Max. load capacity	80 kg
Support width	from 650 to 1,030 mm
Support depth	395 mm
Height	from 600 to 1,000 mm
Instrument support	non-marring rubber

Order No.

black	18950-017-55
-------	--------------

The world-renowned table-style keyboard stand has been upgraded. With a height adjustment range from 600 - 1000 mm the keyboard stand can now be used while standing or sitting. Adjusting the table does not require any tools. As before our keyboard stand impresses through its stability and flexibility. The stand is equipped with height adjustable legs with integrated levelling feet for uneven surfaces. The keyboard stand is collapsible for easy and compact transport. There is a wide range of expansion options, such as a stacker for a second keyboard, laptop or universal holder, which round off the complete package.



Accessories	Page
Laptop holder 18815	143
Universal holder 18817	148
Stacker 18952	147
Adapter 18954	147
Carrying case 18959	149
Trolley for Keyboard Stands 18806	157

TABLE-STYLE STAGE PIANO STAND

18953	TOPLINE
Weight	8.5 kg
Special features	heavy-duty stand; individual height-adjustment for each leg; additional levelling screws for uneven surfaces
Material	steel
Shape	keyboard table
Max. load capacity	80 kg
Support width	900 mm
Support depth	260 mm
Height	from 600 to 1,000 mm

Order No.	
black	18953-017-55
pure white	18953-017-76

Accessories	Page
Laptop holder 18815	143
Universal holder 18817	148
Stacker 18952	147
Adapter 18954	147
Carrying case 18955	148
Trolley for Keyboard Stands 18806	157

STACKER

18952	TOPLINE
Weight	2.3 kg
Special features	for second keyboard in combination with 18950 and 18953; adjustable in height, tilt and depth
Material	steel
Max. load capacity	30 kg
Support depth	340 mm
Height	from 265 to 390 mm
Instrument support	big non-marring slip-proof pads and stop pins
Fits	18950, 18953

Order No.	
black	18952-000-55

ADAPTER

18954	TOPLINE
Weight	0.38 kg
Special features	additional adapter to attach universal holder 18817 to keyboard/stage piano stand 18950 or 18953; only necessary, when stacker 18952 is installed
Material	steel
Dimensions	200 x 30 x 20 mm
Fits	18950, 18953

Order No.	
black	18954-000-55

For stage pianos, supports max. 80 kg



UNIVERSAL HOLDER

18817	TOPLINE
Weight	0.65 kg
Special features	attaches to keyboard/ stage piano stand 18950 or 18953 and also with adapter 18814 to table-style keyboard stand »Omega« 18810; connects other accessories, such as boom arm, gooseneck, iPad holder, Tablet PC holder etc.; incl. thread adapter 3/8" - 5/8"
Material	steel
Height	470 mm
Threaded connector	3/8"
Fits	18814, 18950, 18953

Order No.
black 18817-000-55

Accessories	Page
Sheet music and concept holder 18805	156
Tablet PC stand holder 19790	292
Boom arm 211/1	194



CARRYING CASE

NEW

CARRYING CASE

18829	TOPLINE
Weight	1.1 kg
Material	nylon
Dimensions	1,000 x 660 x 180 mm
Handle or carrying type	handle and shoulder straps
Fastener	zip fastener
Fits	18820

Order No.
18829-000-00

18955	TOPLINE
Weight	1.18 kg
Material	nylon
Dimensions	900 x 350 x 90 mm
Handle or carrying type	handle and shoulder straps
Fastener	zip fastener
Fits	18953

Order No.
18955-000-00



CARRYING CASE

18959	TOPLINE
Weight	1.68 kg
Material	nylon
Dimensions	1,150 x 550 x 100 mm
Handle or carrying type	handle and shoulder straps
Fastener	zip fastener
Fits	18950

Order No. _____
18959-000-00



DISCOVER THE WORLD OF THE KEYBOARD STAND

18860 »SPIDER PRO«

**18805
SHEET MUSIC
HOLDER**
Page 156



**19790
TABLET PC
STAND HOLDER**
Page 292



**18872
EXTENSION ROD**
Page 155



**21140
BOOM ARM**
(Example)

**18868
LAPTOP REST**
Page 154

**18873
UNIVERSAL
HOLDER**
Page e 154



**18876
CONTROLLER
KEYBOARD TRAY**
Page 153



**18866
SUPPORT ARM SET B**
Page 153



**18865
SUPPORT ARM SET A**
Page 153



**18860
KEYBOARD STAND
»SPIDER PRO«**
Page 151





Support arms with 15° tilt angle; Freedom of movement of the legs and room for pedals



p06e.k-m.de
Product video

Cable management



Folds small



KEYBOARD STAND »SPIDER PRO«

18860	STARLINE
Weight	10.5 kg
Special features	with a 3/8" or 5/8" threaded connector for microphone boom; cable management; comfortable tilt of column; freedom of movement of the legs and room for pedals; folds small; gradual adjustment of the depth
Material	aluminum
Shape	column stand
Height adjustment	infinitely variable by means of ergonomically shaped clamping elements
Max. load capacity per tier	35 kg
Max. load capacity	105 kg
Support arms	two telescopic pairs, one pair with additional 15° tilt angle
Support width	from 670 to 940 mm
Support depth	from 300 to 470 mm
Height	1,310 mm

Order No.

anodized aluminum	18860-000-30
black anodized	18860-000-35
red	18860-000-36

The innovatively designed, stylish and highly functional keyboard stand with a high-quality finish and well-thought-out construction is easy to collapse in a few movements and easy to transport... and consequently a favourite with professional musicians.

Accessories

Accessories	Page
Carrying case 18851	156
Support arm set A 18865	153
Support arm set B 18866	153
Universal holder 18873	154
Laptop rest 18868	154
Adapter 18853	155
Threaded bolt set 18864	155
Extension rod 18872	155
Controller keyboard tray 18876	153
Lectern desk 18877	154
Trolley for Keyboard Stands 18806	157



Freedom of movement of the legs and room for pedals

KEYBOARD STAND »BABY-SPIDER PRO«
»BABY-SPIDER PRO«

18840	STARLINE
Weight	8.06 kg
Special features	with a 3/8" or 5/8" threaded connector for microphone boom; cable management; freedom of movement of the legs and gives room for pedals; folds small
Material	aluminum
Shape	column stand
Height adjustment	infinitely variable by means of ergonomically shaped clamping elements
Max. load capacity per tier	35 kg
Max. load capacity	70 kg
Support arms	one pair, telescopic
Support width	from 670 to 980 mm
Support depth	from 290 to 470 mm
Height	990 mm

Order No.

anodized aluminum	18840-000-30
black anodized	18840-000-35

Equipped with a pair of extendable support arms, a 3/8" or 5/8" threaded connector for the attachment of microphone booms and a cable clamp for cable management. The stand provides infinitely variable height adjustment and a gradual adjustment of the depth. The stand collapses easily in one piece. Maximum load per tier: 35 kg.

Cable management



Folds small



Accessories	Page
Carrying case 18846	156
Support arm set A 18865	153
Support arm set B 18866	153
Universal holder 18873	154
Laptop rest 18868	154
Adapter 18853	155
Threaded bolt set 18864	155
Extension rod 18872	155
Trolley for Keyboard Stands 18806	157

SUPPORT ARM SET A

18865	STARLINE
Weight	0.95 kg
Special features	telescopic
Material	aluminum
Max. load capacity	35 kg
Support width	from 650 to 940 mm
Support depth	from 300 to 490 mm
Fits	18840, 18860

Order No.

anodized aluminum	18865-000-30
black anodized	18865-000-35
red	18865-000-36

SUPPORT ARM SET B

18866	STARLINE
Weight	0.94 kg
Special features	telescopic and 15° tilt angle
Material	aluminum
Max. load capacity	35 kg
Support width	from 670 to 980 mm
Support depth	from 290 to 470 mm
Angle of inclination	15°
Fits	18840, 18860

Order No.

anodized aluminum	18866-000-30
black anodized	18866-000-35
red	18866-000-36

Accessories

Page

Controller keyboard tray 18876	153
Lectern desk for the »Spider Pro« 18877	154

CONTROLLER KEYBOARD TRAY

18876	STARLINE
Weight	1 kg
Special features	to storage smaller synthesizers, controllers, drum machines etc; with integrated handle; 4 rubber pads included
Material	aluminum
Dimensions	640 x 326 x 25 mm
Fits	18860, 18866

Order No.

black	18876-000-55
-------	--------------



To storage smaller synthesizers, controllers, drum machines on the »Spider Pro«



LECTERN DESK FOR THE »SPIDER PRO«

18877	STARLINE
Weight	1 kg
Special features	space for two DIN A4 sheets; integrated edge protectors
Material	aluminum
Dimensions	638 x 325 x 14 mm
Fits	18860, 18866

Order No.

black	18877-000-55
-------	--------------

LAPTOP REST

18868	STARLINE
Weight	1.3 kg
Special features	soft caps; 4 rubber pads included
Material	steel
Max. load capacity	8 kg
Adjustment	tilt gradual in 4 settings
Angle of inclination	0° to 25°
Dimensions	310 x 265 x 150 mm
Fits	18840, 18860

Order No.

black	18868-000-55
silver	18868-000-81

UNIVERSAL HOLDER FOR »SPIDER PRO«

18873	STARLINE
Weight	1.31 kg
Special features	continuously height adjustment; connects other accessories, such as boom arm, gooseneck, iPad holder, Tablet PC holder etc.
Material	steel
Threaded connector	3/8"
Fits	18840, 18860

Order No.

black	18873-300-55
-------	--------------

Accessories

	Page
Sheet music and concept holder 18805	156



Convert your »Spider Pro« keyboard stand easily into a lectern



Tiltable in 4 steps



ADAPTER FOR »SPIDER PRO«

18853	STARLINE
Weight	0.14 kg
Special features	reinforcement to attach heavy booms and sheet music holders
Material	steel
Dimensions	136 x 85 x 29 mm
Fits	18840, 18860

Order No.

black 18853-000-55

THREADED BOLT SET FOR »SPIDER PRO«

18864	STARLINE
Weight	0.04 kg
Special features	only necessary when the »Spider Pro« is modified to take the laptop rest 18868; features: to mount microphone booms and music sheet desks to the »Spider Pro« products; long threaded bolt necessary when laptop rest 18868 is installed
Material	steel
Male thread	3/8" or rather M8
Fits	18840, 18860

Order No.

black zinc-plated 18864-000-25

EXTENSION ROD

18872	STARLINE
Weight	0.387 kg
Special features	in combination with threaded bolt set 18864 to mount microphone booms to the »Spider Pro« products when laptop rest 18868 is installed
Material	steel
Height adjustment	clutch
Height	from 330 to 550 mm
Threaded connector	3/8"
Rod combination	2-piece folding design
Fits	18840, 18860

Order No.

black 18872-300-55



SHEET MUSIC AND CONCEPT HOLDER

18805	STARLINE
Weight	1.5 kg
Special features	prismatic »V-block« connector
Material	steel
Music desk dimensions	416 x 296 x 30 mm
Fits	18817, 18873, 18944

Order No.

black 18805-300-55

CARRYING CASE

18851	STARLINE
Weight	0.88 kg
Material	nylon
Dimensions	1,280 x 180 x 185 mm
Handle or carrying type	handle
Fastener	zip fastener
Fits	18860, 21338, 21339, 21340

Order No.

18851-000-00

CARRYING CASE

18846	STARLINE
Weight	0.7 kg
Material	nylon
Dimensions	880 x 180 x 185 mm
Handle or carrying type	handle
Fastener	zip fastener
Fits	14160, 14760, 14761, 15045, 17620, 18840, 21455

Order No.

18846-000-00





Example:
Trolley 18806 with
table-style keyboard
stand 18950



Adjustable in length;
locking casters



TROLLEY FOR KEYBOARD STANDS NEW

18806	
Weight	7.1 kg
Special features	locking casters
Material	steel
extendable	from 564 to 787 mm
Width	183 mm
Height	78 mm
Fits	18810, 18820, 18826, 18840, 18860, 18880, 18930, 18933, 18940, 18950, 18953, 18962, 18963, 18969, 18990, 18993, 18995, 28101, 42040

Order No.
black 18806-000-55

„Keep on Rolling“ - The unique trolley keeps your keyboard stand on the move. The trolley provides extra mobility on stage, in rehearsal rooms or at home. The trolley is suited for all standard König & Meyer keyboard and equipment stands. Both trolleys are adjustable in length. Thanks to the locking casters the keyboard stand can remain on the trolley while in use.

K&M KÖNIG & MEYER
Stands For Music





STANDS FOR MIXER, MONITORS, AND 19" RACK-MOUNTED PRODUCTS

Whether in the rehearsal room, on stage or in a professional sound studio, König & Meyer stands and racks support your equipment day after day.

The high-quality, well designed 19" products are equally appropriate for use on stage as well as for everyday use in the studio.

A large selection of accessories guarantees flexibility for every purpose. The systems are extendable, practical, comfortable and adjustable.





HEADPHONES TABLE STAND

16075

Weight	0.7 kg
Special features	slip-resistant by rubber pads
Material	steel
Dimensions	147 x 145 x 250 mm
Support	rubber covered

Order No.

black 16075-000-56

HEADPHONE HOLDER

16080

Weight	0.185 kg
Special features	for up to 2 standard headphones and 2 In-Ear headphones
Material	steel
Support width	100 mm
Support depth	60 mm
Size when folded	60 x 70 x 180 mm
Screw-on to	tube diameter up to 30 mm
Support	rubber covered

Order No.

black 16080-000-55

HEADPHONE HOLDER WITH TABLE CLAMP

16085

Weight	0.26 kg
Special features	for up to 2 standard headphones and 2 In-Ear headphones; the holder can be rotated from any position by 90°
Material	steel
Support width	100 mm
Support depth	60 mm
Clamping range	up to 48 mm
Support	rubber covered

Order No.

black 16085-000-55

Can easily take two sets of headphones



HEADPHONE HOLDER

16090	
Weight	0.205 kg
Special features	for up to 2 standard headphones and 2 In-Ear headphones
Material	steel
Support width	100 mm
Support depth	60 mm
Clamping range	up to 45 mm
Support	rubber covered

Order No.

black 16090-000-55

HEADPHONE WALL HOLDER

16310	
Weight	0.22 kg
Special features	for up to 2 standard headphones and 2 In-Ear headphones
Material	steel
Support width	100 mm
Support depth	60 mm
Support	rubber covered

Order No.

black 16310-000-55

HEADPHONE WALL HOLDER**NEW**

16311	
Weight	0.097 kg
Special features	for one standard headphone and 2 In-Ear headphones; screws and anchors included
Material	steel
Support width	36 mm
Support depth	74 mm
Height	31 mm

Order No.

black 16311-000-55

Can easily take two sets of headphones.



Can easily take two sets of headphones.



2 in-ear headphones can also be placed on the slotted front of the holder.



HEADPHONE WALL HOLDER

NEW

UNIVERSAL HOLDER

HEADPHONE HOLDER

16312	
Weight	0.075 kg
Special features	screws and anchors included
Material	plastic
Support width	60 mm
Support depth	68 mm
Width	60 mm
Height	95 mm

Order No.

black 16312-000-55

16320	
Weight	0.134 kg
Special features	swiveling
Material	steel
Size when folded	160 x 24 x 90 mm
Height	90 mm
Support	rubber covered


Order No.

black 16320-000-55

16330	
Weight	0.175 kg
Special features	two wooden screws included; can be mounted under a table
Material	steel
Support width	100 mm
Support depth	72 mm
Dimensions	106 x 100 x 81 mm
Support	rubber covered

Order No.

black 16330-000-55



Swiveling holder

Two-part system (bracket and plastic cover) to hide the mounting screws

MIXER STAND

28075	
Weight	5.92 kg
Special features	additional levelling screw for uneven surfaces
Material	steel
Support	felt pads
Max. load capacity	35 kg
Adjustment	support arms gradual in 15° settings
Angle of inclination	0° to 45°
Suitable for	amplifiers and mixers
Height adjustment	spring-loaded clamping knob
Support width	from 455 to 665 mm
Support depth	310 mm
Height	from 710 to 1,005 mm
Leg construction	collapsible square tube legs
Number of legs	4 pieces

Order No.

black 28075-000-55

MONITOR STAND

28101	
Weight	3.66 kg
Material	steel
Max. load capacity	35 kg
Angle of inclination	42°
Suitable for	amplifiers or monitor speakers
Support width	280 mm
Support depth	350 mm
Height	from 425 to 515 mm
Leg construction	collapsible base

Order No.

black 28101-000-55

Accessories

Trolley for Keyboard Stands 18806 157

Page**MIXER STAND**

42040	
Weight	2.6 kg
Material	aluminum
Support	non-marring rubber
Max. load capacity	40 kg
Adjustment	interlocking braces
Support width	525 mm
Support depth	480 mm
Height	725 mm

Order No.

black 42040-000-55

Accessories

Trolley for Keyboard Stands 18806 157

Page

**AMP STAND****28130**

Weight	1.58 kg
Special features	with a 3/8" or 5/8" threaded connection for attaching a microphone boom; folds very small; support arms with non-marring rubber
Material	steel
Support	non-marring material
Max. load capacity	35 kg
Angle of inclination	15° to 28°
Suitable for	amplifiers, monitors and speakers
Support width	from 350 to 530 mm
Support depth	from 280 to 385 mm
Size when folded	122 x 86 x 602 mm
Height	from 570 to 990 mm
Leg construction	tube legs with cross braces
Number of legs	3 pieces

Order No.

black 28130-011-55

The amp stand can hold monitors, amps or other equipment to a max. weight of 35 kg without a problem. The angled front legs have significantly improved the stand's stability and strength. The low centre of gravity ensures even larger amps are securely displayed. The fine adjustment on the supporting leg allows a tilt between 15° and 28°. A microphone can be attached to the telescopic tube using a boom arm with a thread of either 3/8" or 5/8". Folds compactly.

Accessories

Carrying case 10811

Page

51

RACK WAGON

28200	
Weight	13.6 kg
Special features	four casters, two of them locking; Cage nuts M5 and locking screws M5 x 16 (30 pieces) are included
Material	steel
Height (units)	16 + 7 spaces
Height	1,060 mm

Order No.

black 28200-000-55

Accessories

Side cover 28201

Page

165

SIDE COVER

28201	
Weight	4.36 kg
Special features	contains 2 steel side covers with drillings and 14 screws M5 x 16 mm
Material	steel
Height	880 mm
Fits	28200

Order No.

black 28201-000-55

RACK DESK STAND

40900	
Weight	4.34 kg
Special features	Cage nuts M5 (16 pieces) and locking screws M5 x 16 are included
Material	steel
Height (units)	8 spaces
Base dimensions	440 x 550 mm

Order No.

black 40900-000-55





RACK WAGON

42020	
Weight	12.88 kg
Special features	four casters, two of them locking; Cage nuts M5 and locking screws M5 x 16 (32 pieces) are included; angle adjustable to 45°; heavy-duty construction
Material	steel
Height (units)	12 spaces in top section, 9 spaces in lower section
Max. load capacity	50 kg
Adjustment	T-bar locking screw
Height	910 mm

Order No.

black 42020-000-55

Accessories

Page

Extender brackets 19" 42021 166

EXTENDER BRACKETS 19"

42021	
Weight	2.14 kg
Special features	Cage nuts M5 and locking screws M5 x 16 (16 pieces) are included
Material	steel
Height (units)	9 spaces
Height	500 mm
Fits	42020

Order No.

black 42021-000-55

RACK

48240	
Special features	rack rails on front and back side
Material	steel
Dimensions	525 x 429 mm

Order No.

black, 8 spaces, 9,92 kg 48240-008-55
black, 12 spaces, 10,0 kg 48240-012-55



RACK

48260	
Special features	rack rails on front and back side; sloped front; with casters
Material	steel

Order No.

black, 16 spaces, 16,32 kg	48260-016-55
black, 21 spaces, 18,56 kg	48260-021-55

19" RACK SHELF

28481-28483	
Special features	in 1, 2 and 3 spaces 300 mm or 380 mm deep
Material	steel

Order No.

black, 1 space, 300 mm, 1,84 kg	28481-000-55
black, 1 space, 380 mm, 2,37 kg	28481-070-55
black, 2 spaces, 300 mm, 2,14 kg	28482-000-55
black, 2 spaces, 380 mm, 2,79 kg	28482-070-55
black, 3 spaces, 300 mm, 2,5 kg	28483-000-55
black, 3 spaces, 380 mm, 3,13 kg	28483-070-55

UNIVERSAL RACK SHELF

49035	
Weight	1.502 kg
Special features	to mount half rack components, wireless units, and other gear horizontally
Material	steel
Height (units)	1 space
Depth	240 mm

Order No.

black	49035-000-55
-------	--------------



SLIDING SHELF

49070	
Weight	5.2 kg
Special features	security lock for uncontrolled reverse motion
Material	steel
Height (units)	1 space
Depth	360 mm

Order No.

black	49070-000-55
-------	--------------

PANEL

28210-28240	
Special features	flat style
Material	aluminum
Thickness	2 mm

Order No.

black, 1 space, 0,12 kg	28210-070-55
black, 2 spaces, 0,24 kg	28220-070-55
black, 3 spaces, 0,36 kg	28230-070-55
black, 4 spaces, 0,48 kg	28240-070-55





PANEL

28306-28312	
Material	steel
Height (units)	1 space
Suitable for	XLR connectors

Order No.

6 XLR, 0,28 kg	28306-000-55
8 XLR, 0,28 kg	28308-000-55
12 XLR, 0,24 kg	28312-000-55

VENTILATION PANEL

28451/28452	
Special features	with ventilation slots
Material	steel

Order No.


black, 1 space, 0,26 kg	28451-000-55
black, 2 spaces, 0,46 kg	28452-000-55

PANEL

494/1	
Special features	flanged style
Material	steel
Thickness	1.5 mm

Order No.

black, 1 space, 0,28 kg	49411-000-55
black, 2 spaces, 0,48 kg	49412-000-55
black, 3 spaces, 0,7 kg	49413-000-55
black, 4 spaces, 0,94 kg	49414-000-55



PANEL

494/2	
Special features	flanged style
Material	aluminum
Thickness	1.5 mm

Order No.

black, 1 space, 0,1 kg	49421-000-55
black, 2 spaces, 0,2 kg	49422-000-55
black, 3 spaces, 0,32 kg	49423-000-55
black, 4 spaces, 0,4 kg	49424-000-55

RACKMOUNT STORAGE

491/2	
Special features	with keylock heavy-duty slides
Material	steel
Depth	390 mm

Order No.

black, 2 spaces, 7,17 kg	49122-072-55
black, 3 spaces, 7,78 kg	49123-073-55
black, 4 spaces, 8,94 kg	49124-074-55



19" POWER BOX

28664	
Weight	1.07 kg
Special features	per color unit maximum 3600 W total power input under regular technical connection conditions
Material	aluminum
Height (units)	1 space
Connection	electric cable 2 m
Electrical connection data	400 V AC 3, N, PE CEE 16A, 5-pin 6h
Sockets	6 piece on the front side
Plug	5-pin CEE

Order No.

black 28664-000-55

19"-POWER BOX

28665	
Weight	0.76 kg
Special features	maximum 3600 W total power input under regular technical connection conditions
Material	aluminum
Height (units)	1 space
Connection	electric cable 2 m
Electrical connection data	230 V AC 50Hz
On/off switch	Yes
Sockets	7 piece on the back side
Plug	shockproofed

Order No.

black 28665-000-55

19" POWER BOX

28668	
Weight	0.52 kg
Special features	maximum 3600 W total power input under regular technical connection conditions
Material	aluminum
Height (units)	1 space
Connection	without cable
Electrical connection data	230 V AC 50Hz
On/off switch	Yes
Sockets	6 piece on the back side
Plug	power-con

Order No.

black 28668-000-55

**19" POWER BOX**

28670	
Weight	0.76 kg
Special features	maximum 3600 W total power input under regular technical connection conditions
Material	aluminum
Height (units)	1 space
Connection	electric cable 2 m
Electrical connection data	230 V AC 50Hz
On/off switch	No
Sockets	8 piece on the front side
Plug	shockproofed

Order No.

black 28670-000-55

19" POWER BOX

28675	
Weight	0.74 kg
Special features	maximum 3600 W total power input under regular technical connection conditions
Material	aluminum
Height (units)	1 space
Connection	electric cable 2 m
Electrical connection data	230 V AC 50Hz
On/off switch	Yes
Sockets	7 piece on the front side
Plug	shockproofed

Order No.

black 28675-000-55

19" POWER BOX

28676	
Weight	1.3 kg
Special features	maximum 3600 W total power input under regular technical connection conditions
Material	aluminum
Height (units)	1 space
Connection	electric cable 2 m
Electrical connection data	230 V AC 50Hz
On/off switch	Yes
Sockets	6 piece on the front and back side
Plug	shockproofed

Order No.

black 28676-000-55





SINGLE RACK RAIL

28410	
Weight	0.24 kg
Special features	other space units upon request
Material	steel
Height (units)	10 spaces

Order No.	
black	28410-000-55

SUPPORT BRACKET

286/8	
Special features	other measurements on request
Material	steel
Suitable for	19"-equipment

Order No.	
4 holes, 370 mm long, 0,54 kg	28680-000-55
8 holes, 370 mm long, 0,57 kg	28681-000-55
10 holes, 493 mm long, 0,73 kg	28687-000-55

HEADPHONE HOLDER

49302	
Weight	0.114 kg
Special features	swiveling
Material	steel
Height (units)	2 spaces

Order No.	
black	49302-012-55



Swiveling holder



K&M KÖNIG & MEYER
Stands For Music





MICROPHONE STANDS

We're especially proud of these: König & Meyer microphone stands have boasted an outstanding reputation worldwide for decades. There is hardly a music studio, concert or event that isn't outfitted with König & Meyer microphone stands.

What convinces the musicians?

The solid, tough clamp elements and mechanics, or the choice of materials and the quality of the finish? We think it's the sum of all the parts of a stand that is made with precision and a love for detail.

All microphone stands are also available in 5/8" thread



MICROPHONE STAND

199	BASELINE
Weight	1.52 kg
Special features	plastic base; folds very small
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	non-scratching locking screws
Rod combination	3-piece folding design
Size when folded	95 x 85 x 565 mm
Height	from 625 to 1,480 mm

Order No.

black 19900-300-55

MICROPHONE STAND

260	BASELINE
Weight	5.74 kg
Special features	anti-vibration rubber insert for noise filtration
Material	steel
Base diameter	250 mm
Leg construction	heavy round cast-iron base
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Height	from 870 to 1,565 mm

Order No.

chrome 26000-300-02
black 26000-300-55

Accessories

Knurled washer 26004 221
Carrying case 26019 217

MICROPHONE STAND

260/1	BASELINE
Weight	3.6 kg
Special features	anti-vibration rubber insert for noise filtration
Material	steel
Base diameter	250 mm
Leg construction	flat round cast-iron base
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Height	from 870 to 1,575 mm

Order No.

chrome 26010-300-02
black 26010-300-55

Accessories

Knurled washer 26004 221
Carrying case 26019 217



Round base with an integrated steel plate with an attractive plastic cover

MICROPHONE STAND

260/1	BASELINE
Weight	3 kg
Special features	significantly lightweight, but nonetheless stable due to the ingenious round base with an integrated steel plate with an attractive plastic cover; circumferential rubber profile reduces undesirable vibration and footfall noise
Material	steel
Base diameter	275 mm
Leg construction	round base
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Height	from 870 to 1,575 mm

Order No.	
pure white	26010-300-76

Accessories	Page
Knurled washer 26004	221
Carrying case 26019	217



Round base with an integrated steel plate with an attractive plastic cover

MICROPHONE STAND

201/2	TOPLINE
Weight	2 kg
Special features	zinc die-cast base; short-legged design
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Size when folded	105 x 85 x 840 mm
Height	from 890 to 1,590 mm

Order No.	
black	20120-300-55



Short-legged design

MICROPHONE STAND

201A/2	TOPLINE
Weight	2.4 kg
Special features	zinc die-cast base
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Size when folded	105 x 85 x 840 mm
Height	from 900 to 1,605 mm

Order No.	
chrome	20130-300-02
black	20130-300-55



ONE HAND MICROPHONE STAND

25680	TOPLINE
Weight	2.14 kg
Special features	zinc die-cast base
Material	leg construction made from steel, rod combination made from aluminum
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	»Soft-Touch« one-hand clutch
Rod combination	2-piece folding design
Height	from 1,100 to 1,820 mm

Order No.

black 25680-300-55

STACKABLE MICROPHONE STAND

26045	TOPLINE
Weight	3.4 kg
Special features	round cast-iron base with a cut-out design that allows for stacking of up to 5 microphone stands
Material	steel
Base diameter	278 mm
Leg construction	flat round cast-iron base
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Height	from 870 to 1,575 mm

Order No.

black 26045-300-55

STACKABLE ONE-HAND MICROPHONE STAND

26075	TOPLINE
Weight	3 kg
Special features	round cast-iron base with a cut-out design that allows for stacking of up to 5 microphone stands
Material	cast-iron base, rod combination made from aluminum
Base diameter	278 mm
Leg construction	flat round cast-iron base
Threaded connector	3/8"
Height adjustment	»Soft-Touch« one-hand clutch
Rod combination	2-piece folding design
Height	from 1,060 to 1,790 mm

Order No.

black 26075-300-55

Accessories

Accessories	Page
Knurled washer 26004	221
Carrying case 26019	217

Accessories

Accessories	Page
Knurled washer 26004	221
Carrying case 26019	217



»Soft-Touch« one-hand clutch mechanism which easily raises and lowers the mic



Round cast-iron base with a cut-out design that allows for stacking of up to 5 microphone stands



»Soft-Touch« one-hand clutch mechanism which easily raises and lowers the mic

ONE HAND MICROPHONE STAND

26085	TOPLINE
Weight	3.2 kg
Special features	anti-vibration rubber insert for noise filtration
Material	cast-iron base, rod combination made from aluminum
Base diameter	250 mm
Leg construction	flat round cast-iron base
Threaded connector	3/8"
Height adjustment	»Soft-Touch« one-hand clutch
Rod combination	2-piece folding design
Height	from 1,060 to 1,790 mm

Order No.

black	26085-300-55
-------	--------------

Accessories

	Page
Knurled washer 26004	221
Carrying case 26019	217



»Soft-Touch« one-hand clutch mechanism which easily raises and lowers the mic

MICROPHONE STAND - TUBE COMBINATION

NEW

26007	TOPLINE
Weight	1.73 kg
Special features	extendable to more than 3 m
Threaded connector	3/8"
Height adjustment	clutch/clamping element with locking screw
Rod combination	3-piece folding design
Height	from 1,120 to 3,150 mm

Order No.

black	26007-319-55
-------	--------------

Accessories

	Page
Base plate 26009	221
Base plate 26700	249
Base plate 26703-26705	248



Can be used with the round microphone stand bases and the larger loudspeaker stand bases.



For special recording techniques and antenna positions.

Extendable to more than 3 m

Adapter 21950 included

MICROPHONE STAND

200	STARLINE
Weight	2.7 kg
Special features	zinc die-cast base; with built-in anti-vibration filters in legs; suitable for studios; heavy metal legs
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Size when folded	105 x 85 x 840 mm
Height	from 910 to 1,615 mm

Order No.

black	20000-300-55
-------	--------------



Anti-vibration filters to isolate microphones

MICROPHONE STAND »SOFT-TOUCH«

26010	STARLINE
Weight	3.8 kg
Special features	anti-vibration rubber insert for noise filtration; gray powder coating; low light reflection
Material	steel
Base diameter	250 mm
Leg construction	flat round cast-iron base
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Height	from 870 to 1,575 mm

Order No.	
gray	26010-300-87

Accessories	Page
Carrying case 26019	217

MICROPHONE STAND

26125	STARLINE
Weight	3.36 kg
Special features	stable, lightweight metal round base with plastic cover; full circle anti-vibration rubber damping ring for noise filtration; large support area provides great stability
Material	steel
Base diameter	275 mm
Leg construction	round base
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Height	from 1,000 to 1,700 mm

Order No.	
black	26125-300-55

Accessories	Page
Carrying case 26019	217

Easy-to-grip clutch with elastic surface



Attractive gray powder coating; Low light reflection; Eye-catcher on every stage



Slim clutch



Round base with a full circle anti-vibration rubber damping ring



Big tubes provide a modern look and superior stability;

Tall tubing combination



Smoothly and silently adjustable one-hand system



reddot design award winner 2013

Avant-garde, one-hand microphone stand; can be adjusted soundlessly, simply and easily; knurled screw is impossible to lose

Lightweight, but nonetheless stable steel base



p16e.k-m.de
Product video

**ONE-HAND MICROPHONE STAND
»ELEGANCE«**

26200	STARLINE
Weight	3 kg
Special features	triangular-shaped rods; knurled screw is impossible to lose; can be adjusted soundlessly, simply and easily; significantly lightweight, but nonetheless stable due to the ingenious round base with an integrated steel plate with an attractive plastic cover; circumferential rubber profile reduces undesirable vibration and footfall noise
Material	rod combination made from aluminum, handle bar zinc die-cast
Base diameter	275 mm
Leg construction	round base
Threaded connector	3/8"
Height adjustment	one-hand clutch
Rod combination	2-piece folding design
Height	from 1,055 to 1,735 mm

Order No.

black 26200-300-55

The elegant combination of triangular-shaped sections and the new design of the slender one-hand adjustment mechanism go harmoniously with standard microphone clips and microphones. The height of the stand can be adjusted soundlessly, simply and easily using the unique one-hand clutch. The stand is significantly lightweight, but nonetheless stable due to the ingenious round base with an integrated steel plate with an attractive plastic cover.

Accessories

Carrying case 26019

Page

217



Smoothly and silently adjustable one-hand system

Lightweight, but nonetheless stable steel base



ONE-HAND MICROPHONE STAND
»PERFORMANCE«

26250	STARLINE
Weight	2.99 kg
Special features	round-shaped rods; soundless and easy height adjustment; significantly light-weight, but nonetheless stable due to the ingenious round base with an integrated steel plate with an attractive plastic cover; circumferential rubber profile reduces undesirable vibration and footfall noise
Material	rod combination made from aluminum, handle bar plastic
Base diameter	275 mm
Leg construction	round base
Threaded connector	3/8"
Height adjustment	one-hand clutch
Rod combination	2-piece folding design
Height	from 1,055 to 1,750 mm

Order No.

black 26250-300-55

The stable combination of high quality round-shaped rods and the elegant one-hand adjustment present a harmonious overall appearance. With the practical one-hand system the height of the stand can adjusted smoothly and silently (no scratching noises). The ingenious steel base with its elegant plastic cover provides more stability even though the base is much lighter. A circular rubber insert ring on the base also reduces unwanted vibrations and foot traffic noise, even when the stand is placed in extreme positions. In addition, the floor (e.g. wood floor) is protected from possible damage.

Accessories	Page
Carrying case 26019	217

MICROPHONE STAND

25400	BASELINE
Weight	1.84 kg
Special features	boom arm non-detachable
Material	steel
Base diameter	660 mm
Leg construction	U-profile legs snap into socket
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	one-piece design
Boom arm clamping	locking knob
Boom arm length	805 mm
Size when folded	95 x 80 x 865 mm
Height	from 890 to 1,600 mm

Order No.	
black	25400-300-55

MICROPHONE STAND

21070	BASELINE
Weight	2.19 kg
Special features	zinc die-cast base
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	one-piece design
Boom arm clamping	wing nut
Boom arm length	805 mm
Size when folded	105 x 85 x 960 mm
Height	from 900 to 1,600 mm

Order No.	
black	21070-300-55

Accessories	Page
Carrying case 21421	215

MICROPHONE STAND

27105	BASELINE
Weight	2.3 kg
Special features	plastic base
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	one-piece design
Boom arm clamping	wing nut
Boom arm length	805 mm
Size when folded	105 x 85 x 960 mm
Height	from 900 to 1,600 mm

Order No.	
black	27105-300-55

Accessories	Page
Carrying case 21421	215



MICROPHONE STAND

27195 **BASELINE**

Weight	2.3 kg
Special features	plastic base
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	2-piece telescopic design
Boom arm clamping	wing nut
Boom arm length	from 425 to 725 mm
Size when folded	96 x 85 x 985 mm
Height	from 900 to 1,600 mm

Order No.

black 27195-300-55

Accessories

Page

Carrying case 21421

215





An absolute classic -
often imitated -
never duplicated!
Designed for heavy use.

MICROPHONE STAND

210/2	TOPLINE
Weight	3.2 kg
Special features	the industry standard; stable and sturdy; zinc die-cast base; designed for heavy use
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	one-piece design
Boom arm clamping	T-bar locking screw
Boom arm length	800 mm
Size when folded	105 x 85 x 960 mm
Height	from 900 to 1,605 mm

Order No.

chrome	21020-300-02
black	21020-300-55

Often copied – but never duplicated –

a König & Meyer classic. High-quality materials
and quality craftsmanship have made this stand
a global standard for microphone stands for over
50 years.

Accessories

Page

Carrying case 21421	215
---------------------	-----



MICROPHONE STAND

210/9	TOPLINE
Weight	3.2 kg
Special features	stable and sturdy; zinc die-cast base
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	2-piece telescopic design
Boom arm clamping	T-bar locking screw
Boom arm length	from 435 to 745 mm
Size when folded	105 x 85 x 985 mm
Height	from 900 to 1,605 mm

Order No.

chrome	21090-300-02
black	21090-300-55
pure white	21090-300-76

Accessories

Page

Carrying case 21421	215
---------------------	-----

MICROPHONE STAND

210/6	TOPLINE
Weight	3 kg
Special features	zinc die-cast base
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	one-piece design
Boom arm clamping	wing nut
Boom arm length	805 mm
Size when folded	105 x 85 x 960 mm
Height	from 925 to 1,630 mm

Order No.

chrome	21060-300-02
black	21060-300-55

Accessories

Page

Carrying case 21421	215
---------------------	-----

MICROPHONE STAND

210/8	TOPLINE
Weight	3 kg
Special features	zinc die-cast base
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	2-piece telescopic design
Boom arm clamping	wing nut
Boom arm length	from 425 to 725 mm
Size when folded	96 x 85 x 985 mm
Height	from 925 to 1,630 mm

Order No.

chrome	21080-300-02
black	21080-300-55

Accessories

Page

Carrying case 21421	215
---------------------	-----



MICROPHONE STAND

252	TOPLINE
Weight	2.9 kg
Special features	zinc die-cast base; folds very small
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	non-scratching locking screws
Rod combination	3-piece folding design
Boom arm	2-piece telescopic design
Boom arm clamping	T-bar locking screw
Boom arm length	from 425 to 725 mm
Size when folded	110 x 85 x 730 mm
Height	from 620 to 1,470 mm

Order No.	
black	25200-300-55

Accessories	Page
Carrying case 10811	51



MICROPHONE STAND

26145	TOPLINE
Weight	6.2 kg
Special features	slim clutch; tall tubing combination; big tubes provide a modern look and a superior stability
Material	steel
Base diameter	300 mm
Leg construction	heavy round cast-iron base
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	2-piece telescopic design
Boom arm clamping	T-bar locking screw
Boom arm length	from 435 to 745 mm
Height	from 1,000 to 1,700 mm

Order No.	
black	26145-300-55



Slim clutch;
Tall tubing combination;
Big tubes provide a modern look and a superior stability

MICROPHONE STAND »SOFT-TOUCH«

21060	STARLINE
Weight	3 kg
Special features	zinc die-cast base; gray powder coating; low light reflection
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	one-piece design
Boom arm clamping	wing nut
Boom arm length	805 mm
Size when folded	105 x 85 x 960 mm
Height	from 925 to 1,630 mm

Order No.	
gray	21060-300-87

Accessories	Page
Carrying case 21421	215



Easy-to-grip clutch with elastic surface



Attractive gray powder coating; Low light reflection; Eye-catcher on every stage



Easy-to-grip clutch with elastic surface



Attractive gray Soft-Touch powder coating; Low light reflection; Eye-catcher on every stage

MICROPHONE STAND »SOFT-TOUCH«

21080	STARLINE
Weight	3 kg
Special features	zink die-cast base; gray powder coating; low light reflection
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	2-piece telescopic design
Boom arm clamping	wing nut
Boom arm length	from 425 to 725 mm
Size when folded	96 x 85 x 985 mm
Height	from 925 to 1,630 mm

Order No.

gray 21080-300-87

The attractive basalt gray powder coating gives the microphone stand an extravagant accent and reduces light reflection to a minimum. This stand is perfect for professional use on the public stage. Further features include the easy-to-grip »Soft-Touch« clutch with an elastic plastic cover and a boom arm with user-friendly wing nut adjustment.

Accessories	Page
Carrying case 21421	215





The exclusive microphone stand

MICROPHONE STAND

25600	STARLINE
Weight	3.4 kg
Special features	zinc die-cast base; no parts to lose; clamping lever can be used for cable management
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	2-piece telescopic design
Boom arm clamping	heavy-duty all metal clamping lever
Boom arm length	from 600 to 955 mm
Size when folded	105 x 90 x 1,090 mm
Height	from 970 to 1,640 mm

Order No.

black 25600-300-55

The unique design retains all adjustment elements. The distinctive ergonomically designed and patented clamping lever easily and comfortably adjusts the boom arm in any position and can also hold microphone cables. This high-quality stand is impressively robust.

Accessories

Carrying case 21421

Page

215



OVERHEAD MICROPHONE STAND

21021	
Weight	5.9 kg
Special features	zinc die-cast base; extra high; longer legs
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	one-piece design
Boom arm clamping	T-bar locking screw
Boom arm length	1,065 mm
Size when folded	105 x 85 x 1,170 mm
Height	from 1,120 to 2,010 mm

Order No.	
black	21021-300-55

OVERHEAD MICROPHONE STAND

20800	
Weight	3.8 kg
Special features	for special stage and studio applications; adjustable up to 3.10 m
Material	steel
Base diameter	1,000 mm
Leg construction	tube legs with cross braces
Threaded connector	3/8"
Height adjustment	clamping element with locking screw
Rod combination	3-piece folding design
Height	from 1,350 to 3,100 mm

Order No.	
black	20800-309-55


Accessories	Page
Carrying case 21422	256

OVERHEAD MICROPHONE STAND

20811	
Weight	10.5 kg
Special features	adjustable up to 4.40 m; additional safety rings included
Material	steel
Base diameter	1,485 mm
Leg construction	tube legs with double cross braces
Threaded connector	1/2"
Height adjustment	non-scratching locking screws
Rod combination	3-piece folding design
Height	from 1,850 to 4,400 mm

Order No.	
black	20811-409-55

Accessories	Page
Boom arm 21231	196



OVERHEAD MICROPHONE STAND

21411	
Weight	4.94 kg
Special features	for special stage and studio applications; rod combination with additional locking mechanism
Material	steel
Leg construction	tube legs with double cross braces
Threaded connector	1/2"
Height adjustment	clamping element with locking screw
Max. load capacity	12 kg
Rod combination	2-piece folding design
Height	from 1,480 to 2,290 mm

Order No.
black 21411-400-55

Accessories	Page
Boom arm 21231	196
Carrying case 21311	255
Carrying case »Pro« 21312	256
Carrying case 21316	256



TÜV type approved for loads up to 12 kg.

Height-adjustable up to 2 m.

OVERHEAD MICROPHONE STAND

21430	
Weight	17.42 kg
Special features	heavy die-cast base with low centre of gravity for high level safety; 3 lockable castor wheels; extendable boom arm with a 3 kg counterweight; additional mini boom arm with 5/8"- and 3/8" thread and length of 245 mm
Material	steel
Base diameter	660 mm
Leg construction	cast-iron base
Threaded connector	5/8"
Height adjustment	clamping element with locking screw
Rod combination	2-piece folding design
Boom arm clamping	T-bar locking screw
Boom arm length	from 1,070 to 1,870 mm
Height	from 1,340 to 2,210 mm

Order No.
black 21430-500-55



Additional mini boom arm



Boom arm with a counterweight

MICROPHONE STAND

255	
Weight	4.1 kg
Special features	zinc die-cast base; extra low design
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Boom arm	2-piece telescopic design
Boom arm clamping	T-bar locking screw
Boom arm length	from 870 to 1,550 mm
Height	290 mm

Order No.

black	25500-300-55
-------	--------------

MICROPHONE STAND

259	
Weight	2.2 kg
Special features	low-level microphone stand; zinc die-cast base
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	2-piece telescopic design
Boom arm clamping	T-bar locking screw
Boom arm length	from 435 to 745 mm
Size when folded	115 x 85 x 580 mm
Height	from 425 to 645 mm

Order No.

black	25900-300-55
-------	--------------

Accessories

Accessories	Page
Carrying case 10811	51

MICROPHONE STAND

259/1	
Weight	1.9 kg
Special features	extra low design; zinc die-cast base
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Boom arm	one-piece design
Boom arm clamping	T-bar locking screw
Boom arm length	525 mm
Height	280 mm

Order No.

black	25910-300-55
-------	--------------

Accessories

Accessories	Page
Carrying case 10811	51



MICROPHONE STAND »RIEN«

25950	
Weight	2.98 kg
Special features	extra low design; zinc die-cast base; very short, heavy legs
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Boom arm	2-piece telescopic design
Boom arm clamping	T-bar locking screw
Boom arm length	from 425 to 725 mm
Size when folded	122 x 85 x 450 mm
Height	280 mm

Order No.

black 25950-300-55

The low-level stand is particularly suitable for bass drums or bass amplifiers. Very short and heavy legs mean this stand needs very little standing space. A telescopic boom arm completes the features of this compact unit.

Accessories

Page

Carrying case 14303

79



MICROPHONE STAND

NEW

MICROPHONE STAND

MICROPHONE STAND

25993	
Weight	2.4 kg
Special features	for bass drum, AMPs, Cajon, etc.; space saving flat foot construction; elastic rubber feet absorb the impact sound
Material	steel
Leg construction	flat steel plate
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	2-piece telescopic design
Boom arm clamping	wing nut
Boom arm length	from 333 to 565 mm
Base dimensions	250 x 202 mm
Height	from 275 to 405 mm

Order No.
black 25993-300-55

25960	
Weight	5.25 kg
Special features	anti-vibration rubber insert for noise filtration
Material	steel
Base diameter	250 mm
Leg construction	heavy round cast-iron base
Threaded connector	3/8"
Boom arm	2-piece telescopic design
Boom arm clamping	wing nut
Boom arm length	from 425 to 725 mm
Height	430 mm

Order No.
black 25960-300-55

23320	
Weight	2.4 kg
Special features	anti-vibration rubber insert for noise filtration
Material	steel
Base diameter	250 mm
Leg construction	flat round cast-iron base
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Height	from 217 to 347 mm

Order No.
black 23320-300-55



MICROPHONE STAND

23323	
Weight	2.55 kg
Special features	anti-vibration rubber insert for noise filtration
Material	steel
Base diameter	250 mm
Leg construction	flat round cast-iron base
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Height	from 350 to 570 mm

Order No.
black 23323-300-55

MICROPHONE STAND »SOFT-TOUCH«

25900	
Weight	2.1 kg
Special features	low-level microphone stand; zinc die-cast base; gray powder coating; low light reflection
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	2-piece telescopic design
Boom arm clamping	T-bar locking screw
Boom arm length	from 425 to 725 mm
Size when folded	115 x 85 x 580 mm
Height	from 425 to 645 mm

Order No.
gray 25900-370-87

MICROPHONE STAND »SOFT-TOUCH«

25910	
Weight	1.9 kg
Special features	extra low design; die-cast base; gray powder coating; low light reflection
Material	steel
Leg construction	socket with foldable legs
Threaded connector	3/8"
Boom arm	one-piece design
Boom arm clamping	T-bar locking screw
Boom arm length	525 mm
Height	280 mm

Order No.
gray 25910-300-87

Accessories	Page
Carrying case 10811	51



BOOM ARM

21160

Weight	0.5 kg
Special features	short boom arm
Material	steel
Threaded connector	3/8"
Boom arm	one-piece design
Boom arm length	395 mm
Clamping	wing nut

Order No.

black 21160-300-55

BOOM ARM

211/1

Weight	0.64 kg
Material	steel
Threaded connector	3/8"
Boom arm	2-piece telescopic design
Boom arm length	from 435 to 745 mm
Clamping	T-bar locking screw
Fits	18817, 18944

Order No.

chrome 21110-300-02
black 21110-300-55

BOOM ARM

21140

Weight	0.58 kg
Material	steel
Threaded connector	3/8"
Boom arm	2-piece telescopic design
Boom arm length	from 425 to 725 mm
Clamping	wing nut

Order No.

black 21140-300-55



BOOM ARM

211

Weight	0.7 kg
Material	steel
Threaded connector	3/8"
Boom arm	one-piece design
Boom arm length	800 mm
Clamping	T-bar locking screw

Order No.

chrome	21100-300-02
black	21100-300-55

BOOM ARM

25530

Weight	1.7 kg
Special features	adjustable heavy counterweight included
Material	steel
Threaded connector	3/8"
Boom arm	2-piece telescopic design
Boom arm length	from 870 to 1,550 mm
Clamping	T-bar locking screw

Order No.

black	25530-319-55
-------	--------------

NEW

BOOM ARM

21231

Weight	5,3 kg
Special features	connecting thread 1/2"; adjustable heavy counterweight included
Material	steel
Threaded connector	3/8"
Boom arm	2-piece telescopic design
Boom arm length	from 1.070 to 1.870 mm
Clamping	T-bar locking screw fits for 20811, 21411

Order No.

black	21231-400-55
-------	--------------

Accessories

Accessories	Page
Carrying case 21422	256
Thread adapter 21900	218



MINI BOOM ARM

21431

Weight	0,31 kg
Special features	suitable for overhead uses
Material	steel
Threaded connector	3/8" und 5/8"
Boom arm	one-piece design
Boom arm length	290 mm
Threaded connector	wing nut

Order No.

black 21431-300-55




TABLE MICROPHONE STAND

23105	
Weight	0.07 kg
Special features	can be used as microphone handle
Material	plastic
Leg construction	foldable legs
Threaded connector	3/8"
Height	70 mm

Order No.

black 23105-300-55

TABLE MICROPHONE STAND

231/1	
Weight	0.08 kg
Material	plastic base, steel legs
Leg construction	foldable legs
Threaded connector	3/8"
Height	60 mm

Order No.

black 23110-316-55

TABLE MICROPHONE STAND

232	
Weight	1.35 kg
Special features	anti-vibration rubber insert for noise filtration; screw in threaded bolt
Material	steel
Base diameter	130 mm
Leg construction	heavy round cast-iron base
Threaded connector	3/8"
Height	175 mm

Order No.

black 23200-300-55



TABLE MICROPHONE STAND

23220	
Weight	1.05 kg
Special features	anti-vibration rubber insert for noise filtration
Material	steel
Base diameter	130 mm
Leg construction	heavy round cast-iron base
Threaded connector	3/8"
Height	45 mm

Order No.

black 23220-300-55

TABLE MICROPHONE STAND

23230	
Weight	0.75 kg
Special features	attractive trilobular base; anti-vibration circular rubber insert ring
Material	steel
Base diameter	137 mm
Leg construction	steel trilobular base
Threaded connector	3/8"
Height	152 mm

Order No.

black 23230-300-55

TABLE MICROPHONE STAND

23266	
Weight	0.33 kg
Special features	compact base; anti-vibration felt insert for noise filtration
Material	steel
Base diameter	64 mm
Leg construction	very small round base
Threaded connector	3/8"
Height	60 mm

Order No.

gray 23266-300-74



Base with an attractive triangle form.



TABLE MICROPHONE STAND

NEW

23380	
Weight	1.3 kg
Special features	stable table stand; attractive design; non-slip rubber feet
Material	plastic, steel
Threaded connector	3/8"
Base dimensions	136 x 114 mm
Height	49 mm

Order No.
black 23380-300-55

DESIGN MICROPHONE TABLE STAND

23250	
Weight	0.7 kg
Special features	stable and sturdy; special design; surface area for company logo etc.; space saving flat foot construction
Material	steel
Threaded connector	3/8"
Base dimensions	125 x 130 mm
Height	142 mm

Order No.
black 23250-300-55

TABLE- /FLOOR MICROPHONE STAND

25995	
Weight	1.4 kg
Special features	space saving flat foot construction
Material	steel
Leg construction	flat steel plate
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Boom arm	one-piece design
Boom arm clamping	wing nut
Boom arm length	310 mm
Base dimensions	200 x 200 mm
Height	from 285 to 400 mm

Order No.
black 25995-300-55



Perfect for labelling for your logo



Space saving construction



Perfect for labelling for your logo



Space saving construction



TABLETOP MICROPHONE STAND

23150	
Weight	0.41 kg
Special features	easy-to-use clamping levers
Material	steel
Base diameter	250 mm
Leg construction	square tube legs snap into socket
Threaded connector	1/4" or 3/8"
Height adjustment	infinitely variable by means of ergonomically shaped clamping elements
Rod combination	2-piece folding design
Size when folded	230 mm
Height	from 230 to 430 mm

Order No.	
black 1/4"	23150-100-55
black 3/8"	23150-300-55

TABLE- /FLOOR MICROPHONE STAND

23325	
Weight	2.51 kg
Special features	anti-vibration rubber insert for noise filtration
Material	steel
Base diameter	180 mm
Leg construction	heavy round cast-iron base
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Height	from 217 to 347 mm

Order No.	
black	23325-300-55

TABLE- /FLOOR MICROPHONE STAND

233	
Weight	2.6 kg
Special features	anti-vibration rubber insert for noise filtration
Material	steel
Base diameter	180 mm
Leg construction	heavy round cast-iron base
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Height	from 355 to 580 mm

Order No.	
black	23300-300-55

Accessories	Page
Knurled washer 26004	221



TABLE- /FLOOR MICROPHONE STAND

234	
Weight	2.1 kg
Special features	anti-vibration felt insert for noise filtration; tilt angle adjustment
Material	steel
Leg construction	rectangular cast-iron base
Threaded connector	3/8"
Height adjustment	non-scratching locking screw
Rod combination	2-piece folding design
Base dimensions	170 x 135 mm
Height	from 400 to 640 mm

Order No.

black 23400-300-55

MICROPHONE TABLE BASE

29375	
Weight	0.48 kg
Special features	crackle-free switching; wired
Material	zinc die-cast
Base diameter	130 mm
Control element	switch
Female connector for microphone	3-pin XLR-jack
Pilot light	voltage and mic on/off
Plug connection mixer	3-pin XLR-plug
Height	35 mm

Order No.

black 29375-000-55

MICROPHONE TABLE BASE

29376	
Weight	0.47 kg
Special features	wired
Material	zinc die-cast
Base diameter	130 mm
Female connector for microphone	3-pin XLR-jack
Plug connection mixer	3-pin XLR-plug
Height	35 mm

Order No.

black 29376-000-55



MICROPHONE TABLE BASE

29377	
Weight	0.48 kg
Special features	crackle-free switching; wired
Material	zinc die-cast
Base diameter	130 mm
Control element	push-button (push-to-talk)
Female connector for microphone	3-pin XLR-jack
Pilot light	voltage and mic on/off
Plug connection mixer	3-pin XLR-plug
Height	35 mm

Order No.

black 29377-000-55

MICROPHONE TABLE BASE

29390	
Weight	2.44 kg
Special features	wired
Material	zinc die-cast
Female connector for microphone	3-pin XLR-jack
Plug connection mixer	3-pin XLR-plug
Dimensions	160 x 150 x 51 mm
Length	160 mm

Order No.

black 29390-000-55



GOOSENECK

223	
Weight	0.32 kg
Material	steel
Diameter	15 mm
Male thread	3/8"
Female thread	3/8"
Length	400 mm

Order No.

nickel	22300-300-01
black	22300-300-55

GOOSENECK

224	
Weight	0.24 kg
Material	steel
Diameter	15 mm
Male thread	3/8"
Female thread	3/8"
Length	300 mm

Order No.

nickel	22400-300-01
black	22400-300-55

GOOSENECK

225	
Weight	0.18 kg
Material	steel
Diameter	15 mm
Male thread	3/8"
Female thread	3/8"
Length	200 mm

Order No.

black	22500-300-55
-------	--------------



GOOSENECK

226	
Weight	0.09 kg
Material	steel
Diameter	11 mm
Male thread	3/8"
Female thread	3/8"
Length	200 mm

Order No.

black	22600-300-55
-------	--------------

GOOSENECK

227	
Weight	0.6 kg
Material	steel
Diameter	18.5 mm
Male thread	3/8"
Female thread	3/8"
Length	500 mm

Order No.

black	22700-300-55
-------	--------------

GOOSENECK

228	
Weight	0.64 kg
Material	steel
Diameter	18.5 mm
Male thread	3/8"
Female thread	3/8"
Length	600 mm

Order No.

black	22800-300-55
-------	--------------



GOOSENECK

230/1	
Weight	0.26 kg
Special features	lateral cable entry terminating
Material	steel
Diameter	15 mm
Female thread	3/8"
Plug connection	3-pin XLR jack NC3FX, XLR-TYPE
Length	300 mm

Order No.

black 23010-300-55

GOOSENECK

230/2	
Weight	0.28 kg
Special features	not wired
Material	steel
Diameter	15 mm
Plug connection	3-pin XLR jack NC3FX, XLR-TYPE and 3-pin plug NC3MX, XLR-TYPE
Length	300 mm

Order No.

black 23020-000-55

GOOSENECK

230/3	
Weight	0.35 kg
Special features	lateral cable entry terminating
Material	steel
Diameter	15 mm
Female thread	3/8"
Plug connection	3-pin XLR jack NC3FX, XLR-TYPE
Length	400 mm

Order No.

black 23030-300-55



GOOSENECK

230/4	
Weight	0.36 kg
Special features	not wired
Material	steel
Diameter	15 mm
Plug connection	3-pin XLR jack NC3FX, XLR-TYPE and 3-pin plug NC3MX, XLR-TYPE
Length	400 mm

Order No.

black 23040-000-55



MICROPHONE »FISHING POLE«

23755	
Weight	0.75 kg
Special features	cables can be placed inside; carrying case included
Material	aluminum
Threaded connector	3/8"
Rod combination	3-piece folding design
Length	from 635 to 1,520 mm
Adjustment	clamp lever(s)

Order No.

black 23755-300-55

MICROPHONE »FISHING POLE«

23765	
Weight	0.9 kg
Special features	cables can be placed inside; carrying case included
Material	aluminum
Threaded connector	3/8"
Rod combination	4-piece folding design
Length	from 1,000 to 3,220 mm
Adjustment	clamp lever(s)

Order No.

black 23765-300-55

MICROPHONE »FISHING POLE«

23770	
Weight	0.8 kg
Special features	rubberized anti-slip grip section; microphone cable can be routed through the tubing; carrying case included
Material	glass fibre
Threaded connector	3/8" and 5/8"
Max. load capacity	0.5 kg
Rod combination	5-piece folding design
Length	from 1,200 to 4,600 mm
Adjustment	large locking rings

Order No.

black 23770-000-55

Cables can be placed inside



Cables can be placed inside



MICROPHONE »FISHING POLE«

23780	
Weight	0.58 kg
Special features	cables can be placed inside; carrying case included
Material	carbon
Threaded connector	3/8"
Rod combination	5-piece folding design
Length	from 600 to 1,825 mm
Adjustment	clamp lever(s)

Order No.

black 23780-000-55

MICROPHONE »FISHING POLE«

23785	
Weight	0.74 kg
Special features	cables can be placed inside; carrying case included
Material	carbon
Threaded connector	3/8"
Rod combination	5-piece folding design
Length	from 800 to 2,825 mm
Adjustment	clamp lever(s)

Order No.

black 23785-000-55



Carbon microphone fishing pole with high stiffness. Cables can be placed inside the pole.

Length: 600 to 1,825 mm

Innovative locking system



Carbon microphone fishing pole with high stiffness. Cables can be placed inside the pole.

Length: 800 to 2,825 mm

Innovative locking system



Carbon microphone fishing pole with high stiffness. Cables can be placed inside the pole.

Length: 1,000 to 3,825 mm



MICROPHONE »FISHING POLE«

23790	
Weight	0.9 kg
Special features	cables can be placed inside; carrying case included
Material	carbon
Threaded connector	3/8"
Rod combination	5-piece folding design
Length	from 1,000 to 3,825 mm
Adjustment	clamp lever(s)

Order No.

black 23790-000-55

Professional carbon microphone fishing pole. The exceptional characteristics of this microphone fishing pole include sturdiness and high stiffness considering its light weight. The four clamps with the innovative locking system are easy to use and provide highly functional locking force. The fishing pole can be adjusted variably between 1000 and 3825 mm. Cables can be placed inside the pole. An upholstered carrying case is included.


POPKILLER

23956

Weight	0.22 kg
Special features	double nylon screen with plastic frame
Material	steel
Screw-on to	tube diameter up to 30 mm
Shield diameter	130 mm
Goose neck diameter	8 mm
Goose neck length	330 mm

Order No.

black 23956-000-55



**POPKILLER****23966**

Weight	0.32 kg
Special features	double nylon screen with plastic frame; large shield diameter
Material	steel
Screw-on to	tube diameter up to 30 mm
Shield diameter	200 mm
Goose neck diameter	8 mm
Goose neck length	330 mm

Order No.

black 23966-000-55

This high-quality popkiller is an essential piece of equipment for every professional recording studio. The large nylon screen is a perfect filter for troublesome buzzing and popping sounds. In addition it is better protection than a metal screen against moisture. The stable gooseneck can be mounted on all standard microphone stands and is suitable for many types of performance.

MICROPHONE DESK ARM

23850	
Weight	1.72 kg
Material	steel
Threaded connector	3/8" and 5/8"
Max. load capacity	0.8 kg
Length	from 460 to 960 mm
Connection	3-pin XLR-cable 5 m
Clamping range	up to 48 mm

Order No.	
black	23850-311-55

Accessories	Page
Table flange 23855	210

MICROPHONE DESK ARM

23860	
Weight	1.3 kg
Threaded connector	3/8" and 5/8"
Max. load capacity	1.5 kg
Length	from 460 to 960 mm
Connection	3-pin XLR-cable 6 m
Clamping range	up to 48 mm

Order No.	
black	23860-311-55

Accessories	Page
Table flange 23855	210

TABLE FLANGE

23855	
Weight	0.23 kg
Base diameter	73 mm
Bore holes	diameter 5.2 mm (3 x)
Height	61 mm
Function	screw-on type
Fits	23850, 23860

Order No.	
black	23855-000-55



MICROPHONE HOLDER FOR DRUMS

24030	
Weight	0.14 kg
Special features	noise and shock absorbing rubber inserts; no parts to lose
Material	steel
Threaded connector	3/8"
Height	60 mm

Order No.
black 24030-300-55



MICROPHONE HOLDER FOR DRUMS

24035	
Weight	0.12 kg
Special features	noise and shock absorbing rubber inserts; no parts to lose; „RIMS“ suitable; microphone can be slid up to 70 mm on the mounting rail
Material	steel
Threaded connector	3/8"
Length	115 mm

Order No.
black 24035-300-55



TABLE CLAMP

237	
Weight	0.18 kg
Material	steel
Threaded connector	3/8"
Clamping range	up to 45 mm

Order No.
black 23700-300-55



MICROPHONE ARM

240/1	
Weight	0.94 kg
Material	steel
Threaded connector	3/8"
Boom arm	one-piece design
Boom arm clamping	T-bar locking screw
Boom arm length	605 mm
Height	340 mm
Clamping	locking screws
Clamping range	15 to 30 mm

Order No.
black 24010-314-55



MICROPHONE HOLDER

240/5	
Weight	0.45 kg
Special features	movable retaining clip; adjustable to any angle
Material	steel
Threaded connector	3/8"
Length	308 mm
Clamping range	up to 48 mm

Order No.
black 24050-311-55



TABLE MICROPHONE CLAMP

258	
Weight	0.8 kg
Material	steel
Threaded connector	3/8"
Rod combination	2-piece folding design
Height	from 560 to 1,020 mm
Clamping	locking screw
Clamping range	up to 48 mm
Swivel	360°

Order No.
black 25800-311-55



UNIVERSAL CLAMPING HOLDER

19715	
Weight	0.339 kg
Special features	to be attached to tubes up to 30 mm diameter; connects other accessories, such as boom arm, gooseneck, iPad holder, Tablet PC holder etc.; with 3/8" threaded connector
Material	steel
Max. load capacity	0.75 kg
Length	232 mm
Screw-on to	tube diameter up to 30 mm

Order No.	
black	19715-300-55

TABLE CLAMP

23720	
Weight	0.23 kg
Special features	includes threaded bolt and universal spanner; maximum 4 threaded bolts for 4 different directions can be applied
Material	steel
Threaded connector	3/8"
Clamping range	up to 48 mm

Order No.	
black 3/8"	23720-300-55

Accessories	Page
Threaded bolt 23721	212

THREADED BOLT

23721	
Weight	0.09 kg
Special features	to upgrade table clamp 23720 for additional applications
Material	steel
Male thread	1/4", 3/8" or 5/8"
Fits	23720

Order No.	
black passivated 1/4" x 31,5 mm	23721-100-25
black passivated 3/8" x 32,5 mm	23721-300-25
black passivated 5/8" x 34,5 mm	23721-500-25



CEILING STAND

22150	
Weight	1.1 kg
Material	steel
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Height	from 610 to 1,120 mm

Order No.

black 22150-300-55

CEILING STAND

22160	
Weight	1.3 kg
Material	steel
Threaded connector	3/8"
Height adjustment	clutch
Rod combination	2-piece folding design
Height	from 860 to 1,560 mm

Order No.

black 22160-300-55



MICROPHONE BAR

23510

Weight	0.2 kg
Special features	moveable bars on both sides to position the microphone; no parts to lose; connects to top of mic stands with 3/8" thread
Material	steel
Threaded connector	3/8"
Length	217 mm
Number of knurled screws	2 pieces

Order No.

black 23510-300-55

MICROPHONE BAR

23550

Weight	0.09 kg
Special features	no parts to lose; connects to top of mic stands with 3/8" thread
Material	aluminum
Threaded connector	3/8"
Length	200 mm
Number of knurled screws	2 pieces
Spacing of holes	from 60 to 172 mm

Order No.

black 23550-300-55

MICROPHONE BAR

236

Weight	0.4 kg
Special features	no parts to lose; connects to top of mic stands with 3/8" thread
Material	steel
Threaded connector	3/8"
Length	365 mm
Number of knurled screws	4 pieces

Order No.

black 23600-300-55



MICROPHONE BAR

23560

Weight	0.62 kg
Special features	connects to top of mic stands with 3/8" thread
Material	steel
Threaded connector	3/8"
Length	850 mm
Number of knurled screws	6 pieces

Order No.

black 23560-300-55

MICROPHONE HOLDER

238

Weight	0.18 kg
Special features	no parts to lose
Material	steel
Threaded connector	3/8"
Length	155 mm
Screw-on to	tube diameter up to 30 mm

Order No.

black 23800-300-55

CARRYING CASE

21315

Weight	2.38 kg
Special features	for 6 microphone stands; separate internal compartments prevent scratching and damage of the stands
Material	nylon
Dimensions	1,100 x 180 x 220 mm
Handle or carrying type	handle and shoulder straps
Fastener	zip fastener

Order No.

21315-000-00



CARRYING CASE

21421

Weight	0.34 kg
Special features	to store and transport two microphone stands; two inside compartments
Material	nylon
Dimensions	1,000 x 130 x 130 mm
Handle or carrying type	handle
Fastener	zip fastener
Fits	210/2, 210/6, 210/8, 210/9, 21060, 21070, 21080, 21333, 21334, 21336, 21337, 21347, 21356, 21357, 21360, 21364, 21367, 254, 25600, 27105, 27195

Order No.

21421-000-00





Professional carrying case for 6 microphone stands. Includes castors.

CARRYING CASE »SELECT«

NEW

21427	
Weight	4.7 kg
Special features	for 6 microphone stands; separate internal compartments prevent scratching and damage of the stands; castors included
Material	1680D Nylon fabric
Dimensions	1,110 x 350 x 370 mm
Handle or carrying type	handle
Fastener	zip fastener

Order No.

21427-000-00

Professional carrying case for 6 microphone stands. Includes castors for easy and comfortable transport. Case made of extremely durable 1680D nylon fabric. All seams hand-stitched in high quality. Padded carrying handles and a durable zipper are further quality features.

CARRYING CASE

26019	
Weight	0.18 kg
Special features	3 internal compartments and fixed Velcro strips provide maximum protection
Material	nylon
Dimensions	1,100 x 320 x 60 mm
Handle or carrying type	handle and shoulder straps
Fastener	zip fastener
Fits	260, 260/1, 260/1, 26010, 26045, 26075, 26085, 26125, 26150, 26200, 26250

Order No. _____
26019-000-00



SHEET MUSIC AND DOCUMENT HOLDER

11510	
Weight	1 kg
Special features	adjustable in angle and depth; high-quality, flexible clamp
Material	steel
Clamping range	up to 48 mm
Music desk dimensions	300 x 200 x 30 mm

Order No. _____
black 11510-000-55



SHEET MUSIC AND DOCUMENT HOLDER

115/2	
Weight	0.93 kg
Special features	adjustable in angle and depth
Material	steel
Screw-on to	tube diameter up to 30 mm
Music desk dimensions	300 x 210 x 30 mm

Order No. _____
black 11520-000-55



SHEET MUSIC AND DOCUMENT HOLDER

11540	
Weight	1.7 kg
Special features	large desk; adjustable in angle and depth
Material	clamping element aluminum with protective plastic inserts, steel desk
Screw-on to	tube diameter up to 30 mm
Music desk dimensions	420 x 300 x 30 mm

Order No. _____
black 11540-000-55



THREAD ADAPTER

215	
Weight	0.01 kg
Male thread	5/8" 27 gauge
Female thread	1/2" and 3/8"

Order No. _____
zinc-plated 21500-000-29



THREAD ADAPTER

216	
Weight	0.022 kg
Special features	with knurled surface
Male thread	3/8"
Female thread	5/8" 27 gauge

Order No. _____
zinc-plated 21600-000-29



THREAD ADAPTER

217

Weight	0.01 kg
Male thread	5/8" 27 gauge
Female thread	3/8"

Order No.

zinc-plated 21700-000-29



THREAD ADAPTER

218

Weight	0.03 kg
Special features	with knurled surface
Male thread	3/8"
Female thread	1/2"

Order No.

zinc-plated 21800-000-29



THREAD ADAPTER

219

Weight	0.036 kg
Special features	with knurled surface
Male thread	1/2"
Female thread	3/8"

Order No.

zinc-plated 21900-000-29



THREAD ADAPTER

21900

Weight	0.03 kg
Special features	goes into the threaded hole of the K&M 21231
Male thread	1/2"
Female thread	3/8"
Fits	21231

Order No.

zinc-plated 21900-208-29



THREAD ADAPTER

21918

Weight	0.03 kg
Special features	with knurled surface
Male thread	M8 x 12 mm
Female thread	3/8"

Order No.

zinc-plated 21918-000-29



THREAD ADAPTER

21920

Weight	0.03 kg
Special features	with knurled surface
Male thread	1/4" x 10 mm
Female thread	3/8"

Order No.

zinc-plated 21920-000-29



THREAD ADAPTER

21980	
Weight	0.04 kg
Special features	with a width across flats of 17
Male thread	M10 x 12 mm
Female thread	3/8"

Order No.
zinc-plated 21980-000-29



THREAD ADAPTER

85040	
Weight	0.01 kg
Material	plastic
Male thread	5/8" 27 gauge
Female thread	3/8"

Order No.
black 85040-000-55



THREAD ADAPTER

85045	
Weight	0.01 kg
Material	plastic
Male thread	5/8" 27 gauge
Female thread	3/8"

Order No.
black 85045-217-55



THREAD ADAPTER

21950	
Weight	0.09 kg
Material	steel
Dimensions diameter	25 x 50 mm
Male thread	M20
Female thread	M20 x 1.25 mm
Fits	26700, 26703-26705

Order No.
black 21950-000-25



UNIVERSAL JOINT

19695	
Weight	0.13 kg
Special features	incl. thread adapter 1/4" - 3/8"
Material	steel
Dimensions diameter	29 x 60 mm
Male thread	1/4" or 3/8"
Female thread	3/8" with thread adapter 1/4"

Order No.
black 1/4" male thread 19695-100-55
black 3/8" male thread 19695-300-55

For mobile recorders, cameras, etc.



MICROPHONE CLIP

85035	
Weight	0.03 kg
Special features	elastic mic support
Material	plastic
Threaded connector	3/8" and 5/8"
Microphone clip diameter	diameter 17-22 mm

Order No.
3/8" and 5/8" 85035-000-55
5/8" 85035-500-55



MICROPHONE CLIP

85050

Weight	0.03 kg
Special features	elastic mic support
Material	plastic
Threaded connector	3/8" and 5/8"
Microphone clip diameter	diameter 22-28 mm

Order No.

3/8" and 5/8"	85050-000-55
5/8"	85050-500-55



MICROPHONE CLIP

85055

Weight	0.04 kg
Special features	elastic mic support
Material	plastic
Threaded connector	3/8" and 5/8"
Microphone clip diameter	diameter 28-34 mm

Order No.

3/8" and 5/8"	85055-000-55
5/8"	85055-500-55



MICROPHONE CLIP

85060

Weight	0.06 kg
Special features	elastic mic support
Material	plastic
Threaded connector	3/8" and 5/8"
Microphone clip diameter	diameter 34-40 mm

Order No.

3/8" and 5/8"	85060-000-55
5/8"	85060-500-55



MICROPHONE CLIP

85070

Weight	0.04 kg
Special features	elastic mic support
Material	plastic
Threaded connector	3/8" and 5/8"
Microphone clip diameter	diameter 34-40 mm

Order No.

3/8" and 5/8"	85070-000-55
5/8"	85070-500-55



TABLE FLANGE

221 a

Weight	0.24 kg
Special features	threaded bolt with cable entry hole
Material	steel
Threaded connector	3/8"
Diameter	73 mm
Bore holes	diameter 5.2 mm (3 x)
Height	150 mm
Function	screw-on type

Order No.

black	22110-300-55
-------	--------------



TABLE FLANGE

221 c

Weight	0.16 kg
Special features	2 threads, for vertical and horizontal connection; threaded bolt with cable entry hole
Material	steel
Threaded connector	3/8"
Diameter	73 mm
Bore holes	diameter 5.2 mm (3 x)
Height	39 mm
Function	screw-on type

Order No.

black	22130-300-55
-------	--------------



TABLE FLANGE

221 d	
Weight	0.115 kg
Special features	threaded bolt with cable entry hole
Material	steel
Threaded connector	3/8"
Diameter	73 mm
Bore holes	diameter 5.2 mm (3 x)
Height	13 mm
Function	screw-on type

Order No.
black 22140-300-55



COUNTER WEIGHT

21105	
Weight	0.8 kg
Special features	used for heavy microphones
Material	steel
Diameter	46 mm
Height	60 mm
Suitable for	one-piece K&M boom arms with 3/8" thread or tube diameter 15 mm


Order No.
black 21105-000-55



EXTENSION ROD FOR MICROPHONE STANDS

20005	
Weight	0.34 kg
Diameter	15 mm
Tube end(s)	3/8" female thread, 3/8" male thread
Length	950 mm

Order No.
black 20005-300-55



BASE PLATE

NEW

26009	
Weight	4.4 kg
Special features	full circle anti-vibration rubber damping ring for noise filtration
Material	grey cast iron
Threaded connector	M20 x 1.25
Diameter	300 mm
Height	40 mm
Fits	26007

Order No.
structured black 26009-000-56



KNURLED WASHER

26004	
Weight	0.012 kg
Special features	to secure rod combination in the round base
Material	aluminum
Diameter	30 mm
Height	5 mm
Suitable for	M20 x 1.25 thread
Fits	233, 260, 260/1, 260/1, 26045, 26075, 26085

Order No.
26004-000-00



PICK HOLDER

14510	
Weight	0.06 kg
Special features	includes 4 picks of 0.81 mm thickness
Material	plastic
Length	147.5 mm

Order No.
black 14510-000-55



The pick holder has 2 sections. To store even more picks, more units can be linked.





Quick Release Adapter makes it easy to quickly switch microphones.

Switching of microphones in just one second - only by pressing the scored plastic handle.



QUICK-RELEASE ADAPTER FOR MICROPHONES

23910	
Weight	0.04 kg
Special features	incl. thread adapter 3/8" - 5/8"
Material	aluminum
Dimensions diameter	22.5 x 50.7 mm
Male thread	3/8" with thread adapter 5/8"
Female thread	5/8" with thread adapter 3/8"

Order No.

black	23910-000-55
-------	--------------

The König & Meyer Quick Release Adapter makes quickly switching of microphones or other accessories on stage or in studio easier. The adapter consists of two components. The lower section is screwed into the 3/8" or 5/8" microphone stand thread, and the upper section is screwed on using a 3/8" or 5/8" microphone clamp or holder or to other accessories. The lower section ensures the secure and flexible hold of the upper section through 8 punched bore holes. The upper section is used to remove or click the microphone into place using the quick-release adapter. By pressing the scored plastic handle on the upper section both sections can either be disconnected or clicked in place. The adapter is made of high-quality aluminum. A thread adapter is included with the delivery for 5/8" threading. Both adapter components can be left attached to the stand i.e. on the microphone/accessories.







SPEAKER, LIGHTING AND MONITOR STANDS

König & Meyer speaker, lighting and monitor stands set the standard in their class.

Reliability, stability and solidity are particularly important in this area: Nothing less than the safety of the musicians and the audience is at stake.

Intensive research into appropriate materials from among the highest-quality plastics available and the construction of highly durable connecting parts are just some of the individual steps in a long development process.

Our latest models from the "Ring Lock" series also prove that König & Meyer speaker stands aren't just exceptionally reliable, but also provide a big plus when it comes to practicality and handiness.



SPEAKER/MONITOR STAND

21420	BASELINE
Weight	1.32 kg
Special features	lightweight stand
Material	aluminum
Number of legs	3 pieces
Base diameter	1,200 mm
Leg construction	tube legs with cross braces
Height adjustment	clamping element with locking screw
Max. load capacity	12 kg
Tube end(s)	diameter 25 mm
Rod combination	2-piece folding design
Size when folded	1,060 mm
Height	from 1,265 to 2,105 mm

Order No.

black 21420-000-55

Accessories

	Page
Flange adapter 19665	250
Carrying case 21422	256

SPEAKER STAND

21450	BASELINE
Weight	2.35 kg
Special features	easy-to-use clamping levers; adapter sleeve 21326 included
Material	aluminum
Number of legs	3 pieces
Base diameter	1,150 mm
Leg construction	tube legs with cross braces
Height adjustment	clamping lever and safety pin
Max. load capacity	50 kg
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Size when folded	1,060 mm
Height	from 1,270 to 1,930 mm

Order No.

anodized aluminum 21450-000-30
black 21450-000-55

Accessories

	Page
Carrying case 21311	255
Carrying case »Pro« 21312	256
Carrying case 21316	256

SPEAKER STAND PACKAGE

21459	BASELINE
Weight	6.01 kg
Special features	2 x K&M Speaker Stand 21450 in a Carrying Case

Order No.

black 21459-000-55



SPEAKER STAND PACKAGE

21449	BASELINE
Weight	6.01 kg
Special features	2 x K&M speaker stand in a carrying case; easy-to-use clamping lever; patented gradual height adjustment system; adapter sleeve 21326 included
Material	aluminum
Number of legs	3 pieces
Leg construction	tube legs with cross braces
Height adjustment	locking screw with push-button system
Max. load capacity	50 kg
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Height	from 1,270 to 1,930 mm

Order No.
black 21449-000-55

SPEAKER STAND

19500	TOPLINE
Weight	6.5 kg
Special features	particularly useful when space is restricted; folds flat; integrated shock absorber
Material	steel
Number of legs	4 pieces
Base diameter	950 mm
Leg construction	collapsible square tube legs
Height adjustment	spring-loaded bolt and locking screw
Max. load capacity	50 kg
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Size when folded	1,075 x 125 x 125 mm
Height	from 1,240 to 1,940 mm

Order No.
black 19500-011-55

Accessories	Page
Carrying case 21311	255
Carrying case 21316	256

SPEAKER STAND

21435	TOPLINE
Weight	5.91 kg
Special features	patented gradual height adjustment system; integrated shock absorber; mounting aid included
Material	steel
Number of legs	3 pieces
Base diameter	1,150 mm
Leg construction	tube legs with cross braces
Height adjustment	locking screw with push-button system
Max. load capacity	50 kg
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Size when folded	1,150 mm
Height	from 1,440 to 2,230 mm

Order No.
black 21435-009-55

Accessories	Page
Carrying case 21311	255
Carrying case »Pro« 21312	256
Carrying case 21316	256
Leveling leg for speaker stand 21445	254
Mounting aid	

GS-approved for loads up to 35 kg



SPEAKER STAND

21436	TOPLINE
Weight	3.5 kg
Special features	lightweight stand; patented gradual height adjustment system; integrated shock absorber; steel extension tube; mounting aid included
Material	aluminum
Number of legs	3 pieces
Base diameter	1,150 mm
Leg construction	tube legs with cross braces
Height adjustment	locking screw with push-button system
Max. load capacity	40 kg
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Size when folded	1,150 mm
Height	1,440 to 2,230 mm

Order No.
black 21436-009-55


Accessories	Page
Carrying case 21311	255
Carrying case »Pro« 21312	256
Carrying case 21316	256
Leveling leg for speaker stand 21445	254

SPEAKER STAND

21455	TOPLINE
Weight	3.3 kg
Special features	lightweight stand; steel extension tube; integrated shock absorber; for low to medium height applications
Material	aluminum
Number of legs	3 pieces
Base diameter	730 mm
Leg construction	tube legs with double cross braces
Height adjustment	spring-loaded bolt and locking screw
Max. load capacity	40 kg
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Size when folded	860 mm
Height	from 1,005 to 1,545 mm

Order No.
black 21455-009-55

Accessories	Page
Carrying case 18846	156



TÜV type approved for loads up to 40 kg





TÜV type approved
for loads up to 50 kg

Worldwide
accepted
heavy-duty
aluminum stand

Mounting aid



Height adjustment with
spring-loaded bolt and
locking screw

SPEAKER STAND

214/6
TOPLINE

Weight	4.3 kg
Special features	lightweight stand; steel extension tube; integrated shock absorber; gradual height adjustment system; zinc die-cast connecting parts; mounting aid included
Material	aluminum
Number of legs	3 pieces
Base diameter	1,320 mm
Leg construction	tube legs with double cross braces
Height adjustment	spring-loaded bolt and locking screw
Max. load capacity	50 kg
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Size when folded	1,170 mm
Height	1,375 to 2,185 mm

Order No.

black	21460-009-55
pure white	21460-009-76
silver	21460-009-81

Worldwide accepted: the speaker stand 214/6 - robust and sturdy. All clamps high quality zinc die-cast. The leg construction and large fixed foot end caps enhance safety and stability. This professional stand is TÜV (German Technical Supervisory Agency) approved for a maximum central load capacity of 50 kg. Other features are the pull-out guard for the extension tube, the integral anti-shock component and comfortable height adjustment with spring-loaded bolt and locking screw. Comes with a mounting aid on the extension rod.

Accessories

Accessories	Page
Carrying case 21311	255
Carrying case 21316	256
Leveling leg for speaker stand 21445	254



SPEAKER STAND

26750	TOPLINE
Weight	8.34 kg
Special features	speaker will be fixed with flange adapter
Material	steel
Base diameter	450 mm
Leg construction	round cast-iron base
Height adjustment	locking screw and safety pin
Max. load capacity	35 kg
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Height	from 950 to 1,430 mm

Order No.

black 26750-000-55

Accessories

Page

Carrying case 21422	256
Carrier bag for round base 26751	256

SPEAKER STAND

26734	TOPLINE
Weight	12.85 kg
Special features	speaker will be fixed with flange adapter; mounting aid included
Material	steel
Leg construction	cast-iron base
Height adjustment	spring-loaded bolt and locking screw
Max. load capacity	20 kg
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Base dimensions	480 x 480 mm
Height	from 1,100 to 1,810 mm

Order No.

black 26734-000-55

Accessories

Page

Carrying case 21422	256
Carrying case for base plate 24627-24629	256

SPEAKER STAND

26735	TOPLINE
Weight	10 kg
Special features	speaker will be fixed with flange adapter; mounting aid included
Material	steel
Base diameter	450 mm
Leg construction	round cast-iron base
Height adjustment	spring-loaded bolt and locking screw
Max. load capacity	20 kg
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Height	from 1,100 to 1,810 mm

Order No.

black 26735-000-55
pure white 26735-000-76

Accessories

Page

Carrying case 21422	256
Carrier bag for round base 26751	256



Mounting aid



Height adjustment with spring-loaded bolt and locking screw

Can be extended to 1.81 m




Mounting aid



Height adjustment with spring-loaded bolt and locking screw





Heavy-duty stand

Easy-to-use



TÜV type approved
for loads up to 50 kg.

SPEAKER STAND

213

Weight	8.57 kg
Special features	push-button system and hand crank avoid uncontrolled reverse motion; locking screw provides additional safety; zinc die-cast connecting parts
Material	steel
Number of legs	3 pieces
Base diameter	1,320 mm
Leg construction	tube legs with double cross braces
Height adjustment	hand crank with push-button system and locking screw
Max. load capacity	50 kg
Tube end(s)	diameter 35 mm, integrated threaded bush M10 for crossbars
Rod combination	2-piece folding design
Size when folded	1,170 mm
Height	from 1,385 to 2,180 mm

Order No.

black 21300-009-55

A high quality professional speaker stand.

Infinitely variable height adjustment is easy and comfortable with its hand crank system.

A push-button prevents uncontrolled reverse motion. An additional locking screw guarantees extra safety. The extremely stable stand is TÜV (German Technical Supervisory Agency) approved for a maximum central weight of 50 kg.

Accessories

Accessories	Page
Carrying case 21311	255
Carrying case »Pro« 21312	256
Carrying case 21316	256
Leveling leg for speaker stand 21445	254

**SPEAKER STAND**

21302	STARLINE
Weight	7.65 kg
Special features	push-button system and hand crank avoid uncontrolled reverse motion; locking screw provides additional safety; plastic connecting parts
Material	steel
Number of legs	3 pieces
Base diameter	1,150 mm
Leg construction	tube legs with cross braces
Height adjustment	hand crank with push-button system and locking screw
Max. load capacity	40 kg
Tube end(s)	diameter 35 mm, integrated threaded bush M10 for crossbars
Rod combination	2-piece folding design
Size when folded	1,170 mm
Height	1,385 to 2,180 mm

SPEAKER STAND WITH PNEUMATIC SPRING

21463	STARLINE
Weight	6 kg
Special features	pneumatic spring with 25 kg power, for easy and safely lift up of speakers; lightweight stand; steel extension tube; gradual height adjustment system; zinc die-cast connecting parts; mounting aid included
Material	aluminum
Number of legs	3 pieces
Base diameter	1,320 mm
Leg construction	tube legs with double cross braces
Height adjustment	spring-loaded bolt and locking screw
Max. load capacity	50 kg
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Size when folded	1,170 mm
Height	from 1,395 to 2,145 mm

Order No.

black 21302-009-55

Accessories

Accessories	Page
Carrying case 21311	255
Carrying case »Pro« 21312	256
Carrying case 21316	256
Leveling leg for speaker stand 21445	254

Order No.

black 21463-000-55

Accessories

Accessories	Page
Carrying case 21311	255
Carrying case »Pro« 21312	256
Carrying case 21316	256
Leveling leg for speaker stand 21445	254

TÜV type approved for loads up to 40 kg



Heavy-duty stand

Easy-to-use



Spring-loaded bolt and locking screw

TÜV type approved for loads up to 50 kg



Pneumatic spring with 25 kg power

p13e.k-m.de
Product video

SPEAKER STAND »RING LOCK«

21467

STARLINE

Weight	5.2 kg
Special features	further development of 214/6; lightweight stand; steel extension tube; patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints
Material	aluminum
Number of legs	3 pieces
Base diameter	1,320 mm
Leg construction	tube legs with double cross braces
Height adjustment	spring-loaded bolt and locking screw
Max. load capacity	50 kg
Tube end(s)	»Ring Lock« diameter 35 to 37 mm
Rod combination	2-piece folding design
Size when folded	1,160 mm
Height	1,370 to 2,170 mm

Order No.

black

21467-000-55

An exceptional aluminum speaker stand with a unique patented expanding mandrel system that provides a stable, tight and firm fit for speakers. The movable plastic splints provide for a vibration-free connection between the rod and the speaker. Connecting the speaker is easy and is done using the handy Ring Lock - which is simply placed in position and screwed on. The height is adjusted by an easy-to-use spring-loaded bolt and locking screw. Double foot struts, zinc die cast clamping brackets and large end caps provide for highest degree of stand stability. It can't get any better than this!

Accessories

Accessories	Page
Carrying case 21311	255
Carrying case »Pro« 21312	256
Carrying case 21316	256
Leveling leg for speaker stand 21445	254



Easy-to-use
Ring Lock system;
Tight and firm fit
for the speaker



TÜV type approved
for loads up to 50 kg



SPEAKER STAND »RING LOCK«

26737	STARLINE
Weight	10 kg
Special features	patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints
Material	steel
Base diameter	450 mm
Leg construction	round cast-iron base
Height adjustment	spring-loaded bolt and locking screw
Max. load capacity	20 kg
Tube end(s)	»Ring Lock« diameter 35 to 37 mm
Rod combination	2-piece folding design
Height	from 1,125 to 1,810 mm

Order No.

black 26737-000-55

Accessories

Page

Carrying case 21422 256
Carrier bag for round base 26751 256

Easy-to-use Ring Lock system



Tight and firm fit for the speaker



Height adjustment with spring-loaded locking screw and safety bolt



TABLE MONITOR STAND

26772	TOPLINE
Weight	3.1 kg
Special features	4 rubber pads each for floor and tray provide for stability and noise filtration
Material	steel
Leg construction	flat steel plate
Height adjustment	continuous
Max. load capacity	15 kg
Bearing plate	150 x 170 mm
Base dimensions	214 x 214 mm
Height	from 167 to 254 mm

Order No.

structured black 26772-000-56

Attractive table stand for studio monitors and loudspeakers. The height adjustment is variable between 167 and 254 mm. 4 rubber pads each for floor and tray provide for stability and noise filtration. The recommended max. load is 15 kg. The support area (tray) dimensions are 150 x 170 mm.





TABLE MONITOR STAND

26774	TOPLINE
Weight	4.96 kg
Special features	4 rubber pads each for floor and tray provide for stability and noise filtration
Material	steel
Leg construction	flat steel plate
Height adjustment	continuous
Max. load capacity	15 kg
Bearing plate	230 x 250 mm
Base dimensions	290 x 295 mm
Height	from 167 to 254 mm

Order No.

structured black 26774-000-56

MONITOR STAND

26720	TOPLINE
Weight	5.35 kg
Special features	internal cable routing possible; support plate with rubber bumps; for stationary use
Material	steel
Number of legs	3 pieces
Leg construction	fixed screw-in legs
Height adjustment	locking screw and safety pin
Max. load capacity	35 kg
Rod combination	2-piece folding design
Bearing plate	245 x 205 mm
Height	from 680 to 1,140 mm

Order No.

black 26720-000-55

MONITOR STAND

26740	TOPLINE
Weight	10.16 kg
Special features	direct attachment of monitors with 3/8" threaded joint (thread length 12 mm) possible; support plate with 4 thread points and 4 rubber knobs; for stationary use
Material	steel
Base diameter	450 mm
Leg construction	round cast-iron base
Height adjustment	locking screw and safety pin
Max. load capacity	35 kg
Rod combination	2-piece folding design
Bearing plate	245 x 205 mm
Height	from 950 to 1,430 mm

Order No.

black 26740-000-55

Accessories

Page

Carrier bag for round base 26751 256



MONITOR STAND

26754	TOPLINE
Weight	6.8 kg
Special features	with tiltable tray; additional stop angle; gradual height adjustment
Material	steel
Base diameter	600 mm
Leg construction	3-legged steel base
Height adjustment	10 different positions
Max. load capacity	35 kg
Rod combination	2-piece folding design
Bearing plate	250 x 230 mm
Height	from 800 to 1,300 mm
Angle of inclination	0° to 12.5°

Order No.

black

26754-000-55



The modern studio monitor stand with a tiltable tray and a metal tripod base provides for stability and functionality. The three felt pads ensure noise filtration. The adjustments for the monitor tray include a 12.5° angle and 45 mm in depth. The stop angle of the tray provides additional safety. The height is adjusted by a clamping lever and ranges from 800 to 1300 mm. The gradual height adjustment to the desired positions takes place in 50 mm intervals.



PROJECTOR TRAY

26747	TOPLINE
Weight	3.08 kg
Special features	for projectors, monitors and for other equipment
Material	steel
Bearing plate	420 x 380 mm
Function	to slip on stand
Suitable for tubing diameter of	35 mm

Order No.

black	26747-000-55
-------	--------------

DESIGN MONITOR STAND

26785	STARLINE
Weight	12.8 kg
Special features	for the Genelec 8000 monitor series; quick, uncomplicated mounting of the monitor is accomplished using the suspension device; gradual height adjustment system
Material	steel
Leg construction	cast-iron base
Height adjustment	spring-loaded clamping knob
Rod combination	2-piece folding design
Base dimensions	420 x 420 mm
Height	from 1,100 to 1,700 mm

Order No.

structured black	26785-018-56
------------------	--------------

DESIGN MONITOR STAND

NEW

26791	STARLINE
Weight	16.73 kg
Special features	gradual height adjustment system
Material	steel
Leg construction	cast-iron base
Height adjustment	spring-loaded clamping knob
Rod combination	2-piece folding design
Base dimensions	480 x 480 mm
Height	from 644 to 1,044 mm

Order No.

structured black	26791-000-56
------------------	--------------

Accessories

	Page
Bearing plate 26792	239
Adapter 26793	239



Cables can be placed inside

DESIGN MONITOR STAND

26795	STARLINE
Weight	17.5 kg
Special features	gradual height adjustment system
Material	steel
Leg construction	cast-iron base
Height adjustment	spring-loaded clamping knob
Rod combination	2-piece folding design
Base dimensions	480 x 480 mm
Height	from 794 to 1,344 mm

Order No.	
structured black	26795-018-56

Accessories	Page
Bearing plate 26792	239
Adapter 26793	239

BEARING PLATE

26792	STARLINE
Weight	4 kg
Special features	available in 3 different sizes; 4 spikes and 4 rubber knobs included
Material	steel
Fits	26791, 26795

Order No.	
structured black, 240 x 5 x 200 mm, 1.924 kg	26792-024-56
structured black, 320 x 5 x 280 mm, 3.582 kg	26792-032-56
structured black, 420 x 5 x 380 mm, 6.352 kg	26792-042-56

ADAPTER

26793	STARLINE
Weight	0.312 kg
Special features	2 fastening screws included
Material	steel
Max. load capacity	50 kg
Height	85 mm
Function	screw-on type
Suitable for tubing diameter of	35 mm
Fits	26791, 26795

Order No.	
black	26793-000-56





ADAPTER BOLT

19683	
Weight	0.4 kg
Material	steel
Tube end(s)	diameter 35 mm, threaded bolt M20
Height	50 mm

Order No.

zinc-plated 19683-000-29

Accessories

Page

Connector plate 24116	249
Base plate 26700	249
Base plate 26703-26705	248

ADAPTER BOLT

21324	
Weight	0.18 kg
Material	aluminum
Tube end(s)	diameter 35 mm, threaded bush M20
Height	75 mm
Fits	21334, 21337, 21339, 21340, 21347, 21357, 21364, 21367, 21368, 26736

Order No.

black 21324-000-55

ADAPTER

21329	
Weight	0.6 kg
Material	steel
Tube end(s)	threaded bush M20, threaded bolt M20
Height	250 mm

Order No.

black 21329-025-55



EXTENSION ROD

213/3	
Weight	1.76 kg
Material	steel
Tube end(s)	threaded bush M10, threaded bolt M10
Height	990 mm

Order No.

black	21330-900-55
-------	--------------

DISTANCE ROD

21333	
Weight	0.72 kg
Material	steel
Tube end(s)	diameter 35 mm
Height	745 mm

Order No.

black	21333-000-55
-------	--------------

Accessories

Carrying case 21421	215
---------------------	-----

Page**DISTANCE ROD**

21334	
Weight	1.14 kg
Special features	for precise fit
Material	steel
Tube end(s)	diameter 35 mm, threaded bolt M20

Order No.

black, 880 mm	21334-000-55
black, 500 mm	21334-050-55

Accessories

Accessories	Page
Carrying case 21421	215
Adapter bolt 21324	240
Connector plate 24116	249
Base plate 26700	249
Base plate 26703-26705	248



**DISTANCE ROD****21336**

Weight	2.25 kg
Special features	mounting aid included
Material	steel
Height adjustment	spring-loaded bolt and locking screw
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Height	from 945 to 1,475 mm

Order No.

black 21336-000-55

Accessories**Page**

Carrying case 21421 215

DISTANCE ROD**21337**

Weight	2.5 kg
Special features	for precise fit; mounting aid included
Material	steel
Height adjustment	spring-loaded bolt and locking screw
Tube end(s)	diameter 35 mm, threaded bolt M20
Rod combination	2-piece folding design
Height	from 905 to 1,450 mm

Order No.black 21337-000-55
pure white 21337-000-76**Accessories****Page**Carrying case 21421 215
Adapter bolt 21324 240
Connector plate 24116 249
Base plate 26700 249
Base plate 26703-26705 248**DISTANCE ROD****26736**

Weight	2.85 kg
Special features	for precise fit; mounting aid included
Material	steel
Height adjustment	spring-loaded bolt and locking screw
Tube end(s)	diameter 35 mm, threaded bolt M20
Rod combination	2-piece folding design
Height	from 1,085 to 1,785 mm

Order No.black 26736-000-55
pure white 26736-000-76**Accessories****Page**Carrying case 21422 256
Adapter bolt 21324 240
Connector plate 24116 249
Base plate 26700 249
Base plate 26703-26705 248

Mounting aid



Height adjustment with spring-loaded bolt and locking screw



Mounting aid



Height adjustment with spring-loaded locking screw and safety bolt



Mounting aid



Height adjustment with spring-loaded locking screw and safety bolt



DISTANCE ROD WITH HAND CRANK

21338	
Weight	3.5 kg
Special features	push-button system and hand crank avoid uncontrolled reverse motion; locking screw provides additional safety
Material	steel
Height adjustment	hand crank with push-button system and locking screw
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Height	from 1,040 to 1,605 mm

Order No.

black 21338-000-55

Accessories

Carrying case 18851

Page

156

DISTANCE ROD WITH HAND CRANK

21339	
Weight	3.98 kg
Special features	push-button system and hand crank avoid uncontrolled reverse motion; locking screw provides additional safety; M20 bolt for precise and vertical fit
Material	steel
Height adjustment	hand crank with push-button system and locking screw
Tube end(s)	diameter 35 mm, threaded bolt M20
Rod combination	2-piece folding design
Height	from 940 to 1,505 mm

Order No.

black 21339-000-55

Accessories

Universal carrying case 15043

Carrying case 18851

Adapter bolt 21324

Connector plate 24116

Base plate 26700

Base plate 26703-26705

Page

83

156

240

249

249

248



DISTANCE ROD WITH HAND CRANK AND »RING LOCK«

21340	
Weight	3.8 kg
Special features	patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints; push-button system and hand crank avoid uncontrolled reverse motion; locking screw provides additional safety; M20 bolt for precise and vertical fit
Material	steel
Height adjustment	hand crank with push-button system and locking screw
Tube end(s)	»Ring Lock« diameter 35 to 37 mm, threaded bolt M20
Rod combination	2-piece folding design
Height	from 920 to 1,520 mm

Order No.
black 21340-000-55

Accessories	Page
Carrying case 15043	83
Carrying case 18851	156
Adapter bolt 21324	240
Connector plate 24116	249
Base plate 26700	249
Base plate 26703-26705	248



Easy-to-use Ring Lock system

Tight and firm fit for the satellite speaker

DISTANCE ROD

21347	
Weight	2.19 kg
Special features	M20 bolt for precise and vertical fit
Material	steel
Height adjustment	locking screw and safety pin
Tube end(s)	diameter 35 mm, threaded bolt M20
Rod combination	2-piece folding design
Height	from 905 to 1,385 mm

Order No.
black 21347-000-55

Accessories	Page
Carrying case 21421	215
Adapter bolt 21324	240
Connector plate 24116	249
Base plate 26700	249
Base plate 26703-26705	248


DISTANCE ROD

21348	
Weight	2.12 kg
Special features	with additional levelling adapter for a clearance-free fit
Material	steel
Height adjustment	locking screw and safety pin
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Height	from 970 to 1,490 mm

Order No.
black 21348-000-55

Accessories	Page
Carrying case 21422	256



DISTANCE ROD WITH PNEUMATIC SPRING**21356**

Weight	3.01 kg
Special features	pneumatic spring with 17 kg power, for easy and safely lift up of speakers; gradual height adjustment system; mounting aid included
Material	steel
Height adjustment	spring-loaded bolt and locking screw
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Height	from 1,025 to 1,545 mm

Order No.

black 21356-000-55

Accessories**Page**

Carrying case 21421

215

DISTANCE ROD WITH PNEUMATIC SPRING**21357**

Weight	3.01 kg
Special features	for precise fit; pneumatic spring with 17 kg power, for easy and safely lift up of speakers; gradual height adjustment system; mounting aid included
Material	steel
Height adjustment	spring-loaded bolt and locking screw
Tube end(s)	diameter 35 mm, threaded bolt M20
Rod combination	2-piece folding design
Height	from 925 to 1,445 mm

Order No.

black 21357-000-55

Accessories**Page**

Carrying case 21421

215

Adapter bolt 21324

240

Connector plate 24116

249

Base plate 26700

249

Base plate 26703-26705

248

Mounting aid



Height adjustable with spring-loaded bolt and locking screw

Integrated 17 kg **pneumatic spring**

Mounting aid



Height adjustable with spring-loaded bolt and locking screw

Integrated 17 kg **pneumatic spring**

DISTANCE ROD »RING LOCK«**21360**

Weight	1.15 kg
Special features	patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints
Material	steel
Tube end(s)	»Ring Lock« diameter 35 to 37 mm
Height	750 mm

Order No.

black 21360-000-55

Accessories**Page**

Carrying case 21421

215

Easy-to-use Ring Lock system



Tight and firm fit for the base and satellite speaker



DISTANCE ROD »RING LOCK«

21364	
Weight	1.33 kg
Special features	patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints; M20 bolt for precise and vertical fit
Material	steel
Rohrende(n)	»Ring Lock« diameter 35 to 37 mm, threaded bolt M20
Height	880 mm

Order No.

black 21364-000-55

Accessories

Page

Carrying case 21421	215
Adapter bolt 21324	240
Connector plate 24116	249
Base plate 26700	249
Base plate 26703-26705	248

DISTANCE ROD »RING LOCK«

21366	
Weight	2.9 kg
Special features	patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints
Material	steel
Height adjustment	spring-loaded bolt and locking screw
Tube end(s)	»Ring Lock« diameter 35 to 37 mm
Rod combination	2-piece folding design
Height	from 980 to 1,470 mm

Order No.

black 21366-014-55

Accessories

Page

Carrying case 21422	256
---------------------	-----



Tight and firm fit for the speaker

Easy-to-use Ring Lock system



Tight and firm fit for the speaker



Easy-to-use
Ring Lock system

Tight and firm fit
for the satellite
speaker



DISTANCE ROD »RING LOCK«

21367

Weight	2.76 kg
Special features	patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints; M20 bolt for precise and vertical fit
Material	steel
Height adjustment	spring-loaded bolt and locking screw
Tube end(s)	»Ring Lock« diameter 35 to 37 mm, threaded bolt M20
Rod combination	2-piece folding design
Height	from 890 to 1,380 mm

Order No.

black 21367-014-55

This high quality, height adjustable distance rod is a guarantee for a secure, stable and quiet connection to satellite systems. The height is adjusted by an easy-to-use spring-loaded bolt and locking screw. The distance rod is connected to the subwoofer using the M20 threaded bolt. The unique patented expanding mandrel system provides a stable, tight and firm fit for satellite speakers. The movable plastic splints provide for a vibration-free connection between the rod and the speaker. Connecting the speaker is easy and is done using the handy Ring Lock - which is simply placed in position and screwed on.

Accessories

Accessories	Page
Carrying case 21421	215
Adapter bolt 21324	240
Connector plate 24116	249
Base plate 26700	249
Base plate 26703-26705	248



DISTANCE ROD »RING LOCK«

21368	
Weight	3.2 kg
Special features	patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints; M20 bolt for precise and vertical fit
Material	steel
Height adjustment	spring-loaded bolt and locking screw
Tube end(s)	»Ring Lock« diameter 35 to 37 mm, threaded bolt M20
Rod combination	2-piece folding design
Height	from 1,100 to 1,800 mm

Order No.

black	21368-000-55
-------	--------------

Accessories

Page

Adapter bolt 21324	240
Connector plate 24116	249
Base plate 26700	249
Base plate 26703-26705	248

Easy-to-use Ring Lock system



Tight and firm fit for the satellite speaker

Height adjustment with spring-loaded locking screw and safety bolt



BASE PLATE

26703-26705	
Weight	13.5 kg
Special features	heavy, flat steel plate; includes a practical integrated handle and a cable management
Material	steel
Dimensions	550 x 550 x 27.3 mm
Threaded connector	M20
Fits	19683, 21334, 21337, 21339, 21340, 21347, 21357, 21364, 21367, 21368, 26007, 26736

Order No.

structured black, dimension: 410 x 410 x 27.3 mm, weight: 7 kg	26703-000-56
structured black, dimension: 480 x 480 x 27.3 mm, weight: 10 kg	26704-000-56
structured black, dimension: 550 x 550 x 27.3 mm, weight: 13.5 kg	26705-000-56
pure white, dimension: 550 x 550 x 27.3 mm, weight: 13.5 kg	26705-000-76

Accessories

Page

Thread adapter 21950	219
Carrying case for base plate 24627-24629	256



With integrated handle and cable management

For all common distance rods and tube combinations with M20 threaded bolts

BASE PLATE

26700	
Weight	6.7 kg
Special features	Felt strips for floor protection are included
Material	grey cast iron
Diameter	450 mm
Height	21 mm
Threaded connector	M20
Fits	19683, 21334, 21337, 21339, 21340, 21347, 21357, 21364, 21367, 21368, 26007, 26736

Order No.

structured black	26700-000-56
pure white	26700-000-76

Accessories**Page**

Thread adapter 21950	219
Carrier bag for round base 26751	256

CONNECTOR PLATE

24116	
Weight	0.24 kg
Material	Zinkdruckguss Sockel
Bore holes	diameter 6.5 mm (4 x)
Function	to screw on speakers
Diameter	105 mm
Height	25 mm
Threaded connector	M20
Fits	19683, 21334, 21337, 21339, 21340, 21347, 21357, 21364, 21367, 21368, 26736

Order No.

black	24116-000-55
-------	--------------



For all common distance rods and tube combinations with M20 threaded bolts

**MOUNTING ADAPTER**

195/8	
Weight	0.68 kg
Material	steel
Max. load capacity	50 kg
Dimensions	175 x 110 x 104 mm
Bore holes	35 x 9.5 mm (2 x)
Function	to screw on speakers, to slip on stand
Spacing of holes	from 100 to 152 mm
Suitable for tubing diameter of	35 mm

Order No.

black	19580-000-55
pure white	19580-000-76

**FLANGE ADAPTER**

19654	
Weight	0.077 kg
Material	plastic
Bore holes	diameter 6.5 mm (4 x)
Function	to screw into speaker, to slip on stand
Suitable for tubing diameter of	35 mm
Installation depth	60.5 mm
Flange	diameter 105 mm

Order No.

black	19654-000-55
-------	--------------

**FLANGE ADAPTER**

19656	
Weight	0.34 kg
Material	Zinkdruckguss Sockel
Bore holes	diameter 6.5 mm (4 x)
Function	to screw into speaker, to slip on stand
Suitable for tubing diameter of	35 mm
Installation depth	75 mm
Flange	diameter 105 mm

Order No.

black	19656-000-55
-------	--------------

**FLANGE ADAPTER**

19665	
Weight	0.38 kg
Material	steel
Bore holes	diameter 6.5 mm (4 x)
Function	to screw into speaker, to slip on stand
Suitable for tubing diameter of	25 mm
Installation depth	78 mm
Flange	diameter 105 mm
Fits	21420

Order No.

black	19665-000-55
-------	--------------

**SCREW-ON ADAPTER**

24281	
Weight	0.56 kg
Special features	secured by locking screw; mounting bolts M10 x 40 mm, washers and nuts (2 of each) included
Material	steel
Dimensions	146 x 40 x 105 mm
Bore holes	diameter 11 mm (2 x)
Function	to screw on speakers, to slip on stand
Spacing of holes	115 mm
Suitable for tubing diameter of	35 mm

Order No.

black	24281-000-55
-------	--------------



SPEAKER TILT CONNECTOR

19670	
Weight	0.67 kg
Special features	secured by locking screws; with setting scale
Material	steel
Max. load capacity	25 kg
Height	230 mm
Angle of inclination	0° to 15°
Function	to slip on stand, to insert into speaker
Suitable for tubing diameter of	35 mm

Order No.
black 19670-000-55

SPEAKER TILT CONNECTOR »RING LOCK«

19674	
Weight	0.85 kg
Special features	patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints; secured by locking screws; with setting scale
Material	steel
Max. load capacity	25 kg
Tube end(s)	»Ring Lock« diameter 35 to 37 mm
Height	300 mm
Angle of inclination	0° to 15°
Function	to slip on stand, to insert into speaker
Suitable for tubing diameter of	35 mm

Order No.
black 19674-000-55

SPEAKER MOUNT

19688	
Weight	0.36 kg
Special features	to hold a JBL Control 1 speaker; incl. thread adapter 5/8" - 3/8"
Material	steel
Swivel	250°
Suitable for	3/8" and 5/8" thread

Order No.
black 19688-300-55



Setting scale



Easy-to-use Ring Lock system



INCLINABLE STAND ADAPTER

19780	
Weight	0.55 kg
Special features	assembly is easy as the swivel mount is first attached to the stand and then slotted into the bracket; tiltable
Material	steel
Max. load capacity	15 kg
Height	80 mm
Angle of inclination	0° to 30°
Function	to slip on stand
Suitable for tubing diameter of	35 mm

Order No.

black	19780-018-55
pure white	19780-018-76

Accessories

Accessories	Page
Adapter panel 1 24352	262
Adapter panel 2 24354	262
Adapter panel 3 24356	263
Adapter panel 4 24357	263
Adapter panel 5 24358	263
Adapter panel 6 24359	263

ADAPTER SLEEVE »RING LOCK«

21441	
Weight	0.66 kg
Special features	patented expanding mandrel system »Ring Lock«; vibration-free connection due to moveable plastic splints; secured by locking screw
Material	steel
Tube end(s)	»Ring Lock« diameter 35 to 37 mm
Height	270 mm
Function	to slip on stand, to insert into speaker
Suitable for tubing diameter of	35 mm

Order No.

black	21441-000-55
-------	--------------

ADAPTER SLEEVE

21326	
Weight	0.01 kg
Special features	for speaker flanges with inside tube diameter 38 mm
Material	plastic
Height	102 mm
Function	to slip on stand
Suitable for tubing diameter of	35 mm

Order No.

black	21326-000-55
-------	--------------

Easy-to-use
Ring Lock system



Tight and firm fit for
the speaker



LEVELLING ADAPTER

85890

Weight	0.01 kg
Special features	for distance rods; for a wobble-free fit; two adapter rings, one at each side of the rod, should be used with a satellite system
Material	plastic
Suitable for tubing diameter of	35 mm
Diameter	42 mm
Height	14.5 mm

Order No.

black (unit: 2 pcs.) 85890-000-55





Allows a height adjustment of max. 200 mm

If the surface is even or for transport simply leave the adapter on the speaker foot

Leveling leg for placement on uneven surfaces (stairs, steps etc.)



LEVELING LEG FOR SPEAKER STAND

21445	
Weight	0.7 kg
Special features	with the help of this adapter you can easily balance out uneven surfaces, stairs, steps or sloped surfaces; allows a height adjustment of max. 200 mm; if the surface is even, you simply leave the adapter in the initial position on the speaker foot
Material	steel
Suitable for tubing diameter of	35 mm
Diameter	40 mm
Height	647 mm
Fits	213, 21302, 214/6, 21435, 21436, 21463, 21467, 24630

Order No.

black 21445-000-55

Adapt your speaker stand to the respective stage, studio or rehearsal room using this leveling leg - a useful supplement for the following König & Meyer speaker stands:

1300-009-55, 21302-009-55, 21435-009-55, 21436-009-55, 21460-009-55, 21460-009-76, 21460-009-81, 21463-000-55, 21467-000-55 and 24630-009-55. With the help of this adapter you can easily level uneven surfaces, stairs, steps or sloped surfaces. The leveling leg is attached to one of the speaker feet and set using a clamping bracket. The required leveling length is variable and allows a height adjustment of max. 200 mm. If the surface is even, you simply leave the adapter in the initial position on the speaker foot.

SPEAKER MOUNTING FORK

24105	
Weight	1.48 kg
Special features	for 2 speakers; secured by locking screw; for loads up to 2 x 25 kg
Material	steel
Mounting bolt	diameter 35 mm x 120 mm
Function	to slip on stand
Suitable for tubing diameter of	35 mm
Width-adjustable	from 310 to 490 mm

Order No.

black 24105-000-55

**SAFETY RING**

213/1	
Weight	0.117 kg
Material	aluminum
Suitable for tubing diameter of	36 mm
Diameter	52 mm
Height	35 mm

Order No.

black 21310-000-55

**WARNING STRIP**

21402	
Weight	0.08 kg
Special features	reflective collar; yellow/black stripes printed with „CAUTION“
Material	nylon
Dimensions	600 x 175 mm
Mounting	leg of the stand with velcro

Order No.

21402-000-00

**CABLE HOLDER**

21403	
Weight	0.01 kg
Special features	for better cable management
Material	Velours
Dimensions	220 x 25 x 1.5 mm

Order No.

black (unit: 3 pcs.) 21403-003-55

**CABLE CLAMP**

21404	
Weight	0.031 kg
Special features	for speaker stands & lighting stands; for up to 12 cables; 2 cable clamps are included in the delivery
Material	plastic
Dimensions diameter	61 x 16 mm
Suitable for tubing diameter of	35 to 42 mm

Order No.

black 21404-000-55

Can secure a total of 12 cables width 4 – 9 mm

**CARRYING CASE**

21311	
Weight	1 kg
Special features	to store and transport two speaker/lighting stands; two inside compartments
Material	nylon
Dimensions	1,200 x 250 x 250 mm
Handle or carrying type	handle
Fastener	zip fastener
Fits	19500, 213, 21302, 214/6, 21411, 21435, 21436, 21450, 21456, 21463, 21467, 28070

Order No.

21311-000-00



CARRYING CASE »PRO«

21312	
Weight	1.32 kg
Special features	to store and transport two speaker/lighting stands; two inside compartments
Material	nylon
Dimensions	1,200 x 250 x 250 mm
Handle or carrying type	handle
Fastener	zip fastener
Fits	213, 21302, 214/6, 21411, 21435, 21436, 21450, 21456, 21463, 21467, 28070

Order No.

21312-000-00



CARRYING CASE »SELECT«

NEW

21316	
Weight	2.1 kg
Special features	to store and transport two speaker/lighting stands; two inside compartments
Material	1680D Nylon fabric
Dimensions	1,200 mm
Handle or carrying type	handle
Fastener	zip fastener
Fits	19500, 213, 21302, 214/6, 21411, 21435, 21436, 21450, 21463, 21467, 28070

Order No.

21316-000-00

High quality cushioning



CARRYING CASE

21422	
Weight	0.36 kg
Special features	to store and transport two speaker/monitor stands; two inside compartments
Material	nylon
Dimensions	1,290 x 140 x 140 mm
Handle or carrying type	handle
Fastener	cord fastener
Fits	20800, 21231, 21348, 21366, 21420, 26734, 26735, 26736, 26737, 26750

Order No.

21422-000-00



24611

Weight	1.13 kg
Special features	to store and transport two lighting/speaker stands; two inside compartments; snap fasteners adjust the sizes, 2250 or 1750 mm
Material	nylon
Dimensions	2,250 x 320 x 170 mm
Handle or carrying type	handle
Fastener	zip fastener
Fits	246/1, 24620, 24624, 24625, 24630, 24640

Order No.

24611-000-00



CARRYING CASE FOR BASE PLATE

24627-24629	
Material	nylon
Handle or carrying type	handle
Fastener	zip fastener
Fits	24624, 26703-26705, 26734

Order No.

dimension: 560 x 560 x 30 mm. Weight: 0.5 kg 24627-000-00
dimension: 490 x 490 x 30 mm. Weight: 0.4 kg 24628-000-00
dimension: 420 x 420 x 30 mm. Weight: 0.3 kg 24629-000-00



CARRIER BAG FOR ROUND BASE

26751	
Weight	0.38 kg
Material	nylon
Dimensions diameter	460 x 25 mm
Handle or carrying type	handle
Fastener	zip fastener
Suitable for	round cast-iron base diam. 450 mm
Fits	26700, 26735, 26737, 26740, 26750

Order No.

26751-000-00



SPEAKER WALL MOUNT

24140	
Weight	2.6 kg
Special features	speaker distance from the wall can be adjusted in 4 positions
Material	steel
Max. load capacity	35 kg
Mounting bolt	diameter 35 mm x 85 mm
Wall-to-bolt clearance	225/255/285/315 mm
Mounting	attaches to walls

Order No.

black 24140-000-55

SPEAKER WALL MOUNT

24110	
Weight	2.7 kg
Special features	patented straddling bearing-anchors; guarantee effective clamping of speaker in any position; resonance-optimised construction
Material	steel
Max. load capacity	50 kg
Mounting bolt	straddling bearing-anchors diameter 35 to 37 mm x 85 mm
Wall-to-bolt clearance	420 mm
Mounting	attaches to walls
Angle of inclination	0° to 22°
Adjustment	gradual in 11 settings

Order No.

black 24110-000-55
white 24110-000-57



Tighten/loosen clamping element with enclosed key



GS-approved for loads up to 50 kg





Tighten/loosen clamping element with enclosed key



GS-approved for loads up to 50 kg

SPEAKER WALL MOUNT

24120	
Weight	6.1 kg
Special features	very flexible; patented straddling bearing-anchors; guarantee effective clamping of speaker in any position; resonance-optimised construction
Material	steel
Max. load capacity	50 kg
Mounting bolt	straddling bearing-anchors diameter 35 to 37 mm x 85 mm
Wall-to-bolt clearance	420 mm
Mounting	attaches to walls
Angle of inclination	0° to 22°
Swivel	180°
Adjustment	gradual in 11 settings
Wall plate	580 x 140 mm

Order No.

black 24120-000-55

The swivelling and tiltable wall mount holds your speaker at the angle you want. The mount has 11 different tilt settings moving through 22°. The swivel is adjustable to any angle. The patented expanding mandrel for loud speakers with cabinet interiors of diameter from 35 to 37 mm is tightened with a key for a non-wobble and low-resonance speaker fit.

SPEAKER MOUNT

24150	
Weight	3.4 kg
Special features	for vertical traverse systems
Material	steel
Max. load capacity	50 kg
Mounting bolt	diameter 35 mm x 100 mm
Wall-to-bolt clearance	316/383/451 mm
Mounting	clamp
Swivel	240°
Wall clearance	515 mm
Clamping range	ø 45 to 55 mm

Order No.

black 24150-018-55

SPEAKER WALL MOUNT WITH SHEET

24171	
Weight	3.18 kg
Special features	clamp area for loudspeakers from 115 to 250 mm
Material	steel
Max. load capacity	15 kg
Mounting	attaches to walls
Angle of inclination	3° to -20°
Swivel	100°
Wall plate	220 x 120 mm

Order No.

black 24171-000-55

SPEAKER WALL MOUNT

24173	
Weight	3.7 kg
Material	steel
Max. load capacity	25 kg
Mounting bolt	diameter 35 mm x 85 mm
Wall-to-bolt clearance	173/203/233/263 mm
Mounting	attaches to walls
Angle of inclination	0° to 30°
Swivel	145°
Wall clearance	486 mm
Wall plate	220 x 120 mm

Order No.

black 24173-000-55



For loads up to 50 kg





UNIVERSAL SPEAKER WALL MOUNT

24161

Weight	0.711 kg
Material	steel
Max. load capacity	15 kg
Bearing plate	100 x 90 mm
Mounting	attaches to walls
Angle of inclination	0° to 45°
Swivel	110°
Adjustment	stepless
Wall clearance	65 mm
Ceiling mounting plate diameter	95 mm
Spacing of holes	from 70 to 76,2 mm

Order No.

structured black	24161-000-56
structured white	24161-000-66

SPEAKER WALL MOUNT

24180

Weight	0.735 kg
Special features	small (20 x 98 mm) and wide bracket (24 x 98 mm) included
Material	steel
Max. load capacity	10 kg
Bearing plate	40 x 98.5 mm
Mounting	attaches to walls
Angle of inclination	0° to 15°
Swivel	180°
Wall clearance	105 mm
Wall plate	130 x 70 mm

Order No.

black	24180-000-55
white	24180-000-57

SPEAKER WALL/ CEILING MOUNT

24185

Weight	0.65 kg
Special features	also suitable as ceiling mount
Material	steel
Max. load capacity	10 kg
Bearing plate	95 x 80 mm
Mounting	attaches to walls and ceilings
Angle of inclination	0° to 90°
Swivel	360°
Adjustment	swivel ball joint assembly
Wall clearance	160 mm
Wall plate	95 x 95 mm

Order No.

black	24185-017-55
black, with 3/8" threaded connector, without bearing plate	24185-317-55



For loads up to 10 kg

Flexible and compact. For loud speakers up to 15 kg.



SPEAKER WALL/ CEILING MOUNT

24195	
Weight	1.08 kg
Special features	also suitable as ceiling mount; steel safety wire cable included
Material	steel
Max. load capacity	15 kg
Bearing plate	127 x 60 mm
Mounting	attaches to walls and ceilings
Angle of inclination	0° to 90°
Swivel	360°
Adjustment	tooth system with wing nut
Wall clearance	271 mm
Wall plate	170 x 95 mm

Order No.	
black	24195-000-55

SPEAKER WALL MOUNT

24465	
Weight	0.6 kg
Special features	to hold a JBL Control 1 speaker
Material	steel
Mounting	attaches to walls
Angle of inclination	0° to 90°
Swivel	85°
Wall clearance	153 mm
Wall plate	120 x 85 mm

Order No.	
black	24465-000-55
white	24465-000-57

SPEAKER WALL MOUNT

24471	
Weight	0.87 kg
Special features	easy mounting by convenient hooking in and screw locking; swivelling and tiltable
Material	steel
Max. load capacity	15 kg
Mounting	attaches to walls
Angle of inclination	0° to 30°
Swivel	90°
Wall clearance	110 mm
Wall plate	160 x 90 mm

Order No.	
black	24471-000-55
white	24471-000-57

Accessories	Page
Adapter panel 1 24352	262
Adapter panel 2 24354	262
Adapter panel 3 24356	263
Adapter panel 4 24357	263
Adapter panel 5 24358	263
Adapter panel 6 24359	263



TÜV type approved for loads up to 15 kg



SPEAKER WALL MOUNT

24481

Weight	1.34 kg
Special features	easy mounting by convenient hooking in and screw locking; swivelling and tiltable; large wall plate for heavy speakers
Material	steel
Max. load capacity	25 kg
Mounting	attaches to walls
Angle of inclination	0° to 30°
Swivel	90°
Wall clearance	110 mm
Wall plate	220 x 120 mm

Order No.

black	24481-000-55
white	24481-000-57

Accessories

Page

Adapter panel 1 24352	262
Adapter panel 2 24354	262
Adapter panel 3 24356	263
Adapter panel 4 24357	263
Adapter panel 5 24358	263
Adapter panel 6 24359	263

SPEAKER CEILING MOUNT

24496

Weight	1.79 kg
Special features	easy mounting by convenient hooking in and screw locking; internal cable management
Material	steel
Max. load capacity	25 kg
Bearing plate	90 x 47 mm
Mounting	attaches to ceilings
Angle of inclination	0° to 45°
Swivel	90°
Adjustment	stepless
Ceiling clearance	250 mm
Ceiling mounting plate	160 x 118 mm
Spacing of holes	from 70 to 76,2 mm

Order No.

black	24496-000-55
white	24496-000-57

Accessories

Page

Adapter panel 1 24352	262
Adapter panel 2 24354	262
Adapter panel 3 24356	263
Adapter panel 4 24357	263
Adapter panel 5 24358	263
Adapter panel 6 24359	263

ADAPTER PANEL 1

24352

Weight	0.33 kg
Special features	mounting templates: 69,9 x 127 mm - M8 50,8 x 107,9 mm - M6 62 x 47 mm - M6 70 to 76,2 mm - M6
Material	steel
Bearing plate	95 x 150 mm
Fits	19780, 24471, 24481, 24496

Order No.

black	24352-000-55
white	24352-000-57



ADAPTER PANEL 2

24354

Weight	0.33 kg
Special features	mounting templates: 127 x 69,9 mm - M8 107,9 x 50,8 mm - M6 70 bis 76,2 mm - M6
Material	steel
Bearing plate	150 x 95 mm
Fits	19780, 24471, 24481, 24496

Order No.

black	24354-000-55
white	24354-000-57



TÜV type approved for loads up to 25 kg

ADAPTER PANEL 3

24356	
Weight	0.22 kg
Special features	mounting template: 50.8 x 107.9 mm - M6
Material	steel
Bearing plate	71 x 128 mm
Fits	19780, 24471, 24481, 24496

Order No.

black	24356-000-55
white	24356-000-57

ADAPTER PANEL 4

24357	
Weight	0.24 kg
Special features	mounting template: 107.9 x 50.8 mm - M6
Material	steel
Bearing plate	128 x 90 mm
Fits	19780, 24471, 24481, 24496

Order No.

black	24357-000-55
white	24357-000-57

ADAPTER PANEL 5

24358	
Weight	0.145 kg
Special features	mounting template: 115 mm - M10
Material	steel
Bearing plate	40 x 145 mm
Fits	19780, 24471, 24481, 24496

Order No.

black	24358-000-55
white	24358-000-57



ADAPTER PANEL 6

24359	
Weight	0.14 kg
Special features	mounting template: 70 bis 76.2 mm - M6; including locking screws for the Genelec 8000 series
Material	steel
Bearing plate	90 x 100 mm
Fits	19780, 24471, 24481, 24496

Order No.

black	24359-000-55
white	24359-000-57





SPEAKER WALL MOUNT

24484

Weight	1.525 kg
Special features	easy mounting by convenient hooking in and screw locking; swivelling and tiltable; screws and keys are included; suitable for JBL Series LSR 2328 P, 2325 P, 4328 P and 4326 P
Material	steel
Max. load capacity	20 kg
Mounting	attaches to walls
Angle of inclination	0° to 30°
Swivel	120°
Wall clearance	404 mm
Wall plate	90 x 160 mm

Order No.

black 24484-000-55



LIGHTING STAND

24620	BASELINE
Weight	3.66 kg
Special features	lightweight stand; aluminum crossbar included; crossbar with boreholes for up to 8 spotlights
Material	aluminum
Number of legs	3 pieces
Base diameter	1,150 mm
Leg construction	tube legs with cross braces
Height adjustment	clamping lever and safety pin
Max. load capacity	20 kg
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Size when folded	1,550 mm
Height	from 1,750 to 3,000 mm
Crossbar dimensions	diameter 35 x 1,230 mm

Order No.

black anodized	24620-000-35
----------------	--------------

Accessories **Page**

Carrying case 24611	256
Screw fitting set 24621	269



LIGHTING STAND

24625	BASELINE
Weight	2.71 kg
Special features	lightweight stand; with adapter to take a TV pin (inner extension tube diameter 28 mm)
Material	aluminum
Number of legs	3 pieces
Base diameter	1,150 mm
Leg construction	tube legs with cross braces
Height adjustment	clamping lever and safety pin
Max. load capacity	20 kg
Tube end(s)	diameter 35 mm
Rod combination	2-piece folding design
Size when folded	1,590 mm
Height	from 1,800 to 3,220 mm

Order No.

black anodized	24625-000-35
----------------	--------------

Accessories **Page**

Carrying case 24611	256
Crossbar 24622	269



With adapter to take a TV pin



LIGHTING STAND

24630	TOPLINE
Weight	7.11 kg
Material	steel
Number of legs	3 pieces
Base diameter	1,260 mm
Leg construction	tube legs with cross braces
Height adjustment	locking screw with push-button system
Max. load capacity	20 kg
Tube end(s)	diameter 35 mm, integrated threaded bush M10 for cross-bars
Rod combination	2-piece folding design
Size when folded	1,600 mm
Height	from 1,955 to 2,915 mm

Order No.

black	24630-009-55
-------	--------------

Accessories **Page**

Crossbar 213/9	269
Crossbar 21393	269
Side crossbar 24637	269
Crossbar 24622	269
Carrying case 24611	256
Leveling leg for speaker stand 21445	254



LIGHTING STAND

24640	TOPLINE
Weight	12.68 kg
Special features	adjustable up to 4 m; additional safety rings
Material	steel
Number of legs	3 pieces
Base diameter	1,300 mm
Leg construction	tube legs with double cross braces
Height adjustment	non-scratching locking screws
Max. load capacity	20 kg
Tube end(s)	diameter 30 mm, integrated threaded bush M10 for cross- bars
Rod combination	3-piece folding design
Size when folded	1,500 mm
Height	from 1,590 to 4,025 mm

Order No.

black 24640-009-55

Accessories

Page

Crossbar 213/9 269
Carrying case 24611 256



LIGHTING STAND

24645	TOPLINE
Weight	3.4 kg
Special features	adjustable up to 3,079 mm; collapsed only 1,170 mm; additional safety rings; thanks to the includ- ed adapter sleeve (diameter 35 mm) loudspeakers can also be attached
Material	aluminum
Number of legs	3 pieces
Base diameter	1,112 mm
Leg construction	tube legs with cross braces
Height adjustment	non-scratching locking screws
Max. load capacity	15 kg
Tube end(s)	diameter 30/35 mm, integrated threaded bush M10 for cross- bars
Rod combination	3-piece folding design
Size when folded	x 1,170 mm
Height	from 1,429 to 3,097 mm

Order No.

black 24645-000-55

Accessories

Page

Crossbar 213/9 269



Loudspeakers can
also be attached

Max. load capacity
15 kg

3-piece extension
reaches a height of
3,097 mm

Can be folded to
a very small size,
only 1,170 mm





Integrated threaded bush M10 for crossbars

Height adjustment with spring-loaded bolt and locking screw

LIGHTING STAND

24624	STARLINE
Weight	17.49 kg
Special features	integrated shock absorber; gradual height adjustment system; zinc die-cast connecting parts
Material	steel
Leg construction	flat steel plate
Height adjustment	spring-loaded bolt and locking screw
Max. load capacity	18 kg
Tube end(s)	diameter 35 mm, integrated threaded bush M10 for crossbars
Rod combination	2-piece folding design
Base dimensions	550 x 550 mm
Height	from 1,400 to 2,400 mm

Order No.

black	24624-000-55
pure white	24624-000-76

Attractive lighting stand. Thanks to the heavy, flat steel plate the stand is well suited for use in small areas. The proven safety bolt with locking screw provides for comfortable and safe height adjustment. The stand's maximum extension height is 2.400 mm and maximum weight is 18 kg. The integrated M10 threaded bushing provides for the attachment of crossbars.

Accessories

Accessories	Page
Carrying case 24611	256
Carrying case for base plate 24627-24629	256





TÜV type approved
for loads up to 30 kg

LIGHTING/SPEAKER STAND

246/1	STARLINE
Weight	8.14 kg
Special features	steel extension tube; push-button system and hand crank avoid uncontrolled reverse motion; locking screw provides additional safety; clamping ring 24613 included zinc die-cast connecting parts
Material	aluminum
Number of legs	3 pieces
Base diameter	1,320 mm
Leg construction	tube legs with double cross braces
Height adjustment	hand crank with push-button system and locking screw
Max. load capacity	30 kg
Tube end(s)	diameter 35 mm, integrated threaded bush M10 for cross-bars
Rod combination	2-piece folding design
Size when folded	1,750 mm
Height	from 1,865 to 3,040 mm

Order No.

black 24610-009-55

High quality lighting stand for professional use. New die-cast zinc clamps and the larger aluminum leg tubing enhance safety. Height adjustment to any height is by means of a hand crank and push button system. The integrated M10 thread adaptor can be used to attach crossbars 213/9 and 21393.

Accessories	Page
Crossbar 213/9	269
Crossbar 21393	269
Carrying case 24611	256

CROSSBAR

213/9	
Weight	2.14 kg
Special features	M10 x 40 mm bolt and washer included
Material	steel
Dimensions	1,260 x 40 x 20 mm
Takes up to	10 spot lights
Suitable for	M10 thread
Fits	246/1, 24630, 24640, 24645

Order No.

black 21390-000-55

Accessories

Screw fitting set 21394 269

CROSSBAR

21393	
Weight	2.92 kg
Special features	secured by locking screw; 4 screw fittings included
Material	steel
Dimensions	1,455 x 40 x 20 mm
Takes up to	10 spot lights
Suitable for	tube diameter 35 mm
Fits	246/1, 24630

Order No.

black 21393-070-55

Accessories

Screw fitting set 21394 269

CROSSBAR

24622	
Weight	0.65 kg
Special features	secured by locking screw
Material	aluminum
Max. load capacity	20 kg
Dimensions diameter	36 x 1,230 mm
Takes up to	8 spot lights
Suitable for	tube diameter 35 mm
Fits	24625, 24630

Order No.

black anodized 24622-000-35

Accessories

Screw fitting set 24621 269

**SIDE CROSSBAR**

24637	
Weight	0.6 kg
Material	aluminum
Dimensions diameter	36 x 665 mm
Takes up to	4 spot lights
Suitable for	tube diameter 35 mm
Fits	24630

Order No.

black 24637-000-55

SCREW FITTING SET

21394	
Weight	0.36 kg
Special features	for crossbars
Dimensions diameter	50 x 45 mm
Quantity	4 screw fittings
Fits	213/9, 21393

Order No.

black (unit: 4 pcs.) 21394-000-55

SCREW FITTING SET

24621	
Weight	0.3 kg
Dimensions diameter	54 x 51 mm
Quantity	4 screw fittings
Fits	24620, 24622

Order No.

black (unit: 4 pcs.) 24621-000-55





TV PIN

24516

Weight	0.02 kg
Material	aluminum
Diameter	16 mm
Length	46.5 mm
Threaded connector	male thread M10 x 17 mm

Order No.

blank 24516-000-00

TV PIN

24518

Weight	0.48 kg
Material	steel
Diameter	35 mm
Length	215 mm
Threaded connector	female thread M10 x 35 mm

Order No.

zinc-plated 24518-000-29

TV PIN

24519

Weight	0.478 kg
Material	steel
Diameter	28 mm
Length	115 mm
Threaded connector	female thread M10 x 34 mm

Order No.

zinc-plated 24519-000-29



REDUCER FLANGE

24521

Weight	0.52 kg
Special features	secured by locking screw
Material	steel
Function	to slip on stand
Suitable for tubing diameter of	35 mm
Diameter	40 mm
Length	100 mm

Order No.

black, M10 x 12 mm 24521-000-55
 black, M8 x 18 mm 24521-070-55
 black, bolt diameter
 25 mm 24521-250-55
 black, 3/8" x 12 mm 24521-300-55

REDUCER FLANGE

24528

Weight	0.46 kg
Special features	secured by locking screw
Material	steel
Function	to slip on stand
Suitable for tubing diameter of	35 mm
Diameter	40 mm
Length	100 mm
Threaded connector	M10

Order No.

black 24528-000-55

CONNECTION SLEEVE

66350

Weight	0.66 kg
Special features	for TV-pin diameter 28 mm; with threaded bolt M10 x 20 mm; T-bar locking screw
Material	steel
Function	to slip on stand
Suitable for tubing diameter of	35 mm
Diameter	40 mm
Length	249 mm
Threaded connector	M10

Order No.

black 66350-070-55



RIGGING

24613	
Weight	0.08 kg
Special features	for all K&M loud-speaker and lighting stands with extension tube diameter of 30-35 mm; with 3 drill holes \varnothing 10 mm
Material	aluminum
Diameter	65 mm
Height	12 mm

Order No.

24613-000-00

FLOOR STAND FOR SPOT LIGHTS

17720	
Weight	0.7 kg
Special features	with mini TV mount
Material	steel
Base diameter	352 mm
Height	68 mm

Order No.

black 17720-000-55

FLOOR STAND FOR SPOT LIGHTS

17725	
Weight	0.7 kg
Special features	with threaded bolt M10
Material	steel
Base diameter	352 mm
Height	50 mm

Order No.

black 17725-000-55



With threaded bolt M10



With mini TV mount





MULTIMEDIA EQUIPMENT

The growing market for multimedia products has in turn sparked a steadily climbing demand for holders and stands for diverse purposes.

For example, monitors of all shapes and sizes need to be mounted on shop ceilings, on the walls of trade fair stands, or presented on stands in entrances.

König & Meyer offers flexible holders and stands for nearly every purpose in unmistakable designs and the usual high-quality workmanship.



LECTERN »OVATION PRO«

12386	
Weight	15.4 kg
Special features	acoustic insulation (shock-mount plates effectively absorb shock and vibrations)
Material	stand aluminum, wooden desk with aluminum finish
Size when folded	1,170 x 250 x 620 mm
Base dimensions	810 x 700 mm
Connection	two 3-pin XLR microphone sockets
Height	1,340 mm
Sloping desktop	620 x 462 mm
Level top	550 x 134 mm

Order No.

silver	12386-000-81
--------	--------------

Accessories

	Page
Promotional board (excl. Logo) 12383	274
Protective cover for lectern 12387	274
Transportation case (hard case) for Lectern 12388	275

PROMOTIONAL BOARD (EXCL. LOGO)

12383	
Weight	1.78 kg
Special features	quick mounting and removal with two locking screws, no tools required optional: foil lettering to customer specifications
Material	aluminum
Dimensions	480 x 230 mm
Fits	12380, 12386

Order No.

silver	12383-000-81
--------	--------------

PROTECTIVE COVER FOR LECTERN

12387	
Weight	3.66 kg
Special features	foamed cover
Material	nylon
Handle or carrying type	handle and shoulder straps
Fastener	zip fastener
Fits	12380, 12386

Order No.

	12387-000-00
--	--------------



**TRANSPORTATION CASE
(HARD CASE) FOR LECTERN**

12388	
Weight	15.58 kg
Special features	with aluminum edges and casters; foamed compartments for housing the folded lectern and accessories
Material	plastic
Dimensions	1,265 x 685 x 305 mm
Thickness	7 mm
Fits	12380, 12386

Order No.
12388-000-00

UNIVERSAL TABLE-TOP STAND

12140	
Weight	1.267 kg
Special features	suitable for notebooks, multimedia equipment, books, sheet music, etc.; 4 rubber knobs included
Material	steel stand, aluminum desk
Leg construction	U-profile legs snap into socket
Max. load capacity	4 kg
Connection stand/plate	prismatic »V-block« connector
Bearing plate	350 x 273 mm
Height	240 mm

Order No.
black 12140-000-55

Prismatic »V-block« Connector





Can be inclined to 3 different angles, assembled and disassembled very easily



LAPTOP STAND

NEW

12190	
Weight	1.8 kg
Special features	individually adjustable stop pins; non-slip rubber pads are included
Material	steel tube, aluminum plates
Bearing plate	264 x 304 mm
Size when folded	329 x 304 x 66 mm
Dimensions	298 x 261 x 320 mm
Angle of inclination	0° to 35°
Adjustment	tilt gradual in 3 settings

Order No.

structured black 12190-000-56

This foldable and space-saving laptop stand is a must-have for every mobile DJ and musician. Due to its functionality and versatility, it can be assembled and disassembled very easily. The robust steel tube construction in combination with the attractive aluminium foot and base plate ensures excellent stability despite its low weight. Individually adjustable stop pins with rubber caps allow the use of all common laptop models, mixers, CD players, etc. The horizontal height is 320 mm and can be inclined in 3 steps. Non-slip rubber pads are included in the delivery.

Accessories	Page
Carrying case 12190	277

CARRYING CASE

NEW

12199	
Weight	0.17 kg
Material	nylon
Dimensions	400 x 380 x 40 mm
Handle or carrying type	handle
Fastener	zip fastener
Fits	12190

Order No.
12199-000-00

LAPTOP STAND

12150	
Weight	4 kg
Special features	mouse pad and 4 rubber knobs included
Material	steel
Leg construction	tube legs with cross braces
Max. load capacity	10 kg
Rod combination	2-piece folding design
Connection stand/plate	prismatic »V-block« connector
Height	from 710 to 1,210 mm
Laptop rest	400 x 290 mm
Mouse rest	245 x 195 mm
Adjustment	stepless

Order No.
black 12150-000-55

Accessories	Page
Carrying case 11450	51

LAPTOP STAND

12155	
Weight	3.18 kg
Special features	4 rubber knobs included
Material	steel, plastic base
Base diameter	700 mm
Leg construction	socket with foldable legs
Max. load capacity	5 kg
Rod combination	2-piece folding design
Connection stand/plate	prismatic »V-block« connector
Height	from 780 to 1,290 mm
Laptop rest	400 x 290 mm
Adjustment	stepless

Order No.
black 12155-000-55

Accessories	Page
Carrying case 11450	51
Mouse rest 12152	278




MOUSE REST

12152

Weight	1.12 kg
Special features	Mouse pad included
Material	steel
Mouse rest	245 x 195 mm
Fits	12155, 12185

Order No.

black 12152-000-55



LAPTOP STAND

12185

Weight	3.9 kg
Special features	4 adjustable clamping bolts with rubber caps included
Material	steel
Base diameter	750 mm
Leg construction	tube legs with cross braces
Max. load capacity	10 kg
Rod combination	2-piece folding design
Connection stand/plate	screw connection
Height	from 700 to 1,250 mm
Laptop rest	479 x 312 mm
Adjustment	stepless

Order No.	
black	12185-000-55

The laptop stand offers stability and safety. The generously sized tray provides space for all common laptops. Thanks to the adjustable clamping bolts with rubber caps, the laptop is protected and can be secured safely on the stand. To secure the laptop, the clamping bolts are pressed on the laptop using wing nuts. An additional hole allows convenient cable management. The height of the stand can be adjusted variably. For transport the tray can be removed easily without the use of tools. The robust tripod legs quickly collapse together into a compact and easy to carry package.

Accessories	Page
Mouse rest 12152	278





Easy to set up - hooking in system for screens

SCREEN/MONITOR STAND

26782	
Weight	17.12 kg
Special features	internal cable routing possible; installation material (M4/M6/M8) and assembly tools included
Material	steel
Leg construction	cast-iron base
Rod combination	2-piece folding design
Height	from 1,100 to 1,650 mm
Mounting device	VESA MIS-D 100 (100x100) - ground plate, VESA MIS-E 200 (200x100) - ground plate, VESA MIS-E 200 (100x200) - with adapter bars, VESA MIS-F 200 (200x200) - with adapter bars, VESA MIS-F - with universal bracket: 250 to 600 mm horizontal 150 to 400 mm vertical
Height adjustment	spring-loaded clamping knob
Suitable for	flat screens from 24" to 46"
Base dimensions	420 x 420 mm

Order No.

structured black 26782-018-56

A representative screen/monitor stand with a beautifully designed heavy cast iron base. The assembly accessories provided with the product allow one to set up according to the VESA Standard for 24" to 46" flat screens. The large tubing saves space by providing a place to organize and store the cables. The height can be adjusted in steps using an ergonomic height adjustment screw.

SCREEN/MONITOR STAND

26783	
Weight	17.7 kg
Special features	internal cable routing possible; installation material (M6/M8) and assembly tools included
Material	steel
Leg construction	Legs constructed from steel profile tubes with adjustable leveling feet ensure that the setup does not rock
Rod combination	2-piece folding design
Height	1,100 to 1,650 mm
Mounting device	VESA MIS-F - with universal bracket: 300 to 800 mm horizontal, 200 to 500 mm vertical, VESA MIS-F 200 (200x200) - with adapter bars
Height adjustment	spring-loaded clamping knob
Suitable for	flat screens from 42" to 65"
Base dimensions	900 x 500 mm

Order No.
structured black 26783-019-56



IPAD STAND

19772	
Weight	1.65 kg
Special features	iPad is easily clipped into the holder; dock-connector and headphone jack are accessible; freely rotates 90°; suitable for iPad 2nd, 3rd or 4th generation
Material	plastic, steel
Max. load capacity	1 kg
Bearing plate	252.1 x 195.4 mm
Height	from 700 to 1,550 mm
Angle of inclination	0° to 90°
Swivel	90°
Adjustment	stepless

Order No.
black 19772-300-55



Swiveling in all directions.

Switches rapidly between the vertical and horizontal format without slipping.



p10e.k-m.de
Product video

IPAD AIR STAND

19774	
Weight	1.67 kg
Special features	iPad is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; suitable for iPad Air, iPad 5th or 6th generation
Material	plastic, steel
Max. load capacity	1 kg
Bearing plate	249 x 178.7 mm
Height	from 700 to 1,550 mm
Angle of inclination	0° to 90°
Swivel	90°
Adjustment	stepless

Order No.
black 19774-300-55



IPAD AIR 2 STAND

19777	
Weight	1.6 kg
Special features	iPad is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; suitable for iPad Air 2 or iPad Pro 9.7"
Material	plastic, steel
Max. load capacity	1 kg
Bearing plate	249 x 178.7 mm
Height	from 700 to 1,550 mm
Angle of inclination	0° to 90°
Swivel	90°
Adjustment	stepless

Order No.
black 19777-300-55

TABLET PC STAND

19776	
Weight	1.8 kg
Special features	also suitable for tablets in cases or protective covers; adjustable clamping jaws ensure unhindered access to the interfaces and the operating elements on the device; freely rotates 90°
Material	plastic, steel
Max. load capacity	1 kg
Height	from 120 to 222 mm
Width	from 160 to 320 mm
Angle of inclination	0° to 90°
Swivel	90°
Adjustment	stepless
Height Stand	from 650 to 1,500 mm

Order No.
black 19776-300-55

TABLET PC STAND

19798	
Weight	1.58 kg
Special features	freely rotates 90°
Material	plastic, steel
Max. load capacity	1 kg
Height	from 163 to 242 mm
Width	from 102 to 189 mm
Angle of inclination	0° to 90°
Swivel	90°
Adjustment	stepless
Depth	from 5 to 11 mm
Height Stand	from 700 to 1,550 mm

Order No.
black 19798-300-55

Swiveling in all directions.


Switches rapidly between the vertical and horizontal format without slipping.



p10e.k-m.de
Product video



p12e.k-m.de
Product video



Can be adjusted variably to accommodate different tablet sizes and switches between portrait and landscape positions



TABLET PC STAND

19793	
Weight	1.6 kg
Special features	freely rotates 90°
Material	plastic, steel
Max. load capacity	1 kg
Height	from 222 to 334 mm
Width	from 128 to 232 mm
Angle of inclination	0° to 90°
Swivel	90°
Adjustment	stepless
Depth	from 6 to 11 mm
Height Stand	from 700 to 1,550 mm

Order No.
black 19793-316-55

SMARTPHONE STAND

19850	
Weight	0.072 kg
Special features	gentle grip pads
Material	acrylic
Dimensions	75 x 50 x 85 mm

Order No.
black 19850-000-55

TABLET-PC STAND

19855	
Weight	0.194 kg
Special features	gentle grip pads
Material	acrylic
Dimensions	130 x 80 x 140 mm

Order No.
black 19855-000-55



Can be adjusted variably to accommodate different tablet sizes and switches between portrait and landscape positions

Smartphones are easy to place into and remove from the stand. Two pads on the bottom provide a non-slip standing.



Tablets are easy to place into and remove from the stand. Two pads on the bottom provide a non-slip standing.



iPad is a trademark of Apple Inc.

TABLET PC TABLE STAND

19797

Weight	1.28 kg
Special features	freely rotates 90°
Material	plastic, steel
Width	from 102 to 189 mm
Angle of inclination	0° to 90°
Swivel	90°
Adjustment	stepless
Height	from 163 to 242 mm
Depth	from 5 to 11 mm

Order No.

black 19797-000-55

Can be adjusted variably to accommodate different tablet sizes and switches between portrait and landscape positions



TABLET PC TABLE STAND

19792	
Weight	1.3 kg
Special features	freely rotates 90°
Material	plastic, steel
Width	from 128 to 232 mm
Angle of inclination	0° to 90°
Swivel	90°
Adjustment	stepless
Height	from 222 to 334 mm
Depth	from 6 to 11 mm

Order No.	
black	19792-016-55



Can be adjusted variably to accommodate different tablet sizes and switches between portrait and landscape positions



The individually adjustable support arms can accommodate the use of tablets ranging in height from 222 to 334 mm and width from 128 to 232 mm (for example iPad, iPad Air, iPad Pro, Amazon Fire HDX 8.9, Samsung Galaxy Tab from 9.7, Google Nexus 9, Asus Transformer or Microsoft Surface as well as Surface Pro). The depth of the tablets can vary between 6 and 11 mm. For the first use of the tablet holder the support arms settings are made by adjusting the clamp screws to the size and depth of the tablet. For other uses the tablet can be attached and detached quickly and simply through a snap lock. The holder will hold the tablet safe and secure. A handy wing nut allows one to adjust the angle, so that each user will easily be able to find their ideal individual position. The tablet can switch between portrait and landscape positions. The tablet is kept in place, there is no danger of the tablet switching position by itself.

TABLET PC WALL MOUNT

19799	
Weight	0.184 kg
Special features	freely rotates 90°
Material	plastic
Max. load capacity	0.75 kg
Width	from 102 to 189 mm
Mounting	attaches to walls
Swivel	90°
Wall clearance	45 mm
Height	from 163 to 242 mm
Depth	from 5 to 11 mm

Order No.
black 19799-000-55

TABLET PC WALL MOUNT

19794	
Weight	0.204 kg
Special features	freely rotates 90°
Material	plastic
Max. load capacity	0.75 kg
Width	from 128 to 232 mm
Mounting	attaches to walls
Swivel	90°
Wall clearance	45 mm
Height	from 222 to 334 mm
Depth	from 6 to 11 mm

Order No.
black 19794-000-55



Can be adjusted variably to accommodate different tablet sizes

SMARTPHONE HOLDER

19745	
Weight	0.19 kg
Special features	particularly suitable for smartphones, flat devices and MP3 players; operating elements are not impaired in their function; freely rotates 90°; flexible holding arm for individual alignment
Material	plastic
Width	from 44 to 84 mm
Screw-on to	tube diameter up to 30 mm

Order No.
black 19745-015-55

IPAD HOLDER

19722	
Weight	0.89 kg
Special features	to be attached to tubes up to 30 mm diameter; iPad is easily clipped into the holder; dock-connector and headphone jack are accessible; freely rotates 90°; alternatively: can be screwed on to 3/8" thread connectors; suitable for iPad 2nd, 3rd or 4th generation
Material	plastic
Max. load capacity	0.75 kg
Bearing plate	252.1 x 195.4 mm
Screw-on to	tube diameter up to 30 mm
Swivel	90°

Order No.
black 19722-000-55

IPAD AIR HOLDER

19724	
Weight	0.65 kg
Special features	to be attached to tubes up to 30 mm diameter; iPad Air is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; alternatively: can be screwed on to 3/8" thread connectors; suitable for iPad Air, iPad 5th or 6th generation
Material	plastic, steel
Max. load capacity	0.75 kg
Bearing plate	249 x 178.7 mm
Screw-on to	tube diameter up to 30 mm
Swivel	90°

Order No.
black 19724-000-55

Suitable for flat devices, e.g. smartphones or MP3 players



The iPad switches rapidly between the vertical and horizontal format without slipping.



p10e.k-m.de
Product video

IPAD AIR 2 HOLDER

19727

Weight	0.65 kg
Special features	to be attached to tubes up to 30 mm diameter; iPad is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; alternatively: can be screwed on to 3/8" thread connectors; suitable for iPad Air 2 or iPad Pro 9.7"
Material	plastic, steel
Max. load capacity	0.75 kg
Bearing plate	249 x 178.7 mm
Screw-on to	tube diameter up to 30 mm
Swivel	90°

Order No.

black 19727-000-55

TABLET PC HOLDER

19740

Weight	0.79 kg
Special features	to be attached to tubes up to 30 mm diameter; also suitable for tablets in cases or protective covers; adjustable clamping jaws ensure unhindered access to the interfaces and the operating elements on the device; freely rotates 90°; alternatively: can be screwed on to 3/8" thread connectors
Material	plastic
Height	from 120 to 222 mm
Width	from 160 to 320 mm
Screw-on to	tube diameter up to 30 mm
Swivel	90°
Adjustment	tension spring

Order No.

black 19740-000-55

Swiveling in all directions. Switches rapidly between the vertical and horizontal format without slipping.



Suitable for attaching tablet PCs in size from 120 to 222 mm



p10e.k-m.de
Product video





TABLET PC HOLDER

19796	
Weight	0.58 kg
Special features	to be attached to tubes up to 30 mm diameter; freely rotates 90°; alternatively: can be screwed on to 3/8" thread connectors
Material	plastic, steel
Width	from 102 to 189 mm
Screw-on to	tube diameter up to 30 mm
Swivel	90°
Height	from 163 to 242 mm
Depth	from 5 to 11 mm

Order No.
 black 19796-000-55

Be it on stage, in rehearsal rooms or at home - thanks to the strong clamp element with the ergonomic clamp screw the holder can be attached to any tube up to 30 mm quickly and easily. The individually adjustable support arms can accommodate the use of tablets ranging in height from 163 to 242 mm and a width from 102 to 189 mm (such as e.g. iPad, iPad 9.7, iPad Pro, Amazon Fire HDX 8.9, Google Nexus 9). The depth of the tablets can vary between 5 and 11 mm. For the first use of the tablet holder the support arm settings are made by adjusting the clamp screws to the size and depth of the tablet. For other uses the tablet can be attached and detached quickly and simply through a snap lock. A handy wing nut allows one to adjust the angle, so that each user will easily be able to find their ideal individual position. The tablet can switch between portrait and landscape positions. The tablet is kept in place, there is no danger of the tablet switching position by itself.

Can be adjusted variably to accommodate different tablet sizes



TABLET PC HOLDER

19791	
Weight	0.6 kg
Special features	to be attached to tubes up to 30 mm diameter; freely rotates 90°; alternatively: can be screwed on to 3/8" thread connectors
Material	plastic, steel
Width	from 128 to 232 mm
Screw-on to	tube diameter up to 30 mm
Swivel	90°
Height	from 222 to 334 mm
Depth	from 6 to 11 mm

Order No.

black 19791-016-55

IPAD STAND HOLDER

19712	
Weight	0.5 kg
Special features	to be screwed on to 3/8" threaded bolts; iPad is easily clipped into the holder; dock-connector and headphone jack are accessible; freely rotates 90°; suitable for iPad 2nd, 3rd or 4th generation
Material	plastic
Max. load capacity	0.75 kg
Bearing plate	252.1 x 195.4 mm
Suitable for	3/8" thread
Swivel	90°

Order No.

black 3/8" 19712-300-55

IPAD AIR STAND HOLDER

19714	
Weight	0.38 kg
Special features	to be screwed on to 3/8" threaded bolts; iPad Air is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; suitable for iPad Air, iPad 5th or 6th generation
Material	plastic
Max. load capacity	0.75 kg
Bearing plate	249 x 178.7 mm
Suitable for	3/8" thread
Swivel	90°

Order No.

black 3/8" 19714-300-55



For stands ...

... and boom arms

Switches rapidly between the vertical and horizontal format without slipping. Adjustable tilt.



Can be adjusted variably to accommodate different tablet sizes



p10e.k-m.de
Product video

IPAD AIR 2 STAND HOLDER

19717	
Weight	0.38 kg
Special features	to be screwed on to 3/8" threaded bolts; iPad is easily clipped into the holder; lightning connector and headphone jack are accessible; freely rotates 90°; suitable for iPad Air 2 or iPad Pro 9.7"
Material	plastic
Max. load capacity	0.75 kg
Bearing plate	249 x 178.7 mm
Suitable for	3/8" thread
Swivel	90°

Order No.
black 3/8" 19717-300-55

TABLET PC STAND HOLDER

19742	
Weight	0.42 kg
Special features	to be screwed on to 3/8" threaded bolts; also suitable for tablets in cases or protective covers; adjustable clamping jaws ensure unhindered access to the interfaces and the operating elements on the device; freely rotates 90°
Material	plastic
Width	from 160 to 320 mm
Suitable for	3/8" thread
Swivel	90°
Height	from 120 to 222 mm

Order No.
black 3/8" 19742-300-55

TABLET PC STAND HOLDER

19795	
Weight	0.245 kg
Special features	to be screwed on to 3/8" threaded bolts; freely rotates 90°
Material	plastic
Width	from 102 to 189 mm
Suitable for	3/8" thread
Swivel	90°
Height	from 163 to 242 mm
Depth	from 5 to 11 mm

Order No.
black 3/8" 19795-300-55



Suitable for attaching tablet PCs in size from 120 to 222 mm

For stands and boom arms



Can be adjusted variably to accommodate different tablet sizes

Switches rapidly between the vertical and horizontal format without slipping. Adjustable tilt.



p12e.k-m.de
Product video

TABLET PC STAND HOLDER

19790	
Weight	0.265 kg
Special features	to be screwed on to 3/8" threaded bolts; freely rotates 90°
Material	plastic
Width	from 128 to 232 mm
Suitable for	3/8" thread
Swivel	90°
Height	from 222 to 334 mm
Fits	18817, 18944
Depth	from 6 to 11 mm

Order No.

black 3/8" 19790-316-55

ADAPTER FOR SCREENS

19685	
Weight	0.62 kg
Special features	prismatic »V-block« connector; T-bar locking screw nut; attaches to mic stands
Material	steel
Max. load capacity	7 kg
Bearing plate	115 x 115 mm
Mounting device	4 mount holes VESA 75/100
Suitable for	3/8" thread
Swivel	250°

Order No.

black 19685-300-55



Prismatic »V-block« connector



Can be adjusted variably to accommodate different tablet sizes



**SHOULDER BAG
FOR SHEET MUSIC AND TABLETS**

19705

Weight	0.68 kg
Special features	for sheet music, tablets, netbooks and ultrabooks up to max. 13.3"
Material	imitation leather
Dimensions	365 x 75 x 300 mm
Handle or carrying type	shoulder strap
Fastener	zip fastener

Order No.

black 19705-000-00

Many compartments providing order and easy access



K&M KÖNIG & MEYER
Stands For Music



SHOP FITTINGS

The brand-compatible presentation of products in a shop is playing an increasingly important role in the buying decision process.

Clear and visually appealing, the large selection of König & Meyer instrument holders in combination with the professional SPACEWALL shop fitting system are a perfect solution for your business.

The flexible SPACEWALL wall panels can be installed in practically any texture or colour you desire in any shop. They will show off your merchandise perfectly, whether you have a small showroom or a huge megastore.





SPACEWALL®

44000

Order No.

44000-000-00

The SPACEWALL® shop-fitting system can be individually implemented in already existing shops or in complete new stores. You can choose for example from following surface finishes for your slatwall: unfinished or paint finished surface or a painted wall according to your desired RAL/NCS color. You also have the choice between a melamine resin coated surface in the colors white, grey, ivory or cream-white or a plastic-laminated slatwall in either white E110 MP or grey E 6 MP. Further possibilities are metallic or acrylic mirror designs or wood veneer finishes like pine, spruce, maple or alder. Further finish variations on request. We offer you the following slat widths: 53.1 mm, 76.3 mm, 88.0 mm*, 101.8 mm, 152.6 mm, 203.5 mm, 244.2 mm, 305.3 mm. Head pieces and bases can be produced on request. Ask for special design variations and other sizes for your slatwall!

* Size 2430 mm x 1210 mm or 1210 mm x 2430 mm.

ADAPTER FOR PRODUCT HOLDER

44060	
Weight	0.06 kg
Special features	it is easy to attach all SpaceWall® product support arms/holder to any regular wall (except for 44140, 44185 und 44186)
Example of use	44185 und 44186)
Material	plastic
Dimensions	101 x 84 x 18 mm

Order No.
black 44060-000-55



PRODUCT SUPPORT ARM

441/1	
Weight	0.568 kg
Special features	suitable for heavy products
Material	steel
Support	felt pads
Angle of inclination	23°
Support depth	from 261 to 461 mm

Order No.
black 44110-000-55



PRODUCT HOLDER

44130	
Weight	0.179 kg
Material	steel
Suitable for	Euroslot hangers
Length	150 mm

Order No.
black 44130-000-55



PRODUCT HOLDER

44135	
Weight	0.22 kg
Material	steel
Suitable for	Euroslot hangers
Length	280 mm

Order No.
black 44135-000-55



PRODUCT HOLDER

44132	
Weight	0.2 kg
Material	steel
Suitable for	Euroslot hangers
Length	150 mm

Order No.
black 44132-000-55



PRODUCT HOLDER

44137	
Weight	0.24 kg
Material	steel
Suitable for	Euroslot hangers
Length	280 mm

Order No.
black 44137-000-55



TRAY

44155	
Weight	2.28 kg
Special features	stop with edge-protection
Material	aluminum
Dimensions	585 x 302 mm

Order No.

black 44155-000-55



PRODUCT HOLDER FOR GUITAR

44140	
Weight	0.44 kg
Special features	patented flexible hooking-in and clamping system suitable for asymmetric guitar necks
Material	steel
Direction	forward-turned
Instrument support	non-marring plastic material
Yoke	self-locking
Suitable for	acoustic and electric guitars
Dimensions	95 x 130 x 158 mm

Order No.

black 44140-000-55



Patented flexible hooking-in and clamping system

PRODUCT HOLDER FOR GUITAR

44160	
Weight	0.3 kg
Material	steel
Direction	forward-turned
Instrument support	non-marring plastic material
Yoke	self-locking
Suitable for	acoustic and electric guitars
Dimensions	88 x 93 x 140 mm

Order No.

black 44160-000-55



PRODUCT HOLDER FOR GUITAR

44170	
Weight	0.48 kg
Material	steel
Direction	left or right turned
Instrument support	non-marring plastic material
Yoke	self-locking
Suitable for	acoustic and electric guitars

Order No.

black 44170-000-55



PRODUCT HOLDER FOR GUITAR

44180	
Weight	0.29 kg
Material	steel
Direction	right
Instrument support	non-marring plastic material
Yoke	fixed
Suitable for	acoustic and electric guitars
Dimensions	88 x 107 x 300 mm

Order No.

black 44180-000-55



PRODUCT HOLDER FOR GUITAR

44181	
Weight	0.29 kg
Material	steel
Direction	left
Instrument support	non-marring plastic material
Yoke	fixed
Suitable for	acoustic and electric guitars
Dimensions	88 x 107 x 300 mm

Order No.

black 44181-000-55



PRODUCT HOLDER FOR ELECTRIC GUITAR

44185	
Weight	1.09 kg
Special features	flexible support arms for neck and body
Material	steel
Support	silicone cover
Direction	in 8° settings 360° adjustable
Suitable for	electric guitars
Dimensions	690 x 220 x 165 mm

Order No.

black 44185-000-55



PRODUCT HOLDER FOR ACOUSTIC GUITAR

44186	
Weight	1.15 kg
Special features	flexible support arms for neck and body
Material	steel
Support	silicone cover
Direction	in 8° settings 360° adjustable
Instrument support	non-marring rubber
Suitable for	acoustic guitars
Dimensions	690 x 220 x 215 mm

Order No.

black 44186-000-55



PRODUCT HOLDER FOR UKULELES

44220	
Weight	0.187 kg
Material	steel
Direction	forward-turned
Instrument support	non-marring plastic material
Yoke	fixed
Suitable for	ukulele
Support width	38 mm
Dimensions	66 x 65 x 99 mm

Order No.

black 44220-000-55



PRODUCT HOLDER FOR VIOLIN

44210	
Weight	0.15 kg
Special features	high quality flocking cover; with holder for bow
Material	plastic yoke, steel plate
Instrument support	flocked
Length	125 mm

Order No.

black 44210-000-55



PRODUCT HOLDER FOR VIOLIN

NEW

44215	
Weight	0.19 kg
Special features	high quality flocking cover; with holder for bow
Material	plastic yoke, steel plate
Instrument support	flocked
Length	253 mm

Order No.

black 44215-000-55



PRODUCT HOLDER FOR SAXOPHONE

44240	
Weight	0.82 kg
Material	steel
Instrument support	non-marring plastic material

Order No.

black 44240-000-55



PRODUCT HOLDER FOR TROMBONE

44250	
Weight	0.58 kg
Special features	adjustable support cone
Material	steel
Instrument support	non-marring plastic material

Order No.
black 44250-000-55



PRODUCT HOLDER FOR CYMBAL

44380	
Weight	0.36 kg
Material	steel
Diameter	10 mm
Length	300 mm

Order No.
black 44380-000-55



PRODUCT HOLDER FOR HEADPHONE

44195	
Weight	0.22 kg
Special features	for up to 2 standard headphones and 2 In-Ear headphones
Material	steel
Support	rubber covered
Support width	100 mm
Support depth	60 mm

Order No.
black 44195-000-55

For up to 2 standard headphones



PRODUCT HOLDER FOR HEADPHONE

44198	
Weight	0.14 kg
Material	steel
Support width	36 mm
Support depth	72 mm

Order No.
black 44198-000-55



NEW

PRODUCT HOLDER FOR MICROPHONE

44500	
Weight	0.31 kg
Special features	for microphones and other equipment with 3/8" threads
Material	steel
Length	140 mm
Threaded connector	3/8"

Order No.
black 44500-000-55



UNIVERSAL HOLDER

44192	
Weight	0.3 kg
Material	steel
Length	140 mm

Order No.
black 44192-000-55

Accessories	Page
Trumpet peg 15214	100, 301
Clarinet peg 15224	100, 301
Flugelhorn peg 15244	100, 301
Peg adapter 15281	102
Soprano saxophone peg 15294	100, 301
English horn peg 17731	100, 301
Oboe peg 17738	101, 301
Clarinet peg 17741	101, 302
Recorder peg 17782	101, 302
Recorder peg 17786	101, 302
Flute peg 17788	101, 302



TRUMPET PEG

15214	
Weight	0.2 kg
Special features	peg adapter 15281 included; rubber-covered peg top
Material	plastic
Instrument support	felt pads
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.	
black	15214-017-55

Accessories	Page
Peg holder 14301	101



CLARINET PEG

15224	
Weight	0.115 kg
Special features	peg adapter 15281 included; with felt ring
Material	plastic
Suitable for	A and B clarinets
Fits	12210, 17700, 17710, 44192

Order No.	
black	15224-000-55

Accessories	Page
Peg holder 14301	101



FLUGELHORN PEG

15244	
Weight	0.3 kg
Special features	peg adapter 15281 included; rubber-covered peg top
Material	plastic
Instrument support	felt pads
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.	
black	15244-017-55

Accessories	Page
Peg holder 14301	101



SOPRANO SAXOPHONE PEG

15294	
Weight	0.18 kg
Special features	incl. peg adapter 15281
Material	plastic
Instrument support	felt pads
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.	
black	15294-017-55

Accessories	Page
Peg holder 14301	101



ENGLISH HORN PEG

17731	
Weight	0.08 kg
Material	plastic
Instrument support	felt-lined
Height	160 mm
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.	
black	17731-017-55

Accessories	Page
Peg holder 14301	101



OBOE PEG

17738	
Weight	0.075 kg
Material	plastic
Height	170 mm
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.	
black	17738-005-55

Accessories	Page
Peg holder 14301	101



CLARINET PEG

17741	
Weight	0.08 kg
Material	plastic
Instrument support	felt-lined
Suitable for	Eb- and C-clarinets
Height	133 mm
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.

black	17741-017-55
-------	--------------

Accessories

	Page
Peg holder 14301	101



RECORDER PEG

17782	
Weight	0.055 kg
Material	plastic peg with steel core
Suitable for	soprano and piccolo recorders
Peg diameter	6.5 mm
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.

black	17782-005-55
-------	--------------

Accessories

	Page
Peg holder 14301	101



RECORDER PEG

17786	
Weight	0.06 kg
Material	plastic peg with steel core
Suitable for	alto and tenor recorders
Peg diameter	9 mm
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.

black	17786-005-55
-------	--------------

Accessories

	Page
Peg holder 14301	101



FLUTE PEG

17788	
Weight	0.06 kg
Material	plastic
Suitable for	Bass, Böhm and Cross flutes
Peg diameter	18 mm
Threaded connector	M5
Fits	12210, 17700, 17710, 44192

Order No.

black	17788-005-55
-------	--------------

Accessories

	Page
Peg holder 14301	101



LEAFLET HOLDER

44420	
Weight	0.56 kg
Material	clear acrylic
Suitable for	A4 sheets
Thickness	4 mm
Dimensions	225 x 60 x 230 mm

Order No.

	44420-000-00
--	--------------



PRICE TAG HOLDER

44385	
Weight	0.04 kg
Material	clear acrylic
Thickness	2 mm
Dimensions	100 x 55 mm

Order No.

	44385-000-00
--	--------------



PRODUCT LABEL BUNDLE

77977

Special features	download of corresponding product specifications on our website; a set consisting of: 10 pieces plastic cover (transparent) and 2 meter elastic (black)
Material	plastic
Dimensions	180 x 115 mm

Order No.

77977-000-00



19" Power box	168, 169	Crossbar	269
19" Rack shelf	167	Curtain for conductor podium	35
19"-Power box	169	Design microphone table stand	199
A-guitar stand	58	Design monitor stand	238, 239
A-guitar stand »Heli 2«	60	Distance rod	241, 242, 244
A-guitar stand »Wave 10«	61	Distance rod with hand crank	243
Accordion stand	102	Distance rod with hand crank and »Ring Lock«	243
Acoustic absorber with Velcro strip	32	Distance rod with pneumatic spring	244, 245
Adapter	144, 147, 239, 240	Distance rod »Ring Lock«	245, 246, 247, 248
Adapter bolt	240	Double bass stand	78
Adapter for product holder	297	Double music stand light	38
Adapter for screens	292	Drink holder	53
Adapter for »Spider Pro«	155	Drum stick holder	115
Adapter panel 1	262	Drummer's throne	109
Adapter panel 2	262	Drummer's throne »Gomezz«	110
Adapter panel 3	263	Drummer's throne »Nick«	109
Adapter panel 4	263	Drummer's throne »Grande«	108
Adapter panel 5	263	Drummer's throne »Piccolino«	108
Adapter panel 6	263	Drummer's throne »Picco«	108
Adapter sleeve	252	E+A guitar stand »Duet«	59
Adapter sleeve »Ring Lock«	252	E-guitar stand	58
Advertising panel for orchestra music desks	52	E-guitar stand »Heli 2«	61
Amp stand	164	E-guitar stand »Wave 20«	61
Backrest	116	English horn peg	100, 301
Backrest for »Gomezz«	115	English-Horn stand	91
Baritone saxophone stand	82	Equipment stand	144
Baritone stand	93	Extender brackets 19"	166
Base plate	221, 248, 249	Extension rod	155, 241
Base »FlexLight«	49	Extension rod for microphone stands	221
Bass clarinet stand	83	Feet for conductor podium	34, 35
Bass holder	122	File holder	52
Bass stool	120	Five e-guitar stand »Guardian 5«	65
Bass trombone stand	91	Five guitar stand »Guardian 5«	66
Bassoon stand	82	Flange adapter	250
Bearing plate	239	Floor stand for spot lights	271
Boom arm	194, 195, 196	Flugelhorn peg	100, 301
Bracket	100	Flugelhorn stand	99
Cable clamp	255	Flute holder	90
Cable holder	255	Flute peg	101, 302
Capo for ukuleles	74	Flute stand	87, 88
Carrier bag for round base	256	Foldable base	99
Carrying case	51, 79, 83, 93, 115, 116, 124, 148, 149, 156, 214, 215, 216, 217, 256, 277	Footrest	116, 121
Carrying case	94, 255, 256	Footrest	71
Carrying case for base plate	256	Four guitar stand »Guardian 3+1«	66
Carrying case »Pro«	256	Four guitar stand »Roadie«	63
Caster set for »Guardian«	67	Gooseneck	203, 204
Ceiling stand	213	Guitar capo	71, 72
Cello Stand	78	Guitar performer stand	67
Cello stand	77	Guitar playing-aid »Pohlmann«	73
Chair cart	121	Guitar stand »Carlos«	64
Chair connector	121	Guitar stand »Double«	63
Chair for Kettledrums and Conductor's	120	Guitar stand »Memphis 10«	62
Chair for Percussion, Cello and Harp	120	Guitar stand »Memphis 20«	62
Clarinet holder	86	Guitar stand »Memphis Pro«	62
Clarinet peg	100, 301, 101, 302	Guitar stand »Memphis Travel«	58
Clarinet stand	84, 85, 86	Guitar wall mount	68, 69, 70
Conductor podium	34	Hackbrett stand	74
Connection sleeve	270	Harmonica holder	102, 103
Connector plate	249	Headphone holder	160, 161, 162, 170
Contrabassoon stand	82	Headphone holder with table clamp	160
Controller keyboard tray	143, 153	Headphone wall holder	161, 162
Counter weight	221	Headphones table stand	160
Cover for wagon	27	Holding magnet with pencil	54
		Inclinable stand adapter	252
		Keyboard bench	123
		Keyboard stand	134, 135, 136, 138

Keyboard stand for kids	134	One-hand microphone stand »Performance«	180
Keyboard stand »Baby-Spider Pro«	152	Orchestra chair	118, 119
Keyboard stand »Rick 20«	138	Orchestra conductor stand base	30
Keyboard stand »Rick«	137	Orchestra conductor stand desk	30, 31
Keyboard stand »Spider Pro«	151	Orchestra music stand	23, 25, 28
Knurled washer	221	Orchestra music stand	22, 23, 24, 25
LED piano lamp	39, 40	Orchestra music stand with tablet holder	24
LED replacement bulb	50	Orchestra music stand »Overture«	26
Laptop holder	143	Overhead microphone stand	188, 189
Laptop rest	154	Panel	167, 168
Laptop stand	276, 277, 279	Peg adapter	102
Leaflet holder	302	Peg holder	101
Lectern desk for the »Spider Pro«	154	Pencil holder	54
Lectern »Ovation Pro«	274	Percussion table	104
Leveling leg for speaker stand	254	Piano bench	125, 126, 130
Levelling adapter	253	Piano bench - wooden-frame	127
Lighting stand	265, 266, 267	Piano bench with quilted seat cushion	130
Lighting/Speaker stand	268	Piano bench with sheet music storage	129
Magnet	53	Piano bench »Uplift«	125
Marching drum stand	104	Piano stool	131
Microphone arm	211	Piano tuning lever	105
Microphone bar	214	Piano tuning lever set	105
Microphone clip	219, 220	Pick holder	221
Microphone desk arm	210	Pneumatic stool	111, 113
Microphone holder	211, 214	Popkiller	208, 209
Microphone holder for drums	211	Power magnet	53
Microphone stand	174, 175, 177, 178, 181, 182, 183, 184, 185, 187, 190, 192, 193	Power unit »FlexLight«	49
Microphone stand - Tube combination	177	Price tag holder	302
Microphone stand »Rien«	191	Product holder	297
Microphone stand »Soft-Touch«	178, 185, 186, 193	Product holder for acoustic guitar	299
Microphone table base	201, 202	Product holder for cymbal	300
Microphone »Fishing Pole«	205, 206, 207	Product holder for electric guitar	299
Mini boom arm	194	Product holder for guitar	298
Mixer stand	163	Product holder for headphone	300
Monitor stand	163, 236, 237	Product holder for microphone	300
Mounting adapter	250	Product holder for saxophone	299
Mouse rest	278	Product holder for trombone	300
Music holder	52, 75	Product holder for ukuleles	299
Music stand	16, 17, 18, 19, 20, 21	Product holder for violin	299
Music stand light	38	Product label bundle	303
Music stand light »2 LED FlexLight«	41	Product support arm	297
Music stand light »4 LED T-Model FlexLight«	44	Projector tray	238
Music stand light »Concert Light«	46	Promotional board (excl. Logo)	274
Music stand light »Dimmer Light«	48	Protective cover for lectern	274
Music stand light »Double LED FlexLight«	41	Quick-Release Adapter for microphones	222
Music stand light »Double2 LED FlexLight«	42	Rack	166, 167
Music stand light »Double4 LED FlexLight«	43	Rack desk stand	165
Music stand light »Double4 LED FlexLight« Set	42	Rack wagon	165, 166
Music stand light »Double4 LED T-Model FlexLight«	45	Rackmount storage	168
Music stand light »LED FlexLight«	41	Railing for conductor podium	34
Music stand light »Mighty Bright - Nu Flex«	49	Recorder holder	90, 91
Music stand light »Mighty Bright - Wonder Flex«	49	Recorder peg	101, 302
Music stand light »Orchestra Light Eos«	47	Recorder stand	89, 90
Music stand light »T-Model LED FlexLight«	44	Reducer flange	270
Music stand light »Twin Head«	46	Replacement bulb	50
Music stand »Robby Plus«	19	Rigging	271
Musician's chair	117	Safety ring	255
Mute holder	98	Saxophone stand	79
Mute holder ring	99	Saxophone stand »Jazz«	80
Oboe peg	101, 301	Saxophone stand »Saxxy«	80, 81
Oboe stand	86	School orchestra music stand	21
One hand microphone stand	176, 177	Score tray	31
One-hand microphone stand »Elegance«	179	Screen/Monitor stand	280, 281
		Screw fitting set	269
		Screw-on adapter	250
		Seat cushion - imitation leather	129

Seat cushion - leather	129	Tablet PC stand holder	291, 292
Seat cushion - velvet	128	Tablet PC table stand	284, 285
Sheet music and concept holder	156	Tablet PC wall mount	286
Sheet music and document holder	217	Tablet-PC stand	283
Sheet music clip	53	Tabletop microphone stand	200
Sheet music clips »Fix'n Clip«	53	Tenor horn stand	93
Sheet music holder	53	Thread adapter	217, 218, 219
Shoulder bag for sheet music and tablets	293	Threaded bolt	212
Side cover	165	Threaded bolt set for »Spider Pro«	155
Side crossbar	269	Three guitar stand »Guardian 3«	66
Single rack rail	169	Transportation case (hard case) for Lectern	275
Sliding shelf	167	Tray	52, 298
Smartphone holder	287	Triangle holder	104
Smartphone stand	283	Trolley for Keyboard Stands	157
Soprano saxophone peg	100, 301	Trombone stand	92
Soprano saxophone stand	79, 81	Trumpet holder	98
Soprano saxophone stand »Saxxy«	81	Trumpet peg	100, 301
Sound insulation element for Orchestra seats with backrest	32	Trumpet stand	96, 97
Sound insulation stand	32	Tuba performer stand	95
Sousaphone stand	96	Tuba performer stand for children	95
SpaceWall®	296	Tuba stand	94
Speaker ceiling mount	262	Tuning fork	105
Speaker mount	251, 259	USB cable	50
Speaker mounting fork	255	Ukulele / Violin stand	74
Speaker stand	226, 227, 228, 229, 230, 231, 232	Ukulele holder	73
Speaker stand package	226, 227	Ukulele wall mount	73
Speaker stand with pneumatic spring	232	Uni-Boy »Book« stand	37
Speaker stand »Ring Lock«	233, 234	Uni-Boy »Classic« stand	37
Speaker tilt connector	251	Universal carrying case	83
Speaker tilt connector »Ring Lock«	251	Universal clamping holder	212
Speaker wall mount	257, 258, 259, 260, 261, 262, 264	Universal drink holder	54
Speaker wall mount with sheet	259	Universal holder	138, 148, 162, 300
Speaker wall/ ceiling mount	260, 261	Universal holder for »Spider Pro«	154
Speaker/Monitor stand	226	Universal joint	219
Stackable microphone stand	176	Universal rack shelf	167
Stackable one-hand microphone stand	176	Universal speaker wall mount	260
Stacker	136, 142, 147	Universal table-top stand	275
Stacker A	145	Ventilation panel	168
Stacker B	145	Violin holder	76
Stacking chair	117	Violin stand	76, 77
Stage stool	113, 114	Violin wall holder	76
Stair for conductor podium	35	Violin/Ukulele display stand	77
Stand for electric double bass	78	Wagon for orchestra music stands »Overture«	27
Stand for kingsize tuba	94	Wall mount for acoustic guitar	70
Stool	112	Wall mount for electric guitar	70
Storage box for wagon	27	Warning strip	255
Support arm set A	153	Wooden music stand	36
Support arm set B	153	Wooden music stand	36
Support bracket	170	iPad Air 2 holder	288
TV pin	270	iPad Air 2 stand	282
Table clamp	211, 212	iPad Air 2 stand holder	291
Table flange	210, 220, 221	iPad Air holder	287
Table microphone clamp	211	iPad Air stand	281
Table microphone stand	197, 198, 199	iPad Air stand holder	290
Table monitor stand	235, 236	iPad holder	287
Table music stand	37	iPad stand	281
Table- /Floor microphone stand	199, 200, 201	iPad stand holder	290
Table-style keyboard stand	144, 146		
Table-style keyboard stand »Omega Pro«	141		
Table-style keyboard stand »Omega-E«	140		
Table-style keyboard stand »Omega«	142		
Table-style stage piano stand	147		
Tablet PC holder	288, 289, 290		
Tablet PC stand	282, 283		

Sales only through specialist shops.

When ordering please regard package units. Specifications subject to change without notice. No guarantee undertaken for printing errors.
Reprints (or duplication) prohibited. All supplies and deliveries are subject to our terms and conditions of sale, delivery and payment.



KÖNIG & MEYER
Stands For Music

KÖNIG & MEYER GmbH & Co. KG
Postfach 1453 · 97864 Wertheim/Main · Germany
Kiesweg 2 · 97877 Wertheim/Main · Germany
Tel.: +49 (0) 93 42/806-0 · Fax: +49 (0) 93 42/806-150
e-Mail: contact@k-m.de · www.k-m.de