

# Classic series



#### PROCAB CLASSIC SERIES CATALOG

Procab is the Belgian brand that specializes in premium quality cables and cable accessories for a large variety of applications. The brand is well-known for developing innovative and adapted solutions for the pro AV as well as the home markets for over 18 years.

Inside this catalog, you will find an extensive range of premade audio, video, data and power cabling with matching adapters that can be used for fixed installations as well as mobile applications. Besides a wide selection of microphone and signal cables, the audio category also covers speaker and multimedia cables. Other categories cover HDMI as well as SVGA cables and adapters plus other composite cables. For data transfer, Midi, UTP, USB, fiber and DMX cables are also to be found.

Whether you are working on a fixed system, preparing a stage or touring with a band, make your installation sure by using Procab's power cables!

Procab takes great pride in the fact that all its cables are submitted to rigorous testing before they are launched. All manufactured cables comply with global and EU environmental regulations concerning hazardous substances.

For more information about Procab and its products, visit www.procab.be

Other available catalogs:


- Basic series catalog
- > Prime series catalog
- > Bulk & accessories catalog



standards.



Prime premade series offers Classic premade series offers Basic series consists of a you the reference in cables. a stunning line of cables that complete line containing all the The series consists of the most will satisfy anyone who uses it. standard cables that you will need demanded cables in the field. All Not only the design but also the in your installations. Due to its connections are equipped with quality of the cables themselves simplicity, our basic cable series Neutrik BAG connectors. Besides is unheard of in this price range. has become very popular with all the top-quality black connectors, Our confidence in these products types of users. the cables used in this series is reflected in the 5-year limited are also designed to the highest warranty offered on all classic models.







# Audio cables





#### **CONNECTORS**

Terminal block to Terminal block 2 pole - 5.08 mm

#### **CABLE TYPE**

S15

Code	Length	Msp	Packaging
CLA530/0.5	0.5 m	30	Вох
CLA530/1	1 m	30	Вох
CLA530/1.5	1.5 m	30	Вох
CLA530/2	2 m	30	Box

Length

10 m

# **CLA595**



#### **CONNECTORS**

XLR male to XLR female

#### **CABLE TYPE**

LS15

Code	Length	Msp	Packaging
CLA595/10	10 m	10	Вох

## SAME CONNECTIVITY

Basic series CAB595



# **CLA590**



#### **CONNECTORS**

6.3 mm Jack male to 6.3 mm Jack male

#### **CABLE TYPE**

LS15

Code
CLA590/

## SAME CONNECTIVITY

SAME CONNECTIVITY

Cable only available in Procab Classic series.

Basic series CAB590

Packaging

Вох

**SAME CONNECTIVITY** 

Basic series CAB591

Msp



# **CLA600**



#### **CONNECTORS**

6.3 mm Jack male to 6.3 mm Jack male

#### **CABLE TYPE**

MC205


#### SAME CONNECTIVITY

Reference series REF600

Basic series CAB600



Code	Length	Msp	Packaging
CLA600/1.5	1.5 m	30	Вох
CLA600/2	2 m	30	Вох
CLA600/3	3 m	20	Вох
CLA600/5	5 m	20	Вох
CLA600/10	10 m	10	Вох



# **CLA591**



#### **CONNECTORS**

6.3 mm Jack male to XLR female

## **CABLE TYPE**

LS1

Code	Length	Msp	Packaging
CLA591/10	10 m	10	Вох



# **CLA603**



#### **CONNECTORS**

2 x 6.3 mm Jack male to 2 x 6.3 mm Jack male angled

#### **CABLE TYPE**


SIG44

SAN	ΛF	CC	NIN	JFC		$\Gamma V$
		-	וצוי	$\mathbf{v} = \mathbf{c}$	1 I V I	

Cable only available in Procab Classic series.



Code	Length	Msp	Packaging
CLA603/3	3 m	30	Box
CLA603/5	5 m	20	Box
CLA603/10	10 m	10	Вох







#### **CONNECTORS**

6.3 mm Jack male stereo to 6.3 mm Jack male stereo

#### **CABLE TYPE**

MC104

Code

CLA610/1.5

CLA610/3

CLA610/5

CLA610/10

#### SAME CONNECTIVITY

Reference series REF610

Packaging

Вох

Вох

Вох

Box

**SAME CONNECTIVITY** 

Reference series REF631

Вох

SAME CONNECTIVITY

Reference series REF650

Basic series CAB631

Basic series CAB610

Msp

30

20

10

20



СП		<b>I</b> p

# **CLA701**



#### **CONNECTORS**

2 x XLR male to 2 x RCA / Cinch male

#### **CABLE TYPE**

SIG44

Code

CLA701/1.5

CLA701/3

|--|

Reference series REF701

Basic series CAB701

Packaging


Вох

Вох

Msp

30

30



# **CLA631**



#### **CONNECTORS**

2 x 6.3 mm Jack male to 2 x RCA / Cinch male

#### **CABLE TYPE**

CLA631/5

Code	Length	Msp	Packaging
CLA631/1	1 m	30	Box
CLA631/1.5	1.5 m	30	Box
CLA631/3	3 m	30	Box

5 m


Length

1.5 m

3 m

5 m

10 m



# **CLA703**



#### **CONNECTORS**

XLR male to 2 x RCA / Cinch male

#### **CABLE TYPE**

MC703

#### SAME CONNECTIVITY

**SAME CONNECTIVITY** 

Reference series REF705

Basic series CAB705

Reference series REF703

Basic series CAB703

#### Code Msp Length Packaging CLA703/1.5 1.5 m 30 Box CLA703/2 30 2 m Вох CLA703/3 Вох CLA703/5 20 Вох CLA703/10 10 m Вох

Length

1.5 m

3 m

# **CLA650**



#### **CONNECTORS**

6.3 mm guitar Jack male to 6.3 mm Jack male angled

#### **CABLE TYPE**

Code	Length	Msp	Packaging
CLA650/1.5	1.5 m	30	Box
CLA650/3	3 m	20	Box
CLA650/5	5 m	20	Box



# **CLA705**



#### **CONNECTORS**

2 x XLR female to 2 x RCA / Cinch male

#### **CABLE TYPE**

SIG44

Code	Length	Msp	Packaging
CLA705/1.5	1.5 m	30	Вох
CLA705/2	2 m	20	Box
CLA705/3	3 m	30	Box







#### **CONNECTORS**

2 x XLR female to 2 x 6.3 mm Jack male

#### **CABLE TYPE**

SIG44

CLA707/1.5

CLA707/2

CLA707/3

#### SAME CONNECTIVITY

Reference series REF707

Basic series CAB707

Msp

30

30

30

30

Length

1 m

1.5 m

2 m

3 m



Вох

8,1
(3 1

# **CLA710**



#### **CONNECTORS**

2 x XLR female to 2 x XLR male

#### **CABLE TYPE**

MC104

Code

CLA710/0.5

CLA710/1.5

CLA710/3

SAME CONNECTIVIT
------------------

Reference series REF710

Basic series CAB710

Packaging

Вох

Вох

Вох

Msp


30

30

Length

0.5 m

1.5 m



# **CLA708**



#### **CONNECTORS**

2 x XLR male to 2 x 6.3 mm Jack male

#### **CABLE TYPE**

SAME	CONNECTIVITY

SAME CONNECTIVITY

Reference series

Вох


REF709

Basic series CAB709

Reference series REF708

Basic series CAB708









#### **CONNECTORS**

3.5 mm Jack male stereo to 2 x RCA / Cinch male

#### **CABLE TYPE**

SIG144

#### SAME CONNECTIVITY

Reference series REF711

Basic series CAB711

Smart series

CIP712 (see page 20)

Code	Length	Msp	Packaging
CLA711/1.5	1.5 m	30	Вох
CLA711/3	3 m	30	Вох
CLA711/5	5 m	20	Вох
CLA711/10	10 m	20	Box
CLA711/15	15 m	20	Вох
CLA711/20	20 m	10	Box



# **CLA709**



#### **CONNECTORS**

6.3 mm Jack male stereo to XLR male and XLR female

#### **CABLE TYPE**

SIG44

Code CLA709/1 CLA709/1.5 CLA709/2 CLA709/3

Length	Msp	Packaging
1 m	30	Вох
1.5 m	30	Вох
2 m	30	Box

20

3 m

# **CLA712**



#### **CONNECTORS**

3.5 mm Jack male stereo to 2 x XLR male

#### **CABLE TYPE**

SIG144

Code	Length	Msp	Packaging
CLA712/1.5	1.5 m	30	Box
CLA712/3	3 m	30	Вох

# SAME CONNECTIVITY

Reference series REF712

Basic series CAB712





10 **★★★★** 11



#### **CONNECTORS**

3.5 mm Jack male stereo to 2 x 6.3 mm Jack male

#### **CABLE TYPE**


SIG144

S	ΔN	ЛF	C	O	N	N	F	C	П	V	П	ГΥ	/
J		,, _	_	${f \sim}$				•		v			

Reference series REF713

Basic series CAB713

Code	Length	Msp	Packaging
CLA713/1.5	1.5 m	30	Box
CLA713/3	3 m	30	Box



# **CLA719**



#### **CONNECTORS**

6.3 mm Jack male stereo to 2 x RCA / Cinch male

#### **CABLE TYPE**

SIG144

SAN	ИE	CO	ΝN	IEC	ΤIV	ITY

SAME CONNECTIVITY

**SAME CONNECTIVITY** 

Reference series REF721


Basic series CAB721

Cable only available in Procab Classic series.

Reference series REF719

Basic series CAB719

Code	Length	Msp	Packaging
CLA719/1.5	1.5 m	30	Вох
CLA719/3	3 m	30	Вох



# **CLA716**



#### **CONNECTORS**

3.5 mm Jack male stereo to 3.5 mm Jack male stereo

#### **CABLE TYPE**

#### **SAME CONNECTIVITY**

**SAME CONNECTIVITY** 

Cable only available in Procab Classic series.

Reference series REF612

Smart series CIP708 (see page 20)



	)
Gold plated	J

Code	Length	Msp	Packaging
CLA716/0.7	0.75 m	30	Box
CLA716/1.5	1.5 m	30	Box
CLA716/3	3 m	30	Вох
CLA716/5	5 m	20	Box
CLA716/10	10 m	10	Вох
CLA716/15	15 m	10	Вох



# **CLA718**



#### **CONNECTORS**

3.5 mm Jack male stereo to 3.5 mm Jack male stereo angled

#### **CABLE TYPE**

Code	Length	Msp	Packaging
CLA718/1.5	1.5 m	30	Box
CLA718/3	3 m	30	Box



# **CLA720**



#### **CONNECTORS**

6.3 mm Jack male stereo angled to 2 x 6.3 mm Jack female stereo

#### **CABLE TYPE**

Code	Length	Msp	Packaging
CAB720/1.5	1.5 m	30	Вох



# **CLA721**




#### **CONNECTORS**

6.3 mm Jack male stereo to 2 x 6.3 mm Jack male

#### **CABLE TYPE**

SIG144

Code	Length	Msp	Packaging
CLA721/1.5	1.5 m	30	Вох
CLA721/3	3 m	30	Вох



# Code CLA723/1.5

#### CONNECTORS

XLR female to 6.3 mm Jack male stereo

#### **CABLE TYPE**

MC104

#### SAME CONNECTIVITY

Reference series REF723

Packaging

Box

Basic series CAB723

Msp



# **CLA735**




XLR female to 2 x XLR male

#### **CABLE TYPE**

MC104

LA735/1.5 1.5 m 30 Box	ode	Length	Msp	Packaging
		- J	30	Вох



# **CLA724**



#### **CONNECTORS**

XLR male to 6.3 mm Jack male stereo

#### **CABLE TYPE**

MC104

CLA724/10

SAN	ΛF	CON	INF	CTI	V	ITY
	/! _	$\sim$		<b>~</b> 1 1	v	

Reference series REF724

Basic series CAB724



Pac

10

iode	Length	Msp	Packaging
LA724/1.5	1.5 m	30	Box
LA724/3	3 m	20	Box
LA724/5	5 m	20	Вох

10 m

Length

1.5 m

# **CLA736**



## **CONNECTORS**

XLR male to 2 x XLR female

#### **CABLE TYPE**

MC104

SA	٩M	E	Ol	NI	N	E	$\mathbf{C}$	П	V	IT	

**SAME CONNECTIVITY** 


Reference series REF735

Basic series CAB735

Reference series REF736

Basic series CAB736

Code Length Msp Packaging CLA736/1.5 1.5 m 30 Вох CLA736/2 2 m 30 Вох



# **CLA725**



#### **CONNECTORS**

RCA / Cinch male to 2 x RCA / Cinch male

#### **CABLE TYPE**

MC703

#### **SAME CONNECTIVITY**

Box

Reference series REF725

Basic series CAB725

Code	Length	Msp	Packaging
CAB725/1.5	1.5 m	30	Box



# **CLA792**



#### **CONNECTORS**


tereo to tereo


MC104

## **SAME CONNECTIVITY**

Reference series REF792

Basic series CAB792





**★★★★** 15



#### **CONNECTORS**

6.3 mm Jack male angled to 6.3 mm Jack male angled

#### **CABLE TYPE**

Code	Length	Msp	Packaging
CLA794/01	0.15 m	30	Вох
CLA794/03	0.3 m	30	Вох



SAME CONNECTIVITY

**SAME CONNECTIVITY** 

**SAME CONNECTIVITY** 

Cable only available in Procab Classic series.

Reference series REF800

Basic series CAB800

Cable only available in Procab Classic series.

# **CLA800**



#### **CONNECTORS**

2 x RCA / Cinch male to 2 x RCA / Cinch male

#### **CABLE TYPE**

Code	Length	Msp	Packaging
CLA800/0.5	0.5 m	30	Вох
CLA800/1	1 m	30	Box
CLA800/1.5	1.5 m	30	Вох
CLA800/3	3 m	30	Box
CLA800/5	5 m	20	Вох
CLA800/10	10 m	10	Box
CLA800/15	15 m	10	Вох
CLA800/20	20 m	10	Вох



# **CLA830**



#### **CONNECTORS**

2 x Terminal block to 2 x Terminal block 3P x 3.81 mm

#### **CABLE TYPE**

SIG54

Code	Length	Msp	Packaging
CLA830/0.25	0.25 m	30	Вох
CLA830/0.5	0.5 m	30	Box
CLA830/1	1 m	30	Box
CLA830/1.5	1.5 m	30	Box
CLA830/3	3 m	30	Box

# **CLA832**



#### **CONNECTORS**

2 x RCA / Cinch male to 2 x Terminal block 3P x 3.81 mm

#### **CABLE TYPE**

SIG54

Code	Length	Msp	Packaging
CLA832/0.5	0.5 m	30	Вох
CLA832/1	1 m	30	Вох
CLA832/1.5	1.5 m	30	Вох
CLA832/3	3 m	30	Вох



**SAME CONNECTIVITY** 

**SAME CONNECTIVITY** 

**SAME CONNECTIVITY** 

Cable only available in Procab Classic series.

Cable only available in Procab Classic series.

Cable only available in Procab Classic series.

# **CLA834**




## **CONNECTORS**

2 x XLR male to 2 x Terminal block 3P x 3.81 mm

#### **CABLE TYPE**

SIG54

Code	Length	Msp	Packaging
CLA834/0.5	0.5 m	30	Вох
CLA834/1	1 m	30	Вох
CLA834/1.5	1.5 m	30	Вох
CLA834/3	3 m	30	Box



# **CLA835**



#### **CONNECTORS**


2 x XLR female to 2 x Terminal block 3P x 3.81 mm

#### **CABLE TYPE**

SIG54

		Code
		CLA835/0.
ed		CLA835/1
eu _		CLA835/1.
		CI 4835/3

/PE			



Code	Length	Msp	Packaging
CLA835/0.5	0.5 m	30	Вох
CLA835/1	1 m	30	Вох
CLA835/1.5	1.5 m	30	Вох
CLA835/3	3 m	30	Вох
CLA835/5	5 m	20	Вох



#### CONNECTORS

2 x RCA / Cinch male to 2 x RCA / Cinch female

## **CABLE TYPE**

SIG144

#### SAME CONNECTIVITY

Reference series REF850

Basic series CAB850

		4
		Ħ

Code	Length	Msp	Packaging
CLA850/1	1 m	30	Box
CLA850/1.5	1.5 m	30	Box
CLA850/2	2 m	30	Box
CLA850/3	3 m	30	Box
CLA850/5	5 m	20	Вох

# **CLA903**



#### **CONNECTORS**

XLR male to XLR female angled

#### **CABLE TYPE**

MC104

Code	Length	Msp	Packaging
CLA903/1.5	1.5 m	30	Вох
CLA903/2	2 m	30	Вох
CLA903/3	3 m	20	Вох
CLA903/5	5 m	20	Вох
CLA903/10	10 m	10	Вох



**SAME CONNECTIVITY** 

**SAME CONNECTIVITY** 

Cable only available in Procab Classic series.

Cable only available in Procab Classic series.

# **CLA900**



#### **CONNECTORS**

6.3 mm Jack male to XLR female

### **CABLE TYPE**

MC205

#### **SAME CONNECTIVITY**

Reference series REF900


Basic series CAB900











# Вох

# **CLA904**



#### **CONNECTORS**

XLR male angled to XLR female angled

#### **CABLE TYPE**

MC104



Code	Length	Msp	Packaging
CLA904/1.5	1.5 m	30	Вох
CLA904/3	3 m	20	Box
CLA904/5	5 m	20	Вох
CLA904/10	10 m	10	Вох

# **CLA901**



#### **CONNECTORS**

XLR male to XLR female

#### **CABLE TYPE**

MC104

## **SAME CONNECTIVITY**

Prime series PRA901

Reference series REF901

Basic series CAB901



Code	Length	Msp	Packaging
CLA901/0.5	0.5 m	30	Вох
CLA901/1	1 m	30	Вох
CLA901/1.5	1.5 m	30	Вох
CLA901/3	3 m	20	Box
CLA901/5	5 m	20	Вох
CLA901/10	10 m	10	Box
CLA901/15	15 m	10	Вох
CLA901/20	20 m	10	Вох
CLA901/25	25 m	10	Вох
CLA901/30	30 m	10	Вох

**★★★★** 19

# Smart series

#### **SMART SERIES CABLES**

The Smart series is a range of products by Procab which is mainly dedicated to all kinds of multimedia connectivity and media accessories. It features products that enable you to get the most out of the multimedia files stored on your personal media players.

These cables and accessories allow you to enjoy your audiovisual files through your home and car entertainment system. Smart cable and connector quality is guaranteed for life.



CIP700
MINI JACK SPEAKER AND HEADPHONE SPLITTER

Code	Msp
CIP700	20



CIP705
MINI JACK MALE TO 2X MINI JACK FEMALE

Code	Length	Msp
CIP705/1.5	1.5 m	20



CIP708
MINI JACK MALE TO MINI JACK MALE

Code	Length	Msp
CIP708/2	2 m	20



CIP712 MINI JACK MALE TO 2 X RCA / CINCH MALE

Code	Length	Msp
CIP712/2	2 m	20

# Video cables





#### **CLASSIC SERIES VIDEO CABLES**

The Procab Classic series offers video connection cables meeting the highest requirements for current state-of-the-art video applications, including connection cables for both analog and digital video transmission. For every application where a video source device such as a camera, DVD or Blu-ray player needs to be connected to a video display device such as a monitor, beamer or flatscreen, Procab offers the best suited connection solution.

#### **COMPOSITE VIDEO**

Composite video is an analog video format whereby the luminance (brightness) and chrominance (color) are carried over a single wire. The cable used for composite video transmission is always a coaxial cable with an impedance of 75 Ohm, and the connections will always be made by means of two connector types called BNC and RCA. The color used to mark the connector for a composite video signal is always yellow.



#### **VGA CABLE**



Video Graphics Array, also known as VGA, is an analog video format whereby the individual components of a video signal are carried over separate wires. It consists of three basic colors that a video signal is composed of (red, green and blue) accompanied by horizontal and vertical synchronization signals used for the correct alignment of the image.

The cable used for VGA video transmission is always composed of five coaxial cables, three of them are representing the color information (red, green and blue), and the two remaining ones represent the horizontal (white) and vertical (black) synchronization. Some additional wires are added for exchanging data between the source and display device. The cable is more complex and therefore more expensive than a composite video cable, but the VGA brings the advantage of higher resolutions compared to composite video.

# CLV100 - CLV200







- Audio return channel
- HDMI with Ethernet Triple shielding
- Standard speed up to 1080i
- > High speed up to 1080p

CLV200: low smoke halogen free version

#### **CONNECTORS**

HDMI A male to HDMI A male

High speed HDMI with Ethernet Channel

#### **CABLE TYPE**

CDD100

SA	AME	CONNECT	VITY
_			

Reference series

Basic series

Code	Length	AWG	Msp	Packaging
CLV100/1.5	1.5 m	28	30	Вох
CLV100/3	3 m	28	20	Вох
CLV100/5	5 m	24	10	Вох
CLV200/5 🖇 🔥	5 m	24	10	Вох
CLV100/7.5	7.5 m	24	10	Вох
CLV200/7.5 🖇 🔥	7.5 m	24	10	Вох
CLV100/10	10 m	24	10	Вох
CLV200/10 \$	10 m	24	10	Вох
CLV100/15	15 m	24	10	Вох
CLV200/15 🖇 🔥	15 m	24	10	Вох
CLV100/20	20 m	24	8	Вох
CLV200/20 🖇 🔥	20 m	24	8	Вох



 $< 10 \, \text{m}$ 



≥ 10 m

## **CLV114**



- > 5 Coaxial conductors carrying the RGBHV Video
- All pins are connected
- Supports Extended Display Identification Data (EDID)

#### **CONNECTORS**

SVGA male to SVGA male

#### **CABLE TYPE**

SVGA214

Reference s	eries
CAV/114	

SAME CONNECTIVITY

Code Length AWG Msp Packaging CLV114/1.5 Вох 28 CLV114/3 3 m 28 Box CLV114/5 5 m 28 Вох CLV114/10 28 Вох CLV114/15 28 Вох CLV114/20 20 m 28 10 Bag Bag CLV114/30 30 m 28 Bag

22 \*\*\*\*

# **CLV115**



#### **CONNECTORS**

SVGA & mini jack male stereo to SVGA & mini jack male stereo

## **CABLE TYPE**

SVGA215

#### SAME CONNECTIVITY

**SAME CONNECTIVITY** 

Cable only available in Procab Classic series.

Reference series CAV115

#### Mini Jack cable length:

Projector side: 15 cm Computer side: 50 cm

Code	Length	AWG	Msp	Packaging
CLV115/1	1 m	28	30	Вох
CLV115/1.5	1.5 m	28	20	Вох
CLV115/3	3 m	28	20	Вох
CLV115/5	5 m	28	10	Box
CLV115/10	10 m	28	10	Вох
CLV115/15	15 m	28	10	Вох
CLV115/20	20 m	28	10	Bag
CLV115/25	25 m	28	10	Bag
CLV115/30	30 m	28	8	Bag

#### Supports Extended Display Identification Data (EDID)

All pins are connected

5 Coaxial conductors carrying the RGBHV Video

# **CLV156**



## CONNECTORS

BNC male to BNC male

50 Ohm

#### **CABLE TYPE**

CXV150

Code	Length	Msp	Packaging
CLV156/0.5	0.5 m	30	Вох
CLV156/1	1 m	30	Вох
CLV156/1.5	1.5 m	30	Вох
CLV156/2	2 m	30	Вох
CLV156/3	3 m	20	Вох
CLV156/5	5 m	20	Вох
CLV156/10	10 m	10	Вох
CLV156/15	15 m	10	Bag
CLV156/20	20 m	10	Bag

# **CLV158**



#### **CONNECTORS**

BNC male to BNC male

75 Ohm

#### **CABLE TYPE**

CXV175

Code	Length	Msp	Packaging
CLV158/0.5	0.5 m	30	Вох
CLV158/1	1 m	30	Вох
CLV158/1.5	1.5 m	30	Вох
CLV158/3	3 m	20	Вох
CLV158/5	5 m	20	Box
CLV158/10	10 m	20	Вох
CLV158/15	15 m	10	Bag
CLV158/20	20 m	10	Bag



#### **CONNECTORS**

RCA / Cinch male to RCA / Cinch male

75 Ohm

## **CABLE TYPE**

CXV175

Code	Length	Msp	Packaging
CLV162/0.5	0.5 m	30	Вох
CLV162/1.5	1.5 m	30	Вох
CLV162/2	2 m	30	Вох
CLV162/3	3 m	30	Вох
CLV162/5	5 m	20	Вох
CLV162/10	10 m	20	Вох
CLV162/15	15 m	10	Bag
CLV162/20	20 m	10	Bag

# **CLV162**



## **SAME CONNECTIVITY**

**SAME CONNECTIVITY** 

Reference series CAV158

Reference series CAV162



# Data cables



#### **CLASSIC SERIES DATA CABLES**

In order to achieve a digital signal transmission between several devices, communication should be made according to standards. Several standards are defined, each especially designed for use with specific applications. The two most important standards for professional stage and broadcast use in the field of audio and video are the AES/EBU and the DMX standards.

The AES/EBU standard is a standard which is designed to carry digital audio signals between devices, developed by the Audio Engineering Society and European Broadcasting Unit. There are three different kinds of mediums that can be used for transferring digital audio signals according to the AES/EBU standard:





BNC variant also exists. (This kind of cables is Classic series) available in both Reference and Classic series)



Balanced - 3 Conductor, 110 Ohm twisted Unbalanced - 2 Conductor, 75 Ohm coaxial Optical - Optical fiber, usually plastic but pair cabling with an XLR connector. (This kind cable with an RCA connector. It uses the occasionally glass, with an F05 connector, of cables is available in both Reference and same patching, cabling and infrastructure as also known as TOSLINK of S/PDIF. (This kind analog and digital video interconnections. A of cables is available in both Reference and

Digital Multiplexed (DMX) is a serial communication protocol which is based on RS-485 and is commonly used to control stage lighting and effects. It was originally intended as a standardized method for controlling light dimmers, but, through further developments it became the major way to control special effects, moving effects and many more devices in the field of on- stage and entertainment technologies.

# **CLD400**



#### **CONNECTORS**

Midi male to Midi male

#### **CABLE TYPE**

MIDI400

#### SAME CONNECTIVITY

Reference series CXM400

Basic series CAM400

Code	Length	Msp	Packaging
CLD400/0.5	0.5 m	30	Box
CLD400/1.5	1.5 m	30	Box
CLD400/2	2 m	20	Box
CLD400/3	3 m	20	Bag
CLD400/5	5 m	20	Bag
CLD400/10	10 m	10	Bag

## **CLD500**



#### **CONNECTORS**

CAT5E UTP cable with RJ45 connectors

#### **CABLE TYPE**

CAT50B

Code	Length	Msp	Packaging
CLD500/0.5	0.5 m	30	Box
CLD500/1	1 m	30	Box
CLD500/1.5	1.5 m	30	Box
LD500/3	3 m	30	Box
CLD500/5	5 m	20	Box
LD500/10	10 m	10	Box
LD500/15	15 m	10	Bag
LD500/20	20 m	10	Bag

# **CLD600**



#### **CONNECTORS**

USB 2.0 A to USB 2.0 A

#### **CABLE TYPE**

Code	Length	Msp	Packaging
CLD600/1	1 m	30	Вох
CLD600/1.5	1.5 m	30	Вох
CLD600/3	3 m	20	Вох
CLD600/5	5 m	20	Вох

# **SAME CONNECTIVITY**

Reference series CXU500

SAME CONNECTIVITY

Cable only available in Procab Classic series.



**SAME CONNECTIVITY** 

**SAME CONNECTIVITY** 

Reference series OTT15

Reference series CXU620

Cable only available in Procab Classic series.

# **CLD605**



### **CONNECTORS**

USB 3.0 A to USB 3.0 A

#### **CABLE TYPE**

DD605

#### SAME CONNECTIVITY

SAME CONNECTIVITY

**SAME CONNECTIVITY** 

Cable only available in Procab Classic series.

Cable only available in Procab Classic series.

Cable only available in Procab Classic series.

Code	Length	Msp	Packaging
CLD605/1	1 m	30	Вох
CLD605/1.5	1.5 m	30	Box
CLD605/2	2 m	30	Box

# **CLD614**



#### **CONNECTORS**

USB 2.0 A to USB micro B

#### CABLE TYPE

CDD600

Code	Length	Msp	Packaging
CLD614/1	1 m	30	Вох
CLD614/1.5	1.5 m	30	Вох
CLD614/2	2 m	30	Box

# **CLD610**



#### **CONNECTORS**

USB 2.0 A to USB B

## **CABLE TYPE**

CDD600

Code	Length	Msp	Packaging
CLD610/1.5	1.5 m	30	Вох
CLD610/3	3 m	20	Box
CLD610/5	5 m	20	Вох

# **CLD615**



## **CONNECTORS**

USB 2.0 A to USB mini B

#### **CABLE TYPE**

CDD600

Code	Length	Msp	Packaging
LD615/1	1 m	30	Box
LD615/1.5	1.5 m	30	Box
LD615/2	2 m	30	Вох

# **CLD612**



#### **CONNECTORS**

USB 2.0 A to USB micro A

### **CABLE TYPE**

CDD600

Code	Length	Msp	Packaging
CLD612/1	1 m	30	Box
CLD612/1.5	1.5 m	30	Box
CLD612/2	2 m	30	Box

# **CLD625**



#### **CONNECTORS**

Toslink to Toslink

#### **CABLE TYPE**

COP15

Code	Length	Msp	Packaging
CLD625/1.5	1.5 m	30	Вох
CLD625/3	3 m	30	Вох



# **CLD953**



## **CONNECTORS**

SAME CONNECTIVITY

AES 110 Ohm digital audio 3 pole XLR male to 3 pole XLR female

Prime series PRD953

**CABLE TYPE** 

Reference series REF953

DMX30

Code	Length	Msp	Packaging
CLD953/0.5	0.5 m	30	Box
CLD953/1	1 m	30	Box
CLD953/1.5	1.5 m	30	Вох
CLD953/3	3 m	20	Box
CLD953/5	5 m	20	Box
CLD953/10	10 m	10	Вох
CLD953/15	15 m	10	Bag
CLD953/20	20 m	10	Bag

# **CLD955**



#### **CONNECTORS**

SAME CONNECTIVITY

AES 110 Ohm digital audio 5 pole XLR male to 5 pole XLR female

Prime series PRD955

**CABLE TYPE** 

Reference series REF955

OMX50

Code	Length	Msp	Packaging
CLD955/0.5	0.5 m	30	Вох
CLD955/1	1 m	30	Box
CLD955/1.5	1.5 m	30	Box
CLD955/3	3 m	20	Box
CLD955/5	5 m	20	Box
CLD955/10	10 m	10	Box
CLD955/15	15 m	10	Bag
CLD955/20	20 m	10	Bag

# Adapters





CLP101
RCA / CINCH FEMALE TO XLR FEMALE

Code	Msp	Packaging
CLP101	20	Blister

Basic series



CLP103
RCA / CINCH MALE TO 6.3 MM JACK FEMALE

Code	Msp	Packaging
CLP103	20	Blister

#### **SAME CONNECTIVITY**

Basic series VC103



CLP106
2 X RCA / CINCH FEMALE TO RCA / CINCH MALE

Code	Msp	Packaging
CLP106	20	Blister

#### SAME CONNECTIVITY

Basic series VC106



CLP102
RCA / CINCH FEMALE TO XLR MALE

Code	Msp	Packaging
CLP102	20	Blister

#### **SAME CONNECTIVITY**

Basic series



CLP104
RCA / CINCH FEMALE TO 6.3 MM JACK MALE

Code	Msp	Packaging
CLP104	20	Blister

#### **SAME CONNECTIVITY**

Basic series



**CLP107**RCA / CINCH FEMALE TO RCA / CINCH FEMALE

Code	Msp	Packaging
CLP107	20	Blister

#### **SAME CONNECTIVITY**

Basic series VC107



CLP108
2 X RCA / CINCH FEMALE TO 2 X RCA / CINCH FEMALE

Code	Msp	Packaging
CLP108	20	Blister

#### **SAME CONNECTIVITY**

Adapter only available in Procab Classic series.



CLP110
XLR FEMALE TO 6.3 MM JACK FEMALE BALANCED

Code	Msp	Packaging
CLP110	20	Blister

#### **SAME CONNECTIVITY**

Basic serie



CLP115
XLR MALE TO 6.3 MM JACK FEMALE BALANCED

Code	Msp	Packaging
CLP115	20	Blister

# SAME CONNECTIVITY

Basic series VC115



Code	Msp	Packaging
CLP120	20	Blister

#### SAME CONNECTIVITY

Basic series VC120



CLP121 XLR FEMALE TO 6.3 MM JACK MALE

Code	Msp	Packaging
CLP121	20	Blister

#### **SAME CONNECTIVITY**

Basic series VC121



CLP125
XLR MALE TO 6.3 MM JACK MALE BALANCED

Code	Msp	Packaging
CLP125	20	Blister

#### **SAME CONNECTIVITY**

Basic series VC125



CLP126 XLR MALE TO 6.3 MM JACK MALE

Code	Msp	Packaging
CLP126	20	Blister

Basic series VC126



CLP135
XLR MALE TO RCA / CINCH MALE

Code	Msp	Packaging
CLP135	20	Blister

#### **SAME CONNECTIVITY**

Basic series VC135



CLP145 XLR FEMALE TO XLR FEMALE

Code	Msp	Packaging
CLP145	20	Blister

#### **SAME CONNECTIVITY**

Basic series VC145



CLP130 XLR FEMALE TO RCA / CINCH MALE

Code	Msp	Packaging
CLP130	20	Blister

#### SAME CONNECTIVITY

Basic series



CLP140 XLR MALE TO XLR MALE

Code	Msp	Packaging
CLP140	20	Blister

#### **SAME CONNECTIVITY**

Basic series



CLP146
PHASE SHIFT XLR MALE TO XLR FEMALE

Code	Msp	Packaging
CLP146	20	Blister

#### **SAME CONNECTIVITY**

Adapter only available in Procab Classic series.



# **CLP204** 3.5 MM JACK FEMALE STEREO TO 3.5 MM JACK MALE STEREO 90° ANGLED

Code	Msp	Packaging
CLP204	20	Blister

#### **SAME CONNECTIVITY**

Adapter only available in Procab Classic series.



**CLP205** 3.5 MM JACK FEMALE STEREO TO 6.3 MM JACK MALE STEREO 90° ANGLED

Code	Msp	Packaging
CLP205	20	Blister

#### SAME CONNECTIVITY

Adapter only available in Procab Classic series.



# **CLP206** 3.5 MM JACK FEMALE STEREO TO 6.3 MM JACK MALE STEREO

Code	Msp	Packaging
CLP206	20	Blister

#### **SAME CONNECTIVITY**

Adapter only available in Procab Classic series.



# ${CLP208}\ {\hbox{\scriptsize 2}}\ {\hbox{\scriptsize X}}\ {\hbox{\scriptsize 3.5}}\ {\hbox{\scriptsize MM}}\ {\hbox{\scriptsize JACK}}\ {\hbox{\scriptsize FEMALE}}\ {\hbox{\scriptsize STEREO}}\ {\hbox{\scriptsize TO}}$

Code	Msp	Packaging
CLP208	20	Blister

#### SAME CONNECTIVITY

Adapter only available in Procab Classic series.



# **CLP209** 2 X 3.5 MM JACK FEMALE STEREO TO 3.5 MM JACK MALE STEREO - FLEXIBLE

Code	Msp	Packaging
CLP209	20	Blister

#### SAME CONNECTIVITY

Adapter only available in Procab Classic series.



# $\begin{array}{c} \textbf{CLP210} \ 2 \ \text{X RCA / CINCH FEMALE TO} \\ \textbf{6.3 MM JACK MALE STEREO} \end{array}$

Code	Msp	Packaging
CLP210	20	Blister

#### SAME CONNECTIVITY

Adapter only available in Procab Classic series.



**CLP211** 2 X RCA / CINCH FEMALE TO 3.5 MM JACK MALE STEREO

Code	Msp	Packaging
CLP211	20	Blister

Adapter only available in Procab Classic series.



CLP321 SVGA FEMALE TO SVGA FEMALE

Code	Msp	Packaging
CLP321	20	Blister

#### **SAME CONNECTIVITY**

Adapter only available in Procab Classic series.



CLP341
HDMI FEMALE TO DVI MALE - FLEXIBLE

Code	Msp	Packaging
CLP341	20	Blister

#### **SAME CONNECTIVITY**

Adapter only available in Procab Classic series.



CLP342
HDMI MALE TO DVI FEMALE - FLEXIBLE

Code	Msp	Packaging
CLP342	20	Blister

#### **SAME CONNECTIVITY**

Adapter only available in Procab Classic series.



CLP345
HDMI FEMALE TO HDMI FEMALE

Code	Msp	Packaging
CLP345	20	Blister

#### **SAME CONNECTIVITY**

Adapter only available in Procab Classic series.



CLP157
110 OHM DMX TERMINATOR 3-PIN XLR CONNECTOR

Code	Msp	Packaging
CLP157	20	Blister

#### SAME CONNECTIVITY

Adapter only available in Procab Classic series.



CLP158
110 OHM DMX TERMINATOR 5-PIN XLR CONNECTOR

Code	Msp	Packaging
CLP158	20	Blister

#### SAME CONNECTIVITY

Adapter only available in Procab Classic series.

38 ★★★★★

# Power cables



# **CAB400**



#### **CONNECTORS**

Schuko power male & XLR female to Euro power female & XLR male

#### **CABLE TYPE**

3G1.5 - PAC50

Referen	ce series	

SAME CONNECTIVITY


SAME CONNECTIVITY


SAME CONNECTIVITY

Cable only available in Procab Basic series.

Cable only available in Procab Basic series.

Reference series REF400





# **CAB432**



**SAME CONNECTIVITY** 

SAME CONNECTIVITY

SAME CONNECTIVITY

Basic series
CAB432 (see page 43)

Cable only available in Procab Basic series.

Basic series CAB442 (see page 43)

#### **CONNECTORS**


Blue powercon to Schuko power male

Neutrik NAC3FCA connector

## **CABLE TYPE**

3G1.5 - H07RNF

Code	Length	Msp	Packaging
CAB432/1.5	1.5 m	20	Hanger
CAB432/3	3 m	15	Hanger
CAB432/5	5 m	15	Hanger
			-



NEUTRIK

# **CAB402**



#### **CONNECTORS**


Schuko power male & XLR female to Euro power female & XLR male

#### **CABLE TYPE**

3G2.5 - PAC52

Code	Length	Msp	Packaging
CAB402/5	5 m	4	Hanger
CAB402/10	10 m	4	Hanger
CAB402/15	15 m	4	Hanger
CAB402/20	20 m	4	Hanger





# **CAB440**

#### **CONNECTORS**


Blue powercon to Grey powercon

Neutrik NAC3FCA & NAC3FCB connector

#### **CABLE TYPE**

3G2.5 - H07RNF

Code	Length	Msp	Packaging
CAB440/1.5	1.5 m	20	Hanger
CAB440/3	3 m	15	Hanger
CAB440/5	5 m	15	Hanger



NEUTRIK

# **CAB405**




#### **CONNECTORS**


Schuko power male & 2 x XLR female to Euro power female & 2 x XLR male

#### **CABLE TYPE**

3G2.5 - PAC55

Code	Length	Msp	Packaging
CAB405/5	5 m	4	Hanger
CAB405/10	10 m	4	Hanger
CAB405/15	15 m	4	Hanger
CAB405/20	20 m	4	Hanger





# **CAB442**

#### CONNECTORS


Blue powercon to Schuko power male

Neutrik NAC3FCA connector

#### **CABLE TYPE**

3G2.5 - H07RNF

Code	Length	Msp	Packagir
CAB442/1.5	1.5 m	20	Hang
CAB442/3	3 m	15	Hang
CAB442/5	5 m	15	Hang







# V)

# **CAB444**



**SAME CONNECTIVITY** 

**SAME CONNECTIVITY** 

Cable only available in Procab Basic series.

Cable only available in Procab Basic series.



#### CONNECTORS


Euro power male to Blue powercon

Neutrik NAC3FCA connector

#### **CABLE TYPE**

3G1.5 - H07RNF

	ging
CAB444/1.5 1.5 m 50 Hang	iger



# **CAB448**



**SAME CONNECTIVITY** 

**SAME CONNECTIVITY** 

Cable only available in Procab Basic series.

Cable only available in Procab Basic series.




French or German type connector


Neutrik NAC3FCB connector

#### **CABLE TYPE**

3G2.5 - H07RNF

Code	Length	Msp	Packaging
CAB448/1.5-F	1.5 m	50	Plastic Bag
CAB448/1.5-G	1.5 m	50	Plastic Bag





# **CAB446**

CAB446-G



#### **CONNECTORS**

Euro power male to Schuko power female


French or German type connector

### **CABLE TYPE**

3G1.5 - H07RNF

Code	Length	Msp	Packaging
CAB446/1.5-F	1.5 m	50	Plastic Bag
CAB446/1.5-G	1.5 m	40	Plastic Bag





# **CAB450**

CAB448-G



#### **CONNECTORS**

Extension lead CEE 16 AMP male - female

## **CABLE TYPE**

3G2.5 - H07RNF

Code	Length	Msp	Packaging
CAB450/1.5	1.5 m	25	Plastic Bag
CAB450/3	3 m	10	Plastic Bag
CAB450/5	5 m	8	Plastic Bag
CAB450/10	10 m	6	Plastic Bag
CAB450/15	15 m	5	Plastic Bag
CAB450/20	20 m	4	Plastic Bag





# CAB456/FF



#### CONNECTORS


Adapting lead CEE male to Schuko power female

FRENCH type connector

#### **CABLE TYPE**

3G2.5 - H07RNF

Code	Length	Msp	Packaging
CAB456/FF	1 m	25	Hanger



SAME CONNECTIVITY

SAME CONNECTIVITY

**SAME CONNECTIVITY** 

Cable only available in Procab Basic series.

Cable only available in Procab Basic series.

Cable only available in Procab Basic series.

# CAB456/FM



#### **CONNECTORS**

Adapting lead CEE female to Schuko power male

FRENCH type connector

#### **CABLE TYPE**

3G2.5 - H07RNF

Code	Length	Msp	Packaging
CAB456/FM	1 m	25	Hanger



# CAB456/GF



#### CONNECTORS


Adapting lead CEE male to Schuko power female

GERMAN type connector

#### **CABLE TYPE**

3G2.5 - H07RNF

Code	Length	Msp	Packaging
CAB456/GF	1 m	25	Hanger



# **CAB465**



#### CONNECTORS

Extension power cable
French or German type connector

#### **CABLE TYPE**

3G2.5 - H07RNF

#### SAME CONNECTIVITY

Cable only available in Procab Basic series.





	Code	Length	Msp	Packaging
CAB465-G	CAB465/1.5-F	1.5 m	20	Plastic bag
	CAB465/3-F	3 m	15	Plastic bag
	CAB465/5-F	5 m	15	Plastic bag
	CAB465/10-F	10 m	10	Plastic bag
	CAB465/15-F	15 m	8	Plastic bag
	CAB465/20-F	20 m	5	Plastic bag

Code	Length	Msp	Packaging
CAB465/1.5-G	1.5 m	20	Plastic bag
CAB465/3-G	3 m	15	Plastic bag
CAB465/5-G	5 m	15	Plastic bag
CAB465/10-G	10 m	10	Plastic bag
CAB465/15-G	15 m	8	Plastic bag
CAB465/20-G	20 m	5	Plastic bag

# **CAB475**



### **CONNECTORS**

Extension power cable

French or German type connector

#### CABLE TYPE

3G1.5 - H05VV

#### **SAME CONNECTIVITY**

Cable only available in Procab Basic series.







Code	Length	Msp	Packaging
CAB475/1.5-F	1.5 m	40	Plastic bag
CAB475/3-F	3 m	25	Plastic bag
CAB475/5-F	5 m	20	Plastic bag
CAB475/10-F	10 m	10	Plastic bag
CAB475/15-F	15 m	5	Plastic bag
CAB475/20-F	20 m	5	Plastic bag

Code	Length	Msp	Packaging
CAB475/1.5-G	1.5 m	40	Plastic bag
CAB475/3-G	3 m	25	Plastic bag
CAB475/5-G	5 m	20	Plastic bag
CAB475/10-G	10 m	10	Plastic bag
CAB475/15-G	15 m	5	Plastic bag
CAB475/20-G	20 m	5	Plastic bag



# **CAB480**

#### **CONNECTORS**

SAME CONNECTIVITY PVC euro power extension lead 3 x 1.5 mm<sup>2</sup> - euro male to euro female

Cable only available in Procab Basic series.

#### CABLE TYPE

Code	Length	Msp	Packaging
CAB480/0.5	0.5 m	50	Hanger
CAB480/0.7	0.75 m	50	Hanger
CAB480/1	1 m	50	Hanger
CAB480/1.5	1.5 m	50	Hanger
CAB480/2	2 m	50	Hanger
CAB480/3	3 m	30	Hanger
CAB480/5	5 m	30	Hanger



# **CAB490**



#### **CONNECTORS**

SAME CONNECTIVITY

Cable only available in Procab Basic series. PVC euro power connection lead 3 x 1.5 mm<sup>2</sup> - Schuko male to euro female

#### **CABLE TYPE**

PC3G1.5

Code	Length	Msp	Packaging
CAB490/0.5	0.5 m	50	Hanger
CAB490/0.7	0.75 m	50	Hanger
CAB490/1	1 m	50	Hanger
CAB490/1.5	1.5 m	50	Hanger
CAB490/2	2 m	50	Hanger
CAB490/3	3 m	30	Hanger
CAB490/5	5 m	30	Hanger
CAB490/10	10 m	15	Hanger



# **CAB491**



#### SAME CONNECTIVITY

Open-end PVC euro power connection lead 3 x 1.5 mm<sup>2</sup> - Schuko male to euro female

Cable only available in Procab Basic series.

#### **CABLE TYPE**

Code	Length	Msp	Packaging
CAB491/5	5 m	30	Hanger
CAB491/10	10 m	15	Hanger



# **CAB495**

#### **CONNECTORS**

#### **SAME CONNECTIVITY**

Rubber euro power connection lead 3 x 1.5 mm<sup>2</sup> - Schuko male to euro female

Cable only available in Procab Basic series.

#### **CABLE TYPE**

3G1.5 - H07RNF

Code	Length	Msp	Packaging
CAB495/0.5	0.5 m	50	Hanger
CAB495/0.7	0.75 m	50	Hanger
CAB495/1	1 m	50	Hanger
CAB495/1.5	1.5 m	50	Hanger
CAB495/2	2 m	50	Hanger
CAB495/3	3 m	30	Hanger
CAB495/5	5 m	30	Hanger
CAB495/10	10 m	15	Hanger



# PSC104 - PSC106



4-way and 6-way powerbars featuring French (ground pin) or German-style (2 grounding clips) connectors with a H05VV-F  $3 \times 1.5$ mm² powercable and a straight ended connector.

Code	Length	Connectors
PSC104/1.5-F	1.5 m	French
PSC104/1.5-G	1.5 m	German
PSC104/5-F	5 m	French
PSC104/5-G	5 m	German

Code	Length	Connectors	
PSC106/1.5-F	1.5 m	French	
PSC106/1.5-G	1.5 m	German	
PSC106/5-F	5 m	French	
PSC106/5-G	5 m	German	

# **PSC204**



Available with 4 French or German connectors and ships with a cable length of 1,5 meters., fitted with a H05VV-F 3 x 2.5 mm² powercable and a straight CEE Type E & F Hybrid plug.

Available in 4-way configuration but IP44, offering more protection against water and dust, shipped

in hanger packaging, they use a H07RN-F  $3 \times 1.5$  mm<sup>2</sup> cable and are all fitted with a clear plastic shrinksleeve around the cable.


Code	Length	Connectors
PSC204/1.5-F	1.5 m	French
PSC204/1.5-G	1.5 m	German

# PSI104 - PSI204



Code Length Connectors PSI104/1.5-F 1.5 m PSI104/1.5-G 1.5 m

Code	Length	Connectors
PSI204/1.5-F	1.5 m	French
PSI204/1.5-G	1.5 m	German





# **INDEX**

CAB400	42	CLA710	11	CLP102	34	PSC106
CAB402	42	CLA711	11	CLP103	34	PSC204
CAB405	42	CLA712	11	CLP104	34	PSI104
CAB432	43	CLA713	12	CLP106	34	PSI204
CAB440	43	CLA716	12	CLP107	34	
CAB442	43	CLA718	12	CLP108	35	
CAB444	44	CLA719	13	CLP110	35	
CAB446	44	CLA720	13	CLP115	35	
CAB448	45	CLA721	13	CLP120	35	
CAB450	45	CLA723	14	CLP121	35	
CAB456/FF	46	CLA724	14	CLP125	35	
CAB456/FM	46	CLA725	14	CLP126	36	
CAB456/GF	46	CLA735	15	CLP130	36	
CAB465	47	CLA736	15	CLP135	36	
CAB475	47	CLA792	15	CLP140	36	
CAB480	48	CLA794	16	CLP145	36	
CAB490	48	CLA800	16	CLP146	36	
CAB491	48	CLA830	16	CLP157	39	
CAB495	49	CLA832	17	CLP158	39	
CIP700	20	CLA834	17	CLP204	37	
CIP705	20	CLA835	17	CLP205	37	
CIP708	20	CLA850	18	CLP206	37	
CIP712	20	CLA900	18	CLP208	37	
CLA530	6	CLA901	18	CLP209	37	
CLA590	6	CLA903	19	CLP210	37	
CLA591	6	CLA904	19	CLP211	38	
CLA595	7	CLD400	29	CLP321	38	
CLA600	7	CLD500	29	CLP341	38	
CLA603	7	CLD600	29	CLP342	38	
CLA610	8	CLD605	30	CLP345	38	
CLA631	8	CLD610	30	CLV100	23	
CLA650	8	CLD612	30	CLV114	23	
CLA701	9	CLD614	31	CLV115	24	
CLA703	9	CLD615	31	CLV156	24	
CLA705	9	CLD625	31	CLV158	25	
CLA707	10	CLD953	32	CLV162	25	
CLA708	10	CLD955	32	CLV200	23	
CLA709	10	CLP101	34	PSC104	49	

# Classic series packaging



49

49

49

- > Appealing appearance
- > Environmentally friendly
- > Slim design to fit more cables on your displays
- Anti-theft
- > Enables users to feel the cable quality



- > Appealing appearance
- > Ensures scratch-free & clean cables
- > Anti-theft

**BLISTER** 

# **Procab merchandising**



www.procab.be





