

UM-ONE mk2

USB MIDI Interface

FPT

for Microsoft®Windows®7/
Windows Vista®/Windows®XP SP3

for Mac OS X

USB



Now Compatible with the iPad

Compact, convenient, and fast, the affordable UM-ONE mk2 boasts high-performance FPT processing for low latency and tight timing. The bus-powered MIDI interface is compatible with Macs and PCs, and now with the iPad as well via the Apple iPad Camera Connection Kit!



UM-ONE mk2

USB MIDI Interface

- One-in/one-out MIDI interface with high-performance FPT processing
- Compatible with Mac and Windows operating systems, and now with iOS on the iPad via the Apple iPad Camera Connection Kit
- Super-compact, affordable, and easy to use
- Data indicators for both MIDI input and output
- Conveniently integrated USB and MIDI cables
- USB bus-powered operation

UM-ONE mk2

USB MIDI Interface

UM-ONE mk2 Specifications

- Connectors

MIDI IN cable (CONNECT TO MIDI OUT) x 1 (1 MIDI Channel)
MIDI OUT cable (CONNECT TO MIDI IN) x 1 (1 MIDI Channel)
USB cable

- Switch

COMP/TAB switch

- Indicators

USB indicator
MIDI IN indicator
MIDI OUT indicator

- Power Supply

Supplied from the computer via USB cable

- Current Draw

70 mA

- Dimensions (excluding the cables)

60 (W) x 30 (D) x 14 (H) mm
2-3/8 x 1-3/16 x 9/16 inches

- Weight

100 g
4 oz

- Accessories

Owner's Manual
UM-ONE CD-ROM

* All specifications and appearances are subject to change.

