

OMNITRONIC ODP-206T Installation Speaker 100V white 2x

2 weatherproof 6" wall speakers with mount, 20/40/80 W RMS

No. 11036957

GTIN 4026397629750



RRP: 355,81 €

19% VAT included

description:

Great sound - also runs with 100 volts

You want reliable and balanced sound for your bar, restaurant, shop or the conference area of your hotel? You need indoor and outdoor speakers? With the OPD series you get powerful installation speakers that meets all your requirements.

The speakers have a brilliant sound pattern and are available in a low ohm (16 ohms) and in a 100 V version. These two cover both small and large installations. A rotatable mounting bracket is included in the delivery. A swivel wall mount with matching colors is optionally available.

With their weatherproofed (IP54) plastic cabinet the ODP speakers are well prepared for outdoor use, indoor use is of course also possible.

features:

- 100 V PA speaker systems with an excellent sound for general applications
- 2-way system with 15 cm woofer (6") and 2.5 cm dome tweeter (1")
- Weatherproof plastic cabinet (IP54)
- 100 V transformer with 3 power taps (20 W, 40 W, 80 W)
- Power selector switch with 16 ohms operating position
- Swivel mounting bracket for wall installation
- Swivel and tilting wall bracket for wall installation
- Connection via screw terminals
- Packed as a pair
- Ideal for PA applications in restaurants, bars, shops or conferences

logistics:

small package
 EAN: 4026397629750
 weight: 15,25 kg
 length: 0,53 m
 width: 0,25 m
 height: 0,43 m
 volume: 0,06 m³

accessories:



11036991
 Wall Bracket for ODP-204/206 w

technical data:

Input:	100 V or 16 ohms
Components:	15 cm woofer (6"), 2.5 cm tweeter (1")
Connection:	screw terminals
Rated power:	20/40/80W RMS
Sensitivity:	89 dB
Maximum SPL:	110 dB
Dispersion angle:	90° x 60°
Dimensions (L x W x H):	224 x 182 x 362 mm
IP classification:	IP54
Weight:	14.15 kg
Size of woofer:	17 cm (6.5")
Frequency range:	60 - 18000 Hz